


Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's current energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built 27 B

If typical of the existing stock

72 C

Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	65.94

Recommendation report

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> <u>report (/energy-certificate/9852-4035-0242-0800-2525)</u>.

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name Marrianne Salter Telephone 07969450174

Email <u>marrianne.mjspropertyassess@gmail.com</u>

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme Stroma Certification Ltd

Assessor's ID STRO003685 Telephone 0330 124 9660

Email certification@stroma.com

About this assessment

Employer MJS Property Assessment Services

Employer address 15 Weston Close, Hawkes Green, Cannock,

STAFFORDSHIRE

Assessor's declaration The assessor is not related to the owner of the

property.

Date of assessment 22 May 2014
Date of certificate 23 May 2014