Energy performance certificate (EPC) Barclays Bank Plc 100 Whitby Road ELLESMERE PORT CH65 0AD Energy rating C Certificate number: 0290-2091-6630-95909303


Property type	A1/A2 Retail and Financial/Professional services
Total floor area	577 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built	24 A
If typical of the existing stock	71 C

Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Air Conditioning
Assessment level	3
Building emission rate (kgCO2/m2 per year)	83.15
Primary energy use (kWh/m2 per year)	487

Recommendation report

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> <u>report (/energy-certificate/9290-9952-0463-1960-0004)</u>.

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name Paul Ashworth

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Stroma Certification Ltd
Assessor's ID	STRO000534
Telephone	0330 124 9660
Email	certification@stroma.com
About this assessment	
Employer	Inteb Managed Services Ltd
Employer address	Egerton House, 2 Tower Road, Birkenhead, CH41

Employer	Inteb Managed Services Ltd
Employer address	Egerton House, 2 Tower Road, Birkenhead, CH41 1FN
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	21 November 2017
Date of certificate	28 November 2017