

paulwallace

Vancouver Road, Turnford, EN10 6FB | £265,000 | Leasehold

Vancouver Road, Turnford, EN10 6FB

CHAIN FREE - TWO BEDROOM SECOND FLOOR FLAT. Situated in the highly desirable CANADA FIELDS DEVELOPMENT a very well presented and maintained apartment. The property benefits from SPACIOUS LOUNGE/DINING room with Juliette balcony doors, FULLY FITTED KITCHEN, main bedroom with en-suite, further bathroom & with Security Entry System. Situated close to Brookfield Shopping Centre and easy access to A10 & M25.

Key features

- Two Bedroom
- Desirable Modern Development
- Spacious Lounge/Dining
- Secondary Bathroom
- **Property Information**

Tenure Leasehold

Council Tax

C

EPC Rating

Local Authority Broxbourne Borough Council

Lease Length 103 years


Service Charge & Ground Rent £1917 per year - £125 per year

- Second Floor Flat
- •100 plus year Lease
- Main Bedroom and En-Suite
- Security Entry System









Sun Bank Hols

9 am to 6:30 pm 9 am to 5:30 pm







My paulwallage
















Whilst every attempt has been made to ensure the accuracy of the floorplan contained here, measurements of doors, windows, rooms and any other items are approximate and no responsibility is taken for any error, omission or mis-statement. This plan is for illustrative purposes only and should be used as such by any prospective purchaser. The services, systems and appliances shown have not been tested and no guarantee as to their operability or efficiency can be given.

Made with Metropix ©2025





Registered Address: Unit 3 The Brookfield Centre, Cheshunt, Herts, EN8 0NN Company Registration Number: OC414280 | VAT Number: 276958046@2022 Paul Wallace Group LLP trading as Paul Wallace Estate Agents



Paul Wallace Estate Agents

Brookfield Centre Cheshunt Hertfordshire EN8 ONN



01992 781100



cheshunt@paulwallace.co.uk



www.paulwallace.co.uk



Opening Times

Mon - Fri 9 am to 6:30 pm 9 am to 5:30 pm Sat

Sun Closed Bank Hols Closed



they should not be relied upon. Potential buyers are advised to recheck measurements.