



See More Online

KFB: Key Facts For Buyers

A Guide to This Property & the Local Area

Friday 04th April 2025



ELEVATION COURT, LINCOLN, LN2

Mundys

29 – 30 Silver Street Lincoln LN2 1AS 01522 510 044 tom.bell@mundys.net www.mundys.net










Property **Overview**







Property

Type: Flat / Maisonette

Bedrooms:

Floor Area: $645 \text{ ft}^2 / 60 \text{ m}^2$

Plot Area: 0.08 acres

Year Built: 2006 **Council Tax:** Band A **Annual Estimate:** £1,507 **Title Number:** LL274151 Tenure: Leasehold Start Date: 21/08/2006 End Date: 01/01/3004

Lease Term: 999 years from 1 January 2005

Term Remaining: 979 years

Local Area

Local Authority: Lincoln **Conservation Area:** No

Flood Risk:

• Rivers & Seas Very low Surface Water Very low **Estimated Broadband Speeds**

(Standard - Superfast - Ultrafast)

12 74 mb/s mb/s mb/s



Mobile Coverage:

(based on calls indoors)











Satellite/Fibre TV Availability:












Property **Multiple Title Plans**




Freehold Title Plan



LL28011

Leasehold Title Plan



LL274151

Start Date: 21/08/2006 End Date: 01/01/3004

Lease Term: 999 years from 1 January 2005

Term Remaining: 979 years

Gallery **Photos**





Property **EPC - Certificate**



	Elevation Court, LN2	En	ergy rating
	Valid until 22.10.2024		
Score	Energy rating	Current	Potential
92+	A		
81-91	В		701
69-80	C	72 C	79 C
55-68	D		
39-54	E		
21-38	F		
1-20	G		

Property **EPC - Additional Data**



Additional EPC Data

Property Type: Flat

Build Form: Semi-Detached

Transaction Type: Rental (private)

Energy Tariff: Unknown

Main Fuel: Electricity (not community)

Main Gas: No

Floor Level: Ground

Flat Top Storey: No

0 **Top Storey:**

Glazing Type: Double glazing installed during or after 2002

Previous Extension: 0

0 **Open Fireplace:**

Ventilation: Natural

Low energy lighting in 50% of fixed outlets Lightning:

Main Heating: Room heaters, electric

Main Heating

Programmer and appliance thermostats **Controls:**

Hot Water System: Electric immersion, off-peak

Hot Water Energy

Efficiency:

Average

Floors: Suspended, insulated (assumed)

Walls: Cavity wall, as built, insulated (assumed)

Walls Energy: Good

Roof: (another dwelling above)


Total Floor Area: 60 m^2

Market

House Price Statistics



10 Year History of Average House Prices by Property Type in LN2








Maps Coal Mining



This map displays nearby coal mine entrances and their classifications.



Mine Entry

- × Adit
- X Gutter Pit
- × Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.




Maps

Conservation Areas



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




Nearby Conservation Areas				
1	Lindum and Arboretum			
2	The Dell			
3	Cathedral and City Centre			
4	Newport and Nettleham Road			
5	Sibthorp			
6	West Parade and Brayford			
7	Carline			
8	St Peter-at-Gowts			
9	Gowt's Bridge			
10	St Catherines			

Maps **Council Wards**



The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards			
1	Abbey Ward		
2	Glebe Ward		
3	Park Ward		
4	Minster Ward		
5	Castle Ward		
6	Carholme Ward		
7	Boultham Ward		
8	Heighington and Washingborough Ward		
9	Nettleham Ward		
10	Moorland Ward		

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.25%) in any one year.



Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- **High Risk** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Surface Water - Flood Risk




This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.25%) in any one year.



Surface Water - Climate Change




This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- **High Risk** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Maps **Green Belt**



This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land


No data available.



Maps **Landfill Sites**



This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.




Nearby I	Landfill Sites		
1	EA/EPR/BP3098ND/A001 - U E F Lincoln	Active Landfill	
2	East Of Power Station Site-Spa Road	Historic Landfill	
3	Greetwell Road and Outer Circle Road-Lincoln, Lincolnshire	Historic Landfill	
4	East Of HM Prison-Greetwell Road, Lincoln	Historic Landfill	
5	Land east of Great Northern Terrace Industrial Estate- Lincoln, Lincolnshire	Historic Landfill	
6	Wickes Site-Outer Circle Road	Historic Landfill	
7	Land East to of Dowding Road and lying between Railway line and Allenby Road Industrial Estate-Wavell Drive, Lincoln	Historic Landfill	
8	Wrights Way-Lincoln, Lincolnshire	Historic Landfill	
9	EA/EPR/LP3298NH/V002 - Anglian Water Services Ltd	Active Landfill	
10	Deacon Road-Lincoln, Lincolnshire	Historic Landfill	

Maps

Listed Buildings



This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed B	uildings in the local district	Grade	Distance
	1388695 - Masonry Fragments 25 Metres East Of Chancel At Monks Abbey	Grade II	0.2 miles
(m ²)	1388696 - Ruins Of Chancel At Monks Abbey	Grade II	0.2 miles
m 3	1388697 - Ruins Of Nave At Monks Abbey	Grade II	0.3 miles
(m) (4)	1388558 - Lincoln Prison Entrance Buildings And Walls	Grade II	0.4 miles
m ⁵	1388559 - Lincoln Prison Cell Blocks	Grade II	0.4 miles
6	1388758 - Chapel At St Annes Bedehouses	Grade II	0.5 miles
(m) ⁽⁷⁾	1388688 - Bandstand In Arboretum	Grade II	0.5 miles
(m) 8	1388692 - Church Of All Saints And Attached Sunday School And Railing	Grade II	0.5 miles
(m) ⁽⁹⁾	1388760 - Eastern Boundary Wall At St Annes Bedehouses	Grade II	0.5 miles
(n)	1388691 - Statue Of Lion In Arboretum	Grade II	0.5 miles

Area **Schools**





		Nursery	Primary	Secondary	College	Private
	Lincoln Monks Abbey Primary School					
	Ofsted Rating: Good Pupils: 594 Distance:0.37					
<u></u>	Lincoln Christ's Hospital School					
	Ofsted Rating: Good Pupils: 1286 Distance:0.7					
<u>a</u>	Lincoln Minster School					
•	Ofsted Rating: Not Rated Pupils: 473 Distance:0.74					
	The Lincoln St Peter-in-Eastgate Church of England (Controlled)				
4	Infants School		\checkmark			
	Ofsted Rating: Requires improvement Pupils: 89 Distance:0.76					
(5)	Lincoln College					
•	Ofsted Rating: Good Pupils:0 Distance:0.77					
<u></u>	Lincoln Carlton Academy					
•	Ofsted Rating: Outstanding Pupils: 421 Distance:0.85					
	Lincoln UTC					
V	Ofsted Rating: Good Pupils: 369 Distance:0.86			✓		
	The Lincoln St Giles Nursery School					
Ÿ	Ofsted Rating: Outstanding Pupils: 112 Distance:0.88					

Area **Schools**






		Nursery	Primary	Secondary	College	Private
9	St Giles Academy Ofsted Rating: Requires improvement Pupils: 405 Distance: 0.88					
10	Springwell Alternative Academy Lincoln Ofsted Rating: Good Pupils: 48 Distance:1.04			V		
11	The Lincoln Bishop King Church of England Primary School Ofsted Rating: Good Pupils: 459 Distance:1.16		\checkmark			
12	Westgate Academy Ofsted Rating: Good Pupils: 430 Distance:1.25		\checkmark			
13	Castles Education Ofsted Rating: Inadequate Pupils: 93 Distance:1.28			\checkmark		
14	Lincolnshire Secure Unit Ofsted Rating: Not Rated Pupils:0 Distance:1.31			\checkmark		
15	Our Lady of Lincoln Catholic Primary School A Voluntary Academy Ofsted Rating: Good Pupils: 204 Distance:1.32		\checkmark			
16	Athena School Ofsted Rating: Good Pupils: 113 Distance: 1.37					

Local Area

Masts & Pylons





Key:

Power Pylons

Communication Masts




Environment


Radon Gas



What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m3).








Local Area Road Noise





This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB



Environment

Soils & Clay



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content: VARIABLE Soil Texture: CLAYEY LOAM TO SILTY

Parent Material Grain:ARGILLACEOUSLOAMSoil Group:LIGHT(SANDY) TOSoil Depth:DEEP

MEDIUM(SANDY)



Primary Classifications (Most Common Clay Types)

C/M Claystone / Mudstone

FPC,S Floodplain Clay, Sand / Gravel

FC,S Fluvial Clays & Silts

FC,S,G Fluvial Clays, Silts, Sands & Gravel

PM/EC Prequaternary Marine / Estuarine Clay / Silt

QM/EC Quaternary Marine / Estuarine Clay / Silt

RC Residual Clay

RC/LL Residual Clay & Loamy Loess

RC,S River Clay & Silt

RC,FS Riverine Clay & Floodplain Sands and Gravel
RC,FL Riverine Clay & Fluvial Sands and Gravel

TC Terrace Clay

TC/LL Terrace Clay & Loamy Loess



Area

Transport (National)





National Rail Stations

Pin	Name	Distance
1	Lincoln Central Rail Station	1.09 miles
2	Hykeham Rail Station	4.33 miles
3	Saxilby Rail Station	6.71 miles



Trunk Roads/Motorways

Pin	Name	Distance
1	M180 J4	21.78 miles
2	M180 J5	24.89 miles
3	M180 J3	24.07 miles
4	M180 J2	26.6 miles
5	A1(M) J34	25.42 miles



Airports/Helipads

Pin	Name	Distance
•	Humberside Airport	25.34 miles
2	Finningley	26.84 miles
3	East Mids Airport	43.95 miles
4	Leeds Bradford Airport	64.55 miles



Area

Transport (Local)





Bus Stops/Stations

Pin	Name	Distance
1	Hartley Street	0.07 miles
2	Hartley Street	0.11 miles
3	Roman Pavement	0.19 miles
4	East Liberty	0.18 miles
5	Jellicoe Avenue	0.15 miles



Mundys **About Us**





Mundys

We are dedicated to offering our customers the highest quality service and strongly believe in helping you through the entire process from start to finish. We believe the combination of qualified Partners, highly trained and experienced staff, unique understanding of the Newark, Southwell and Lincoln property markets and our commitment to the latest technology offers you the best Estate Agency in the area. Our offices are located on Kirkgate, Newark, King Street, Southwell, Silver Street and Museum Court, Lincoln also Queen Street, Market Rasen. We are one of the very few Agents in Newark, Southwell & Lincoln to be regulated by the Royal Institute of Chartered Surveyors.

We are dedicated to offering our customers the highest quality service and we strongly believe in helping you through the entire process from start to finish:

- Residential Sales
- Survey

Financial Services

We are pleased to offer the services of our Specialist Mortgage Advisors at Mundys Financial Services. Mundys Financial Services have extensive experience in the mortgage industry and provide independent whole of market advice from our offices based in Lincoln and Market Rasen.

Mundys **Testimonials**



Testimonial 1



Mundys have been wonderful. We will recommend them to anyone thinking of moving - MR AND MRS GHEST

Testimonial 2



A huge thank you to you Emily and all of the Lettings Team for all your hard work in re-letting my apartment. Please pass on my regards and thanks to all.

Again another superb performance from Mundys MR FAHEY

Testimonial 3



Very satisfied with survey and would use again. I was impressed with how the Surveyor also telephoned me to run through his report with me.

MRS HARDWICKE



/Mundysuk



/mundysuk



/mundysuk

Agent **Disclaimer**



Important - Please Read

These particulars do not constitute any part of an offer or contract. All statements in these details are made without liability on the part of Mundys or the seller.

They should not be relied upon as a statement or representation of fact and, although believed to be correct, are not guaranteed and form no part of an offer or contract. Any intending buyers must satisfy themselves as to their correctness.

Please note that all appliances and heating systems are not tested by Mundys and therefore no warranties can be given as to their good working order.



Mundys **Data Quality**

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only and to act as a guide to the best way to market your property for the asking price.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Mundys

29 – 30 Silver Street Lincoln LN2 1AS 01522 510 044 tom.bell@mundys.net www.mundys.net





















