




See More Online

KFB: Key Facts For Buyers

A Guide to This Property & the Local Area

Tuesday 24th June 2025



VICTORIA STREET, BRACEBRIDGE, LINCOLN, LN5

Mundys

29 – 30 Silver Street Lincoln LN2 1AS

01522 510 044


chris.laughton@mundys.net

www.mundys.net



Powered by
aprift
Know any property instantly

Property Overview



Property

Type:	Terraced
Bedrooms:	2
Floor Area:	678 ft ² / 63 m ²
Plot Area:	0.02 acres
Year Built :	1900-1929
Council Tax :	Band A
Annual Estimate:	£1,507
Title Number:	LL79420

Tenure: Freehold

Local Area

Local Authority:	Lincolnshire
Conservation Area:	No
Flood Risk:	
● Rivers & Seas	Very low
● Surface Water	Very low

Estimated Broadband Speeds
(Standard - Superfast - Ultrafast)

2	80	1800
mb/s	mb/s	mb/s


Mobile Coverage:
(based on calls indoors)



Satellite/Fibre TV Availability:



Property EPC - Certificate



Additional EPC Data

Property Type:	House
Build Form:	Mid-Terrace
Transaction Type:	Rental
Energy Tariff:	Single
Main Fuel:	Mains gas (not community)
Main Gas:	Yes
Flat Top Storey:	No
Top Storey:	0
Glazing Type:	Double glazing, unknown install date
Previous Extension:	1
Open Fireplace:	0
Ventilation:	Natural
Walls:	Solid brick, as built, no insulation (assumed)
Walls Energy:	Very Poor
Roof:	Pitched, 200 mm loft insulation
Roof Energy:	Good
Main Heating:	Boiler and radiators, mains gas
Main Heating Controls:	Programmer, TRVs and bypass
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Low energy lighting in all fixed outlets
Floors:	Suspended, no insulation (assumed)
Total Floor Area:	63 m ²

10 Year History of Average House Prices by Property Type in LN5

Detached

+78.41%

Semi-Detached

+76.69%

Terraced

+70.66%

Flat

+52.67%

This map displays nearby coal mine entrances and their classifications.



Mine Entry

- ✗ Adit
- ✗ Gutter Pit
- ✗ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

Maps

Conservation Areas



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas



St Catherines



Gowt's Bridge



St Peter-at-Gowts



Sibthorp



Swanpool



West Parade and Brayford



Cathedral and City Centre



Carline



Lindum and Arboretum




The Dell

Maps

Council Wards



The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards


- 1 Witham Ward
- 2 Moorland Ward
- 3 Park Ward
- 4 Boultham Ward
- 5 North Hykeham Forum Ward
- 6 North Hykeham Witham Ward
- 7 Hartsholme Ward
- 8 North Hykeham Moor Ward
- 9 Bracebridge Heath and Waddington East Ward
- 10 Waddington West Ward

Maps

Rail Noise



This map displays the noise levels from nearby network rail and HS1 railway routes that affect this property...



Rail Noise Data

This data indicates the level of noise according to the strategic noise mapping of rail sources within areas with a population of at least 100,000 people (agglomerations) and along Network Rail and HS1 traffic routes.

The data indicates the annual average noise levels for the 16-hour period between 0700 - 2300.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:


5		75.0+ dB	
4		70.0-74.9 dB	
3		65.0-69.9 dB	
2		60.0-64.9 dB	
1		55.0-59.9 dB	

Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Rivers & Seas - Climate Change

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Surface Water - Climate Change

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps

Green Belt



This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land


No data available.

Maps

Landfill Sites



This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites


1	Newark Road-Bracebridge, Lincolnshire	Historic Landfill	☐
2	East Of St. Peters Avenue-Bracebridge, Lincolnshire	Historic Landfill	☐
3	Area Adjacent To Boultham Park-Bracebridge, Lincolnshire	Historic Landfill	☐
4	St Catherines Grove-St. Catherines, Lincolnshire	Historic Landfill	☐
5	Cross O'cliff Road-St. Catherines, Lincolnshire	Historic Landfill	☐
6	Hainton Road-Boultham Moor, Lincolnshire	Historic Landfill	☐
7	St Catherines-St. Catherines, Lincolnshire	Historic Landfill	☐
8	Boultham Baths-Altham Terrace	Historic Landfill	☐
9	Rear Of Calder Road-Nos 81-83 and 145-199 Calder Road, Bracebridge, Lincolnshire	Historic Landfill	☐
10	Moorland Avenue-Boultham Moor, Lincolnshire	Historic Landfill	☐

Maps


Listed Buildings




This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district	Grade	Distance
 1388710 - Grosvenor Hall Private Nursing Home	Grade II	0.1 miles
 1388709 - 210, Newark Road	Grade II	0.2 miles
 1388470 - Church Of All Saints	Grade I	0.3 miles
 1388566 - Church Of St Helen	Grade II	0.5 miles
 1388567 - Crimean War Memorial 3 Metres North West Of Church Of St Helen	Grade II	0.5 miles
 1479068 - Cross O'cliff Court	Grade II	0.6 miles
 1280921 - The Lodge	Grade II	0.8 miles
 1360602 - The Homestead	Grade II	0.8 miles
 1280923 - Crondall House	Grade II	0.8 miles
 1205000 - Main Building At St John's Hospital	Grade II	0.9 miles




		Nursery	Primary	Secondary	College	Private
1	Bracebridge Infant and Nursery School Ofsted Rating: Good Pupils: 78 Distance:0.09	☐	☒	☐	☐	☐
2	The Priory Academy LSST Ofsted Rating: Good Pupils: 1779 Distance:0.36	☐	☐	☒	☐	☐
3	St Peter and St Paul, Catholic Voluntary Academy Ofsted Rating: Requires improvement Pupils: 602 Distance:0.72	☐	☐	☒	☐	☐
4	The Priory Witham Academy Ofsted Rating: Good Pupils: 1110 Distance:0.76	☐	☒	☒	☐	☐
5	The Meadows Primary School Ofsted Rating: Good Pupils: 364 Distance:0.86	☐	☒	☐	☐	☐
6	The Lincoln St Christopher's School Ofsted Rating: Good Pupils: 252 Distance:0.87	☐	☐	☒	☐	☐
7	Bracebridge Heath St John's Primary Academy Ofsted Rating: Good Pupils: 372 Distance:0.89	☐	☒	☐	☐	☐
8	Sir Francis Hill Community Primary School Ofsted Rating: Requires improvement Pupils: 623 Distance:0.93	☐	☒	☐	☐	☐



		Nursery	Primary	Secondary	College	Private
9	The Lincoln Manor Leas Junior School Ofsted Rating: Good Pupils: 290 Distance:0.95	☐	☒	☐	☐	☐
10	The Lincoln Manor Leas Infants School Ofsted Rating: Good Pupils: 163 Distance:0.95	☐	☒	☐	☐	☐
11	Athena School Ofsted Rating: Good Pupils: 113 Distance:1.06	☐	☐	☒	☐	☐
12	Acorn Free School Ofsted Rating: Good Pupils: 3 Distance:1.09	☐	☐	☒	☐	☐
13	The Priory City of Lincoln Academy Ofsted Rating: Requires improvement Pupils: 980 Distance:1.13	☐	☐	☒	☐	☐
14	The Lincoln St Peter at Gowts Church of England Primary School Ofsted Rating: Outstanding Pupils: 258 Distance:1.17	☐	☒	☐	☐	☐
15	The Lincoln Bishop King Church of England Primary School Ofsted Rating: Good Pupils: 459 Distance:1.26	☐	☒	☐	☐	☐
16	Hartsholme Academy Ofsted Rating: Requires improvement Pupils: 377 Distance:1.36	☐	☒	☐	☐	☐

Local Area

Masts & Pylons



Key:

-  Power Pylons
-  Communication Masts



Environment

Radon Gas




What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m3).



Local Area Road Noise




This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB


Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	NONE	Soil Texture:	SAND TO SANDY LOAM
Parent Material Grain:	ARENACEOUS - RUDACEOUS	Soil Depth:	DEEP
Soil Group:	LIGHT(SILTY) TO MEDIUM(SILTY)		




Primary Classifications (Most Common Clay Types)

C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess




National Rail Stations

Pin	Name	Distance
	Lincoln Central Rail Station	1.6 miles
	Lincoln Central Rail Station	1.62 miles
	Hykeham Rail Station	2.12 miles




Trunk Roads/Motorways

Pin	Name	Distance
	M180 J4	23.55 miles
	M180 J3	25.35 miles
	M180 J5	26.98 miles
	M180 J2	27.58 miles
	A1(M) J34	24.95 miles



Airports/Helipads

Pin	Name	Distance
	Humberside Airport	27.54 miles
	Finningley	26.96 miles
	East Mids Airport	41.6 miles
	Leeds Bradford Airport	64.75 miles



Bus Stops/Stations

Pin	Name	Distance
	Ellison Street	0.05 miles
	Grosvenor Nursing Home	0.12 miles
	Manby Street	0.23 miles
	All Saints Church	0.29 miles
	The Plough PH	0.25 miles



Mundys

We are dedicated to offering our customers the highest quality service and strongly believe in helping you through the entire process from start to finish. We believe the combination of qualified Partners, highly trained and experienced staff, unique understanding of the Newark, Southwell and Lincoln property markets and our commitment to the latest technology offers you the best Estate Agency in the area. Our offices are located on Kirkgate, Newark, King Street, Southwell, Silver Street and Museum Court, Lincoln also Queen Street, Market Rasen. We are one of the very few Agents in Newark, Southwell & Lincoln to be regulated by the Royal Institute of Chartered Surveyors.

We are dedicated to offering our customers the highest quality service and we strongly believe in helping you through the entire process from start to finish:

- Residential Sales
- Survey

Financial Services

We are pleased to offer the services of our Specialist Mortgage Advisors at Mundys Financial Services. Mundys Financial Services have extensive experience in the mortgage industry and provide independent whole of market advice from our offices based in Lincoln and Market Rasen.



Testimonial 1



Mundys have been wonderful. We will recommend them to anyone thinking of moving
- MR AND MRS GHEST

Testimonial 2



A huge thank you to you Emily and all of the Lettings Team for all your hard work in re-letting my apartment.
Please pass on my regards and thanks to all.
Again another superb performance from Mundys
MR FAHEY

Testimonial 3



Very satisfied with survey and would use again. I was impressed with how the Surveyor also telephoned me to run through his report with me.
MRS HARDWICKE



/Mundysuk



/mundysuk



/mundysuk



Important - Please Read

These particulars do not constitute any part of an offer or contract. All statements in these details are made without liability on the part of Mundys or the seller.

They should not be relied upon as a statement or representation of fact and, although believed to be correct, are not guaranteed and form no part of an offer or contract. Any intending buyers must satisfy themselves as to their correctness.

Please note that all appliances and heating systems are not tested by Mundys and therefore no warranties can be given as to their good working order.

Mundys Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only and to act as a guide to the best way to market your property for the asking price.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Mundys

29 – 30 Silver Street Lincoln LN2 1AS

01522 510 044

chris.laughton@mundys.net

www.mundys.net

