




KFB: Key Facts For Buyers

A Guide to This Property & the Local Area

Wednesday 29th October 2025



ALEXANDRA TERRACE, LINCOLN, LN1

Mundys

29 – 30 Silver Street Lincoln LN2 1AS 01522 510 044 chris.laughton@mundys.net www.mundys.net









Property **Overview**









Property

Type: Terraced

Bedrooms:

Floor Area: $807 \text{ ft}^2 / 75 \text{ m}^2$

Plot Area: 0.03 acres Year Built: Before 1900 **Council Tax:** Band A

Annual Estimate: £1,507 **Title Number:** LL11605 Tenure: Freehold

Local Area

Local Authority: Lincolnshire

No

Conservation Area:

Flood Risk:

• Rivers & Seas Very low Very low

Surface Water

Estimated Broadband Speeds

(Standard - Superfast - Ultrafast)

15 64

mb/s mb/s





Satellite/Fibre TV Availability:



1800

mb/s

Mobile Coverage:

(based on calls indoors)





























Property **EPC - Certificate**



| | Alexandra Terrace, LN1 | Ene | ergy rating |
|-------|------------------------|---------|-------------|
| | Valid until 19.01.2028 | | |
| Score | Energy rating | Current | Potential |
| 92+ | A | | |
| 81-91 | В | | 85 B |
| 69-80 | C | | |
| 55-68 | D | 60 D | |
| 39-54 | E | | |
| 21-38 | F | | |
| 1-20 | G | | |

Property **EPC - Additional Data**



Additional EPC Data

Property Type: House

Build Form: Mid-Terrace

Transaction Type: Rental (private)

Energy Tariff: Single

Main Fuel: Mains gas (not community)

Main Gas: Yes

Flat Top Storey: No

0 **Top Storey:**

Double glazing, unknown install date **Glazing Type:**

Previous Extension: 2

0 **Open Fireplace:**

Ventilation: Natural

Walls: Solid brick, as built, no insulation (assumed)

Walls Energy: Very Poor

Pitched, 50 mm loft insulation Roof:

Roof Energy: Poor

Main Heating: Boiler and radiators, mains gas

Main Heating

Programmer, room thermostat and TRVs **Controls:**

Hot Water System: From main system

Hot Water Energy

Efficiency:

Good

Lighting: Low energy lighting in 56% of fixed outlets

Floors: Suspended, no insulation (assumed)


Total Floor Area: $75 \, \text{m}^2$

Market

House Price Statistics



10 Year History of Average House Prices by Property Type in LN1





Maps Coal Mining



This map displays nearby coal mine entrances and their classifications.



Mine Entry

× Adit

X Gutter Pit

× Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.



Maps

Conservation Areas



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




| Nearby Conservation Areas | | |
|---------------------------|----------------------------|--|
| 1 | Carline | |
| 2 | West Parade and Brayford | |
| 3 | Cathedral and City Centre | |
| 4 | Newport and Nettleham Road | |
| 5 | Lindum and Arboretum | |
| 6 | The Dell | |
| 7 | St Peter-at-Gowts | |
| 8 | Sibthorp | |
| 9 | Gowt's Bridge | |
| 10 | St Catherines | |

Maps Council Wards



The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500




| Nearby Council Wards | | | | |
|----------------------|-----------------|--|--|--|
| 1 | Castle Ward | | | |
| 2 | Carholme Ward | | | |
| 3 | Minster Ward | | | |
| 4 | Boultham Ward | | | |
| 5 | Park Ward | | | |
| 6 | Abbey Ward | | | |
| 7 | Glebe Ward | | | |
| 8 | Moorland Ward | | | |
| 9 | Hartsholme Ward | | | |
| 10 | Birchwood Ward | | | |

Maps Rail Noise



This map displays the noise levels from nearby network rail and HS1 railway routes that affect this property...



Rail Noise Data

This data indicates the level of noise according to the strategic noise mapping of rail sources within areas with a population of at least 100,000 people (agglomerations) and along Network Rail and HS1 traffic routes.

The data indicates the annual average noise levels for the 16-hour period between 0700 - 2300.


Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

| 5 | 75.0+ dB | |
|---|--------------|--|
| 4 | 70.0-74.9 dB | |
| 3 | 65.0-69.9 dB | |
| 2 | 60.0-64.9 dB | |
| 1 | 55.0-59.9 dB | |

Rivers & Seas - Flood Risk




This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Rivers & Seas - Climate Change




This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- **High Risk** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Surface Water - Flood Risk




This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Maps **Green Belt**



This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land

No data available.



Maps **Landfill Sites**



This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



| Nearby Landfill Sites | | | | |
|-----------------------|--|-------------------|--|--|
| 1 | Former Fisons Site-Carholme Road | Historic Landfill | | |
| 2 | Rear Of British Rail Social Club-Ropewalk | Historic Landfill | | |
| 3 | Land South Of Ropewalk-Land South Of Ropewalk, Rear Of Mervyn Black | Historic Landfill | | |
| 4 | EA/EPR/BP3598NX/A001 - Serviceteam Ltd | Active Landfill | | |
| 5 | Former Brayford Leisure Site-Ropewalk | Historic Landfill | | |
| 6 | Mount Street-Lincoln, Lincolnshire | Historic Landfill | | |
| 7 | The Dell-Wragby Road | Historic Landfill | | |
| 8 | Golf Course-West Common | Historic Landfill | | |
| 9 | EA/EPR/BP3998NN/A001 - Beevor Foundry Ltd | Active Landfill | | |
| 10 | West Common-Lincoln, Lincolnshire | Historic Landfill | | |

Maps

Listed Buildings



This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



| Listed B | uildings in the local district | Grade | Distance |
|-------------------------|--|----------|-----------|
| (m)1 | 1388819 - The Lawn | Grade II | 0.1 miles |
| m ² | 1388815 - Charlesworth Monument | Grade II | 0.1 miles |
| m ³ | 1388817 - Hilton House And Attached Wall And Gatepiers | Grade II | 0.1 miles |
| (m) ⁴ | 1388701 - West Hill House | Grade II | 0.1 miles |
| m ⁵ | 1388509 - Castle Moat House | Grade II | 0.1 miles |
| 6 | 1388467 - The Cottage | Grade II | 0.1 miles |
| (m) 7) | 1388816 - Wall And Railings Enclosing Charlesworth Monument | Grade II | 0.1 miles |
| 6 8 | 1388700 - Colonia Wall 3 Metres West Of Number 2 Beaumont Fee (number 2 Not Included) | Grade II | 0.1 miles |
| (m) 9 | 1388818 - Hilton Lodge And Attached Walls | Grade II | 0.1 miles |
| (10) | 1388718 - Numbers 78-88 And Attached Railings | Grade II | 0.2 miles |



Area **Schools**






| | | Nursery | Primary | Secondary | College | Private |
|----------|---|---------|--------------|-----------|---------|---------|
| | Lincolnshire Secure Unit | | | | | |
| Y | Ofsted Rating: Not Rated Pupils:0 Distance:0.2 | | | | | |
| \sim | The St Faith and St Martin Church of England Junior School, | | | | | |
| 2 | Lincoln | | \checkmark | | | |
| | Ofsted Rating: Good Pupils: 345 Distance:0.2 | | | | | |
| 3 | Westgate Academy | | | | | |
| | Ofsted Rating: Good Pupils: 430 Distance:0.2 | | | | | |
| | The St Faith's Church of England Infant and Nursery School, | | | | | |
| 4) | Lincoln | | \checkmark | | | |
| | Ofsted Rating: Good Pupils: 278 Distance: 0.36 | | | | | |
| 5 | Lincoln UTC | | | | | |
| | Ofsted Rating: Good Pupils: 369 Distance:0.45 | | | | | |
| <u></u> | Mount Street Academy | | | | | |
| | Ofsted Rating: Outstanding Pupils: 318 Distance: 0.49 | | | | | |
| 7 | Lincoln College | | | | | |
| 7 | Ofsted Rating: Good Pupils:0 Distance:0.55 | | | | | |
| <u></u> | Lincoln Minster School | | | | | |
| | Ofsted Rating: Not Rated Pupils: 473 Distance:0.58 | | | | | |

Area **Schools**





| | | Numaami | Duiman | Canan dam. | Callana | Duiseate |
|----------|--|---------|--------------|------------|---------|----------|
| | | Nursery | Primary | Secondary | College | Private |
| <u></u> | The Lincoln St Peter-in-Eastgate Church of England (Controlled |) | | | | |
| Y | Infants School Ofsted Rating: Requires improvement Pupils: 89 Distance: 0.6 | | V | | | |
| | Orsted Nating. Nequires improvement 1 upils. 07 Distance.0.0 | | | | | |
| 10 | Lincoln Castle Academy | | | | | |
| | Ofsted Rating: Not Rated Pupils: 680 Distance:0.91 | | | | | |
| a | Lincoln Monks Abbey Primary School | | | | | |
| W | Ofsted Rating: Good Pupils: 594 Distance:0.95 | | ✓ <u></u> | | | |
| | The Lincoln St Peter at Gowts Church of England Primary | | | | | |
| 12 | School | | \checkmark | | | |
| | Ofsted Rating: Outstanding Pupils: 258 Distance:0.97 | | | | | |
| 13 | Castles Education | | | | | |
| | Ofsted Rating: Inadequate Pupils: 93 Distance:1.02 | | | | | |
| 120 | The St Francis Special School, Lincoln | | | | | |
| Y | Ofsted Rating: Outstanding Pupils: 161 Distance:1.03 | | | | | |
| 15 | Lincoln Christ's Hospital School | | | | | |
| 9 | Ofsted Rating: Good Pupils: 1286 Distance:1.05 | | | ✓ | | |
| 16 | The Lincoln Bishop King Church of England Primary School | | | | | |
| Ÿ | Ofsted Rating: Good Pupils: 459 Distance:1.1 | | \checkmark | | | |

Local Area

Masts & Pylons





Key:

Power Pylons

Communication Masts




Environment


Radon Gas



What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m3).








Local Area Road Noise





This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB



Environment

Soils & Clay



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content: NONE Soil Texture: CLAY TO SANDY LOAM

Parent Material Grain: ARGILLIC - Soil Depth: DEEP

ARENACEOUS

Soil Group: ALL



Primary Classifications (Most Common Clay Types)

C/M Claystone / Mudstone

FPC,S Floodplain Clay, Sand / Gravel

FC,S Fluvial Clays & Silts

FC,S,G Fluvial Clays, Silts, Sands & Gravel

PM/EC Prequaternary Marine / Estuarine Clay / Silt

QM/EC Quaternary Marine / Estuarine Clay / Silt

RC Residual Clay

RC/LL Residual Clay & Loamy Loess

RC,S River Clay & Silt

RC,FS Riverine Clay & Floodplain Sands and Gravel
RC,FL Riverine Clay & Fluvial Sands and Gravel

TC Terrace Clay

TC/LL Terrace Clay & Loamy Loess



Area

Transport (National)





National Rail Stations

| Pin | Name | Distance |
|-----|---------------------------------|------------|
| • | Lincoln Central Rail Station | 0.59 miles |
| 2 | Lincoln Central Rail Station | 0.59 miles |
| 3 | Hykeham Rail Station | 3.53 miles |



Trunk Roads/Motorways

| Pin | Name | Distance |
|-----|-----------|-------------|
| 1 | M180 J4 | 21.47 miles |
| 2 | M180 J3 | 23.42 miles |
| 3 | M180 J5 | 24.89 miles |
| 4 | M180 J2 | 25.79 miles |
| 5 | A1(M) J34 | 24.16 miles |



Airports/Helipads

| Pin | Name | Distance |
|-----|------------------------|-------------|
| • | Humberside Airport | 25.48 miles |
| 2 | Finningley | 25.7 miles |
| 3 | East Mids Airport | 43.12 miles |
| 4 | Leeds Bradford Airport | 63.45 miles |



Area

Transport (Local)





Bus Stops/Stations

| Pin | Name | Distance |
|-----|--------------------------|------------|
| 1 | Stairway To North Parade | 0.07 miles |
| 2 | West Parade | 0.15 miles |
| 3 | Lawn Visitor Centre | 0.12 miles |
| 4 | North Parade | 0.13 miles |
| 5 | Liquorice Park | 0.11 miles |



Mundys **About Us**





Mundys

We are dedicated to offering our customers the highest quality service and strongly believe in helping you through the entire process from start to finish. We believe the combination of qualified Partners, highly trained and experienced staff, unique understanding of the Newark, Southwell and Lincoln property markets and our commitment to the latest technology offers you the best Estate Agency in the area. Our offices are located on Kirkgate, Newark, King Street, Southwell, Silver Street and Museum Court, Lincoln also Queen Street, Market Rasen. We are one of the very few Agents in Newark, Southwell & Lincoln to be regulated by the Royal Institute of Chartered Surveyors.

We are dedicated to offering our customers the highest quality service and we strongly believe in helping you through the entire process from start to finish:

- Residential Sales
- Survey

Financial Services

We are pleased to offer the services of our Specialist Mortgage Advisors at Mundys Financial Services. Mundys Financial Services have extensive experience in the mortgage industry and provide independent whole of market advice from our offices based in Lincoln and Market Rasen.

Mundys **Testimonials**



Testimonial 1



Mundys have been wonderful. We will recommend them to anyone thinking of moving - MR AND MRS GHEST

Testimonial 2



A huge thank you to you Emily and all of the Lettings Team for all your hard work in re-letting my apartment. Please pass on my regards and thanks to all.

Again another superb performance from Mundys MR FAHEY

Testimonial 3



Very satisfied with survey and would use again. I was impressed with how the Surveyor also telephoned me to run through his report with me.

MRS HARDWICKE



/Mundysuk



/mundysuk



/mundysuk

Agent **Disclaimer**



Important - Please Read

These particulars do not constitute any part of an offer or contract. All statements in these details are made without liability on the part of Mundys or the seller.

They should not be relied upon as a statement or representation of fact and, although believed to be correct, are not guaranteed and form no part of an offer or contract. Any intending buyers must satisfy themselves as to their correctness.

Please note that all appliances and heating systems are not tested by Mundys and therefore no warranties can be given as to their good working order.



Mundys **Data Quality**

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Mundys

29 – 30 Silver Street Lincoln LN2 1AS 01522 510 044 chris.laughton@mundys.net www.mundys.net





















