Energy performance certificate (EPC)

3 Court Farm Barns
Medcroft Road
Tackley
OX5 3AL

Energy rating
Valid until: 4 January 2034

Certificate 3095-7810-8952-8825number: 9223


Property type	Retail/Financial and Professional Services
Total floor area	115 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is B.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

7 A

If typical of the existing stock

27 B

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	17.06
Primary energy use (kWh/m2 per year)	180

Recommendation report

Guidance on improving the energy performance of this property can be found in the $\frac{\text{recommendation}}{\text{report (/energy-certificate/4290-2291-4912-4819-4123)}}$.

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Stephen Cocks
Telephone	01295 268516
Email	synergy steve@btinternet.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/009696
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk
About this assessment	
Employer	Synergy
Employer address	Danvers Cottage Broughton Banbury OX15 5DY
Assessor's declaration	The assessor is not related to the owner of the
	property.
Date of assessment	3 January 2024
Date of certificate	5 January 2024