

Energy performance certificate (EPC)

Unit 13
Bottings Industrial Estate
Curdridge
SOUTHAMPTON
SO30 2DY

Energy rating

B

Valid until:

27 August 2035

Certificate number:

6514-4503-5651-1572-4589

Property type

General Industrial and Special Industrial Groups

Total floor area


593 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is B.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

16 A

If typical of the existing stock

65 C

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	6.06
Primary energy use (kWh/m ² per year)	65

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/1716-1376-0383-6648-9709\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Martyn Hughes
Telephone	01489 883231
Email	info@energyreport.co.uk

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/030367
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	ENERGY REPORT LTD
Employer address	25 Barnes Wallis Road Fareham PO15 5TT
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	5 June 2025
Date of certificate	28 August 2025