




See More Online

# MIR: Material Info

The Material Information Affecting this Property

Wednesday 29<sup>th</sup> October 2025



## **BRAYFORD STREET, LINCOLN, LN5**

#### Mundys

29 – 30 Silver Street Lincoln LN2 1AS 01522 510 044 hymie.bentley@mundys.net www.mundys.net









# Property **Multiple Title Plans**



#### Freehold Title Plan



#### LL255451

#### **Leasehold Title Plan**



#### LL334030

Start Date: 26/04/2012 End Date: 04/06/3006

Lease Term: 999 years from and including 5 June 2007 to and including 4 June 3006

Term Remaining: 981 years

## Property **Overview**





#### **Property**

Type: Flat / Maisonette

**Bedrooms:** 

Floor Area: 1,151 ft<sup>2</sup> / 107 m<sup>2</sup>

Plot Area: 0.45 acres

Year Built: 2012 **Council Tax:** Band E

**Annual Estimate:** £2,763 **Title Number:** LL334030 Tenure: Leasehold 26/04/2012 Start

Date:

**End Date:** 04/06/3006

999 years from and including 5 June Lease 2007 to and including 4 June 3006 Term:

981 years Term

Remaining:

#### **Local Area**

**Local Authority:** Lincolnshire West Parade and **Conservation Area:** 

Brayford

Flood Risk:

Rivers & Seas Low Surface Water Low **Estimated Broadband Speeds** 

(Standard - Superfast - Ultrafast)

16

1000

mb/s

mb/s





#### **Mobile Coverage:**

(based on calls indoors)















Satellite/Fibre TV Availability:

















# Property **EPC - Certificate**



	Brayford Street, LN5	Ene	ergy rating
	Valid until 20.11.2027		
Score	Energy rating	Current	Potential
92+	A		
81-91	В		
69-80	C		
55-68	D	58   D	59   D
39-54	E		
21-38	F		
1-20	G		

# Property **EPC - Additional Data**



#### **Additional EPC Data**

Property Type: Flat

**Build Form:** Mid-Terrace

**Transaction Type:** Marketed sale

**Energy Tariff:** Single

Main Fuel: Electricity (not community)

Main Gas: No

Floor Level: 9th

Flat Top Storey: No

**Top Storey:** 0

**Glazing Type:** Double glazing installed during or after 2002

**Previous Extension:** 0

**Open Fireplace:** 0

**Ventilation:** Natural

Walls: System built, as built, insulated (assumed)

Walls Energy: Good

**Roof:** Flat, insulated (assumed)

Roof Energy: Good

Main Heating: Warm air, Electricaire

**Main Heating** 

**Controls:** 

Time and temperature zone control

Hot Water System: Electric immersion, standard tariff

**Hot Water Energy** 

**Efficiency:** 

Very Poor

**Lighting:** No low energy lighting


**Floors:** (another dwelling below)

**Total Floor Area:** 107 m<sup>2</sup>

## **Surface Water - Flood Risk**



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



#### Risk Rating: Low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.





## **Surface Water - Climate Change**




This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



#### Risk Rating: Medium

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- **High Risk** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.1%) in any one year.



### **Rivers & Seas - Flood Risk**




This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.



#### Risk Rating: Low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.






## **Rivers & Seas - Climate Change**



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



#### Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.



## Maps

## **Conservation Areas**



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Con	servation Areas
1	West Parade and Brayford
2	St Peter-at-Gowts
3	Sibthorp
4	Cathedral and City Centre
5	Carline
6	Gowt's Bridge
7	Lindum and Arboretum
8	Newport and Nettleham Road
9	The Dell
10	St Catherines

# Maps **Landfill Sites**



This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby	Landfill Sites		
1	Land South Of Ropewalk-Land South Of Ropewalk, Rear Of Mervyn Black	Historic Landfill	
2	Former Brayford Leisure Site-Ropewalk	Historic Landfill	
3	Rear Of British Rail Social Club-Ropewalk	Historic Landfill	
4	Former Fisons Site-Carholme Road	Historic Landfill	
5	East Of Dunford Road-Cow Paddle, Lincoln	Historic Landfill	
6	Old Railway Cutting-Cow Paddle	Historic Landfill	
7	Skewbridge Tip Site-Skewbridge, Lincoln	Historic Landfill	
8	The Dell-Wragby Road	Historic Landfill	
9	EA/EPR/BP3998NN/A001 - Beevor Foundry Ltd	Active Landfill	
10	East Of Power Station Site-Spa Road	Historic Landfill	

# Maps Coal Mining



This map displays nearby coal mine entrances and their classifications.



#### Mine Entry

- × Adit
- X Gutter Pit
- × Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.



# Maps **Council Wards**



The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards				
1	Park Ward			
2	Boultham Ward			
3	Carholme Ward			
4	Castle Ward			
5	Minster Ward			
6	Abbey Ward			
7	Glebe Ward			
8	Moorland Ward			
<b>9</b>	Hartsholme Ward			
10	Witham Ward			


### Environment


### **Radon Gas**



#### What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m3).







### Environment

## Soils & Clay




Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content: NONE Soil Texture: CLAY TO SANDY LOAM

Parent Material Grain: ARGILLIC - Soil Depth: DEEP

**ARENACEOUS** 

Soil Group: ALL



#### Primary Classifications (Most Common Clay Types)

**C/M** Claystone / Mudstone

**FPC,S** Floodplain Clay, Sand / Gravel

FC,S Fluvial Clays & Silts

FC,S,G Fluvial Clays, Silts, Sands & Gravel

PM/EC Prequaternary Marine / Estuarine Clay / Silt

QM/EC Quaternary Marine / Estuarine Clay / Silt

RC Residual Clay

RC/LL Residual Clay & Loamy Loess

RC,S River Clay & Silt

RC,FS Riverine Clay & Floodplain Sands and Gravel
RC,FL Riverine Clay & Fluvial Sands and Gravel


TC Terrace Clay

TC/LL Terrace Clay & Loamy Loess

## Local Area

# **Masts & Pylons**





Key:

Power Pylons

Communication Masts



# Maps

# **Listed Buildings**



This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




Listed B	uildings in the local district	Grade	Distance
	1388501 - Former Corn Exchange	Grade II	0.1 miles
<b>m</b> <sup>2</sup>	1388597 - Church Of St Mary Le Wigford	Grade I	0.1 miles
<b>m</b> <sup>3</sup>	1388562 - 16, Guildhall Street	Grade II	0.1 miles
<b>(m)</b> <sup>(4)</sup>	1388729 - Brush Factory And Attached Warehouse	Grade II	0.1 miles
<b>(m)</b> (5)	1392292 - Signal Box	Grade II	0.1 miles
<b>6</b>	1388592 - 323 High Street	Grade II	0.1 miles
<b>(m</b> <sup>7)</sup>	1388589 - 314 And 315, High Street	Grade II	0.1 miles
<b>(m)</b> <sup>(8)</sup>	1388591 - 320 High Street	Grade II	0.1 miles
<b>(m)</b> 9	1388712 - 22 And 22a, Newland	Grade II	0.1 miles
<b>(m)</b> 10	1388747 - War Memorial 5 Metres East Of Church Of St Benedict	Grade II	0.1 miles



# Maps **Green Belt**



This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land

No data available.



# Area **Schools**





		Nursery	Primary	Secondary	College	Private
1	Lincolnshire Secure Unit Ofsted Rating: Not Rated   Pupils:0   Distance:0.29			$\overline{\checkmark}$		
2	The Lincoln St Peter at Gowts Church of England Primary School Ofsted Rating: Outstanding   Pupils: 258   Distance:0.49		igvee			
3	Lincoln UTC Ofsted Rating: Good   Pupils: 369   Distance:0.51			$\checkmark$		
4	Lincoln College Ofsted Rating: Good   Pupils:0   Distance:0.52			lacksquare		
5	The St Faith and St Martin Church of England Junior School, Lincoln Ofsted Rating: Good   Pupils: 345   Distance:0.59		$\bigcirc$			
6	Westgate Academy Ofsted Rating: Good   Pupils: 430   Distance: 0.64		$\checkmark$			
7	The Lincoln Bishop King Church of England Primary School Ofsted Rating: Good   Pupils: 459   Distance:0.65					
8	Lincoln Minster School Ofsted Rating: Not Rated   Pupils: 473   Distance: 0.68			$\checkmark$		

# Area **Schools**





		Nursery	Primary	Secondary	College	Private
<u></u>	The St Faith's Church of England Infant and Nursery School,					
Y	Lincoln		V			
	Ofsted Rating: Good   Pupils: 278   Distance:0.69					
10	Athena School					
<b>Y</b>	Ofsted Rating: Good   Pupils: 113   Distance:0.71					
<u> </u>	The Lincoln St Peter-in-Eastgate Church of England (Controlled	)				
11)	Infants School		$\checkmark$			
	Ofsted Rating: Requires improvement   Pupils: 89   Distance: 0.75					
12	Lincoln Monks Abbey Primary School					
	Ofsted Rating: Good   Pupils: 594   Distance:0.88					
13	Sir Francis Hill Community Primary School					
<b>Y</b>	Ofsted Rating: Requires improvement   Pupils: 623   Distance:0.9					
14)	Mount Street Academy					
<b>V</b>	Ofsted Rating: Outstanding   Pupils: 318   Distance:0.96					
15)	Lincoln Christ's Hospital School					
<b>Y</b>	Ofsted Rating: Good   Pupils: 1286   Distance:1.23					
<b>₩</b>	The Priory Academy LSST					
	Ofsted Rating: Good   Pupils: 1779   Distance:1.32			$\checkmark$		

### Area

## **Transport (National)**





#### National Rail Stations

Pin	Name	Distance
1	Lincoln Central Rail Station	0.16 miles
2	Lincoln Central Rail Station	0.17 miles
3	Hykeham Rail Station	3.24 miles



#### Trunk Roads/Motorways

Pin	Name	Distance
1	M180 J4	21.94 miles
2	M180 J3	23.89 miles
3	M180 J5	25.33 miles
4	M180 J2	26.25 miles
5	A1(M) J34	24.44 miles



#### Airports/Helipads

Pin	Name	Distance
•	Humberside Airport	25.9 miles
2	Finningley	26.08 miles
3	East Mids Airport	42.88 miles
4	Leeds Bradford Airport	63.84 miles



## Area

# **Transport (Local)**






### Bus Stops/Stations

Pin	Name	Distance
1	NCP Car Park	0.04 miles
2	Debenhams	0.1 miles
3	Debenhams	0.11 miles
4	New Life Church	0.15 miles
5	Rail Station Car Park	0.15 miles



# Local Area Road Noise





This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB



# Mundys **Data Quality**

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



# Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



#### Mundys

29 – 30 Silver Street Lincoln LN2 1AS 01522 510 044 hymie.bentley@mundys.net

www.mundys.net





















