

Energy performance certificate (EPC)

1372 London Road LEIGH-ON-SEA SS9 2UH	Energy rating	Valid until: 23 April 2033
	E	Certificate number: 7817-5764-7867-7529-1764

Property type	Retail/Financial and Professional Services
Total floor area	49 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is E.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built	9 A
If typical of the existing stock	37 B

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	33.58
Primary energy use (kWh/m ² per year)	360

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/1277-0191-3763-7906-9688\)](/energy-certificate/1277-0191-3763-7906-9688).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	John Elson
Telephone	07905 017383
Email	johne921@gmail.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/013083
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	<insert Employer/Trading Name>
Employer address	<insert Employer/Trading Address>
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	22 April 2023
Date of certificate	24 April 2023