




See More Online

# MIR: Material Info

The Material Information Affecting this Property

**Wednesday 23<sup>rd</sup> July 2025**



**THE PASTURES, HARSTON, CAMBRIDGE, CB22**

## Cooke Curtis & Co

40 High Street Trumpington Cambridge CB2 9LS

01223 508 050

Jenny@cookecurtis.co.uk

www.cookecurtis.co.uk



Powered by  
**aprift**  
Know any property instantly



## Property

|                  |                                            |         |          |
|------------------|--------------------------------------------|---------|----------|
| Type:            | Detached                                   | Tenure: | Freehold |
| Bedrooms:        | 3                                          |         |          |
| Floor Area:      | 1,420 ft <sup>2</sup> / 132 m <sup>2</sup> |         |          |
| Plot Area:       | 0.08 acres                                 |         |          |
| Year Built :     | 2017                                       |         |          |
| Council Tax :    | Band E                                     |         |          |
| Annual Estimate: | £2,951                                     |         |          |
| Title Number:    | CB421264                                   |         |          |


## Local Area

|                    |                      |                                                                                     |                                                                                       |                                                                                       |
|--------------------|----------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Local Authority:   | South cambridgeshire | Estimated Broadband Speeds<br>(Standard - Superfast - Ultrafast)                    |                                                                                       |                                                                                       |
| Conservation Area: | No                   |                                                                                     |                                                                                       |                                                                                       |
| Flood Risk:        |                      |                                                                                     |                                                                                       |                                                                                       |
| ● Rivers & Seas    | Very low             | 16<br>mb/s                                                                          | 80<br>mb/s                                                                            | 1000<br>mb/s                                                                          |
| ● Surface Water    | Very low             |  |  |  |

| Mobile Coverage:                                                                    |                                                                                     |                                                                                     |                                                                                     | Satellite/Fibre TV Availability:                                                    |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| (based on calls indoors)                                                            |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |
|  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |

Planning records for: *Ashbourne House 9 The Pastures Harston Cambridgeshire CB22 7AD*

| Reference - 22/01613/HFUL |                                             |
|---------------------------|---------------------------------------------|
| Decision:                 | Decided                                     |
| Date:                     | 04th April 2022                             |
| Description:              | First floor extension to a detached garage. |



## Additional EPC Data

---

|                                     |                                                                             |
|-------------------------------------|-----------------------------------------------------------------------------|
| <b>Property Type:</b>               | House                                                                       |
| <b>Build Form:</b>                  | Detached                                                                    |
| <b>Transaction Type:</b>            | New dwelling                                                                |
| <b>Energy Tariff:</b>               | Standard tariff                                                             |
| <b>Main Fuel:</b>                   | Mains gas - this is for backwards compatibility only and should not be used |
| <b>Flat Top Storey:</b>             | No                                                                          |
| <b>Top Storey:</b>                  | 0                                                                           |
| <b>Previous Extension:</b>          | 0                                                                           |
| <b>Open Fireplace:</b>              | 0                                                                           |
| <b>Walls:</b>                       | Average thermal transmittance 0.23 W/m-Â°K                                  |
| <b>Walls Energy:</b>                | Very Good                                                                   |
| <b>Roof:</b>                        | Average thermal transmittance 0.15 W/m-Â°K                                  |
| <b>Roof Energy:</b>                 | Good                                                                        |
| <b>Main Heating:</b>                | Boiler and radiators, mains gas                                             |
| <b>Main Heating Controls:</b>       | Time and temperature zone control                                           |
| <b>Hot Water System:</b>            | From main system                                                            |
| <b>Hot Water Energy Efficiency:</b> | Good                                                                        |
| <b>Lighting:</b>                    | Low energy lighting in all fixed outlets                                    |
| <b>Floors:</b>                      | Average thermal transmittance 0.17 W/m-Â°K                                  |
| <b>Total Floor Area:</b>            | 132 m <sup>2</sup>                                                          |



### Cooke Curtis & Co

---

We are small enough that we are able to care for each client personally, but large enough to provide exceptional marketing that achieves the best possible price in the least possible time.

We are a responsible business. We aim to be a low carbon company, to operate ethically and to be valuable members of the Cambridge community.

We are experienced in all aspects of residential property, including sales and lettings, planning, development and buy-to-let.

We are interested in you. We see Estate Agency as being as much about people as property. Our job is to work for you, to help you achieve the best possible outcome in your particular situation.

### Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

### Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the \*only\* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

### Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

### Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.



/cookecurtisco




/cookecurtisco

# Flood Risk

## Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




# Flood Risk

## Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




# Flood Risk

## Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




# Flood Risk

## Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




# Maps

## Conservation Areas



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



### Nearby Conservation Areas



Hauxton



Little Shelford



Haslingfield



Great Shelford



Trumpington



Grantchester



Foxton



Stapleford



Barrington




Barton Wimpole Road

# Maps

## Landfill Sites




This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



### Nearby Landfill Sites

|    |                                                                                      |                   |  |
|----|--------------------------------------------------------------------------------------|-------------------|--|
| 1  | Haslingfield-Chapel Hill, Haslingfield                                               | Historic Landfill |  |
| 2  | Chapel Hill-Barrington                                                               | Historic Landfill |  |
| 3  | EA/EPR/FB3105UN/V002                                                                 | Active Landfill   |  |
| 4  | No name provided by source                                                           | Active Landfill   |  |
| 5  | Shelford Tip-Shelford                                                                | Historic Landfill |  |
| 6  | Old Chalk Pit (Parish Clunch Pit)-Foxton                                             | Historic Landfill |  |
| 7  | Old Chalk Pit-Foxton                                                                 | Historic Landfill |  |
| 8  | Newton Road-Whittlesford                                                             | Historic Landfill |  |
| 9  | Searro-Shepreth                                                                      | Historic Landfill |  |
| 10 | Seearo Construction Ltd - Barrington Park Farm-Foxton Road,Barrington,Cambridgeshire | Historic Landfill |  |

This map displays nearby coal mine entrances and their classifications.




### Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



### Nearby Council Wards

1

Harston & Comberton Ward

2

Shelford Ward

3

Trumpington Ward

4

Whittlesford Ward

5

Sawston Ward

6

Queen Edith's Ward

7

Coleridge Ward

8

Barrington Ward

9



Cherry Hinton Ward

10

Duxford Ward


### What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m<sup>3</sup>).



Ground Composition for this Address (Surrounding square kilometer zone around property)

|                               |                          |                      |                    |
|-------------------------------|--------------------------|----------------------|--------------------|
| <b>Carbon Content:</b>        | NONE                     | <b>Soil Texture:</b> | CLAY TO SANDY LOAM |
| <b>Parent Material Grain:</b> | ARGILLIC -<br>ARENACEOUS | <b>Soil Depth:</b>   | DEEP               |
| <b>Soil Group:</b>            | ALL                      |                      |                    |




### Primary Classifications (Most Common Clay Types)

|               |                                              |
|---------------|----------------------------------------------|
| <b>C/M</b>    | Claystone / Mudstone                         |
| <b>FPC,S</b>  | Floodplain Clay, Sand / Gravel               |
| <b>FC,S</b>   | Fluvial Clays & Silts                        |
| <b>FC,S,G</b> | Fluvial Clays, Silts, Sands & Gravel         |
| <b>PM/EC</b>  | Prequaternary Marine / Estuarine Clay / Silt |
| <b>QM/EC</b>  | Quaternary Marine / Estuarine Clay / Silt    |
| <b>RC</b>     | Residual Clay                                |
| <b>RC/LL</b>  | Residual Clay & Loamy Loess                  |
| <b>RC,S</b>   | River Clay & Silt                            |
| <b>RC,FS</b>  | Riverine Clay & Floodplain Sands and Gravel  |
| <b>RC,FL</b>  | Riverine Clay & Fluvial Sands and Gravel     |
| <b>TC</b>     | Terrace Clay                                 |
| <b>TC/LL</b>  | Terrace Clay & Loamy Loess                   |

# Local Area


## Masts & Pylons



### Key:


-  Power Pylons
-  Communication Masts

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



| Listed Buildings in the local district |                                                               | Grade    | Distance  |
|----------------------------------------|---------------------------------------------------------------|----------|-----------|
|                                        | 1331080 - Milestone Outside Number 60                         | Grade II | 0.3 miles |
|                                        | 1127837 - Yew Tree Cottage                                    | Grade II | 0.4 miles |
|                                        | 1164672 - Church Of St Edmund                                 | Grade I  | 0.4 miles |
|                                        | 1331079 - Park House Stables                                  | Grade II | 0.4 miles |
|                                        | 1390071 - Park House                                          | Grade II | 0.4 miles |
|                                        | 1425399 - Hauxton War Memorial                                | Grade II | 0.4 miles |
|                                        | 1272419 - Coach House And Stable Block To North Of Park House | Grade II | 0.4 miles |
|                                        | 1127836 - 53, High Street                                     | Grade II | 0.5 miles |
|                                        | 1331082 - Little Manor House                                  | Grade II | 0.5 miles |
|                                        | 1127839 - Hauxton Watermill                                   | Grade II | 0.6 miles |

This map displays nearby areas that have been designated as Green Belt...




### Nearby Green Belt Land

-  Cambridge Green Belt - South Cambridgeshire
-  Cambridge Green Belt - Cambridge
-  Cambridge Green Belt - East Cambridgeshire
-  London Green Belt - North Hertfordshire




|          |                                                                                                                  | Nursery                  | Primary                             | Secondary                           | College                  | Private                  |
|----------|------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
| <b>1</b> | <b>Harston and Newton Community Primary School</b><br>Ofsted Rating: Good   Pupils: 110   Distance:0.57          | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>2</b> | <b>Hauxton Primary School</b><br>Ofsted Rating: Good   Pupils: 90   Distance:0.62                                | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>3</b> | <b>Haslingfield Endowed Primary School</b><br>Ofsted Rating: Good   Pupils: 137   Distance:1.58                  | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>4</b> | <b>Great and Little Shelford CoE (Aided) Primary School</b><br>Ofsted Rating: Good   Pupils: 208   Distance:1.75 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>5</b> | <b>Trumpington Meadows Primary School</b><br>Ofsted Rating: Good   Pupils: 260   Distance:1.81                   | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>6</b> | <b>Selwyn Hall School</b><br>Ofsted Rating: Good   Pupils: 10   Distance:2.28                                    | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>7</b> | <b>Trumpington Park Primary School</b><br>Ofsted Rating: Good   Pupils: 403   Distance:2.3                       | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>8</b> | <b>Barrington CoE VC Primary School</b><br>Ofsted Rating: Good   Pupils: 157   Distance:2.33                     | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |



|           |                                                                                                          | Nursery                  | Primary                             | Secondary                           | College                  | Private                  |
|-----------|----------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
| <b>9</b>  | <b>Foxton Primary School</b><br>Ofsted Rating: Good   Pupils: 86   Distance:2.43                         | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>10</b> | <b>Fawcett Primary School</b><br>Ofsted Rating: Good   Pupils: 423   Distance:2.56                       | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>11</b> | <b>Trumpington Community College</b><br>Ofsted Rating: Good   Pupils: 491   Distance:2.61                | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>12</b> | <b>Stapleford Community Primary School</b><br>Ofsted Rating: Good   Pupils: 215   Distance:2.65          | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>13</b> | <b>Barton CofE VA Primary School</b><br>Ofsted Rating: Good   Pupils: 112   Distance:2.94                | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>14</b> | <b>Thriplow CofE Primary School</b><br>Ofsted Rating: Good   Pupils: 102   Distance:3.02                 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>15</b> | <b>Cambridge Academy for Science and Technology</b><br>Ofsted Rating: Good   Pupils: 431   Distance:3.06 | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <b>16</b> | <b>The Perse School</b><br>Ofsted Rating: Not Rated   Pupils: 1705   Distance:3.27                       | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |


# Area

## Transport (National)




### National Rail Stations

| Pin | Name                          | Distance   |
|-----|-------------------------------|------------|
| 1   | Foxton Rail Station           | 2.26 miles |
| 2   | Shelford (Cambs) Rail Station | 2.16 miles |
| 3   | Shepreth Rail Station         | 3.26 miles |




### Trunk Roads/Motorways

| Pin | Name    | Distance   |
|-----|---------|------------|
| 1   | M11 J11 | 1.23 miles |
| 2   | M11 J12 | 3.19 miles |
| 3   | M11 J10 | 3.78 miles |
| 4   | M11 J13 | 4.71 miles |
| 5   | M11 J14 | 6.23 miles |




### Airports/Helipads

| Pin | Name             | Distance    |
|-----|------------------|-------------|
| 1   | Cambridge        | 5.57 miles  |
| 2   | Stansted Airport | 19.01 miles |
| 3   | Luton Airport    | 27.04 miles |
| 4   | Silvertown       | 44.39 miles |



Bus Stops/Stations

| Pin | Name         | Distance   |
|-----|--------------|------------|
| 1   | London Road  | 0.04 miles |
| 2   | Queens Close | 0.18 miles |
| 3   | High Meadow  | 0.23 miles |
| 4   | Queens Close | 0.24 miles |
| 5   | High Meadow  | 0.25 miles |



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

# Cooke Curtis & Co

## Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



### **Contains public sector information licensed under the Open Government License v3.0**

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



#### **Cooke Curtis & Co**

40 High Street Trumpington Cambridge

CB2 9LS

01223 508 050

Jenny@cookecurtis.co.uk

www.cookecurtis.co.uk

