




See More Online

MIR: Material Info

The Material Information Affecting this Property

Wednesday 16th April 2025



LANGHAM ROAD, CAMBRIDGE, CB1

Cooke Curtis & Co

40 High Street Trumpington Cambridge CB2 9LS


01223 508 050

Jenny@cookecurtis.co.uk

www.cookecurtis.co.uk






Powered by
aprift
Know any property instantly

















Property

Type:	Semi-Detached	Tenure:	Freehold
Bedrooms:	3		
Floor Area:	1,119 ft ² / 104 m ²		
Plot Area:	0.07 acres		
Year Built :	1930-1949		
Council Tax :	Band D		
Annual Estimate:	£2,355		
Title Number:	CB430875		

Local Area

Local Authority:	Cambridgeshire	Estimated Broadband Speeds		
Conservation Area:	No	(Standard - Superfast - Ultrafast)		
Flood Risk:				
• Rivers & Seas	Very low	15	165	1000
• Surface Water	Very low	mb/s	mb/s	mb/s
				

Mobile Coverage:				Satellite/Fibre TV Availability:		
(based on calls indoors)						
						
						

Planning History

This Address



Planning records for: *Langham Road, Cambridge, CB1*

Reference - 11/0195/FUL	
Decision:	Decided
Date:	22nd February 2011
Description:	Single storey extension to provide wc/shower facility for disabled person.

Planning records for: **11 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 18/0144/FUL	
Decision:	Decided
Date:	30th January 2018
Description:	Single storey rear extension

Planning records for: **15 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 12/0782/FUL	
Decision:	Decided
Date:	27th June 2012
Description:	Two storey rear extension.

Planning records for: **17 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 15/0909/GPE	
Decision:	Decided
Date:	14th May 2015
Description:	Single storey rear extension.

Planning records for: **21 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 13/0843/FUL	
Decision:	Decided
Date:	14th June 2013
Description:	First floor rear extension.

Planning records for: **23 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 09/1136/FUL	
Decision:	Decided
Date:	07th December 2009
Description:	Single storey rear extension.

Planning records for: **27 Langham Road Cambridge CB1 3SD**

Reference - C/01/0198	
Decision:	Decided
Date:	02nd March 2001
Description:	Erection of a two storey side and rear extension and single storey rear extension.

Planning records for: **3 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 16/0619/FUL	
Decision:	Decided
Date:	20th April 2016
Description:	External solid wall insulation on front and side elevations.

Reference - 12/0633/FUL	
Decision:	Decided
Date:	18th May 2012
Description:	Construction of timber garden studio.

Planning records for: **31 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 16/1397/NMA	
Decision:	Decided
Date:	26th July 2016
Description:	Non material amendments on application 16/0491/FUL to incorporate part three storey, part single side and rear extension following demolition of existing extensions, to make first and second floors of extension 472mm wider, and to increase the usable floor space on the second floor.

Reference - 16/1618/S73	
Decision:	Decided
Date:	06th September 2016
Description:	S73 application to vary condition 2 (plans) of permission 16/0491/FUL to make the first and second floors of extension 472mm wider.

Reference - 16/0491/FUL	
Decision:	Decided
Date:	18th March 2016
Description:	Part three storey, part single storey side and rear extension following demolition of existing extensions.

Planning records for: **33 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 07/1205/FUL	
Decision:	Decided
Date:	15th October 2007
Description:	Part single part two storey side and rear extensions.

Planning records for: **33 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 08/0991/FUL	
Decision:	Decided
Date:	19th August 2008
Description:	Two storey side and rear extension.

Planning records for: **35 Langham Road Cambridge CB1 3SD**

Reference - 21/04523/HFUL	
Decision:	Decided
Date:	12th October 2021
Description:	Erection of a part single, part two-storey side extension

Planning records for: **41 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 15/1158/FUL	
Decision:	Decided
Date:	18th June 2015
Description:	Two storey side and rear extensions and roof extension.

Planning records for: **47 Langham Road Cambridge Cambridgeshire CB1 3SD**


Reference - 24/00322/CL2PD	
Decision:	Decided
Date:	29th January 2024
Description:	Certificate Of Lawfulness Under S192 for hip to gable roof extension with rear dormer.

Planning records for: **47 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 24/80027/COND	
Decision:	Decided
Date:	29th January 2024
Description:	Discharge of Conditions 3 (Materials) and 9 (Landscaping) of 21/02392/FUL.

Planning records for: **49 Langham Road Cambridge Cambridgeshire CB1 3SD**

Reference - 17/1202/GPE	
Decision:	Decided
Date:	07th July 2017
Description:	Single storey rear extension to house



Additional EPC Data

Property Type:	House
Build Form:	Semi-Detached
Transaction Type:	Assessment for green deal
Energy Tariff:	Single
Main Fuel:	Mains gas (not community)
Main Gas:	Yes
Flat Top Storey:	No
Top Storey:	0
Glazing Type:	Double glazing, unknown install date
Previous Extension:	2
Open Fireplace:	0
Ventilation:	Natural
Walls:	Solid brick, as built, no insulation (assumed)
Walls Energy:	Very Poor
Roof:	Pitched, 270 mm loft insulation
Roof Energy:	Good
Main Heating:	Boiler and radiators, mains gas
Main Heating Controls:	Programmer and room thermostat
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Low energy lighting in all fixed outlets
Floors:	Suspended, no insulation (assumed)
Total Floor Area:	104 m ²

Electricity Supply

Ovo

Gas Supply

Ovo

Central Heating

Central heating upstairs, but not downstairs.

Water Supply

Cambridge Water

Drainage

Anglian Water



Cooke Curtis & Co

We are small enough that we are able to care for each client personally, but large enough to provide exceptional marketing that achieves the best possible price in the least possible time.

We are a responsible business. We aim to be a low carbon company, to operate ethically and to be valuable members of the Cambridge community.

We are experienced in all aspects of residential property, including sales and lettings, planning, development and buy-to-let.

We are interested in you. We see Estate Agency as being as much about people as property. Our job is to work for you, to help you achieve the best possible outcome in your particular situation.

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.



/cookecurtisco




/cookecurtisco

Flood Risk

Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.25%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.25%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps

Conservation Areas



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




Nearby Conservation Areas	
1	Mill Road
2	Brooklands Avenue
3	New Town and Glisson Road
4	Barrow Road
5	The Kite
6	Southacre
7	Riverside and Stourbridge Common
8	Central
9	De Freville
10	Newnham Croft

Maps

Landfill Sites




This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Coldhams Lane-Coldhams Lane, Cherry Hinton	Historic Landfill	
2	Norman Works-Coldhams Lane, Cambridge	Historic Landfill	
3	Coldham's Lane Tip-Cambridge, Cambridgeshire	Historic Landfill	
4	Cement Works Tip-Off Coldham's Lane, Cambridgeshire	Historic Landfill	
5	Fulbourn Tip-Fulbourn Old Drift, Fulbourn, Cambridgeshire	Historic Landfill	
6	Hill Trees-Stapleford	Historic Landfill	
7	Quy Bridge-Quy	Historic Landfill	
8	Quy Mill Hotel-Quy	Historic Landfill	
9	EA/EPR/NP3790NX/A001	Active Landfill	
10	Cambridge University Farm-Huntingdon Road, Cambridgeshire	Historic Landfill	

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards



Coleridge Ward



Romsey Ward



Petersfield Ward



Queen Edith's Ward



Cherry Hinton Ward



Abbey Ward



Market Ward



Trumpington Ward





West Chesterton Ward



East Chesterton Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	NONE	Soil Texture:	SAND TO SANDY LOAM
Parent Material Grain:	ARENACEOUS - RUDACEOUS	Soil Depth:	DEEP
Soil Group:	LIGHT(SILTY) TO MEDIUM(SILTY)		




Primary Classifications (Most Common Clay Types)











C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

\overline{c} C & \subseteq




This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district		Grade	Distance
	1343683 - The Railway Station	Grade II	0.6 miles
	1031882 - The Lodge And Gatepiers And Gates At Cherry Hinton Hall	Grade II	0.7 miles
	1331852 - Homerton College Trumpington House	Grade II	0.7 miles
	1126141 - Cambridge City Branch Library	Grade II	0.7 miles
	1375672 - Keelson	Grade II	0.7 miles
	1031881 - Cherry Hinton Hall	Grade II	0.7 miles
	1126038 - Gymnasium And Art And Craft Studios Adjoining West Of Homerton College	Grade II	0.8 miles
	1349070 - Royal Albert Homes	Grade II	0.8 miles
	1470294 - The David Parr House	Grade II	0.8 miles
	1246829 - Highsett And Front Retaining Wall	Grade II	0.9 miles

This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land




Cambridge Green Belt - South Cambridgeshire




Cambridge Green Belt - Cambridge




Cambridge Green Belt - East Cambridgeshire



		Nursery	Primary	Secondary	College	Private
1	Ridgefield Primary School Ofsted Rating: Good Pupils: 232 Distance:0.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Coleridge Community College Ofsted Rating: Good Pupils: 568 Distance:0.12	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Morley Memorial Primary School Ofsted Rating: Good Pupils: 390 Distance:0.4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	St Bede's Inter-Church School Ofsted Rating: Outstanding Pupils: 924 Distance:0.5	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Queen Emma Primary School Ofsted Rating: Good Pupils: 429 Distance:0.64	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	St Philip's CofE Aided Primary School Ofsted Rating: Good Pupils: 259 Distance:0.67	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Hills Road Sixth Form College Ofsted Rating: Outstanding Pupils:0 Distance:0.68	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Queen Edith Primary School Ofsted Rating: Good Pupils: 422 Distance:0.68	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




		Nursery	Primary	Secondary	College	Private
9	Cambridge International School Ofsted Rating: Not Rated Pupils: 75 Distance:0.71	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Holme Court School Ofsted Rating: Good Pupils: 50 Distance:0.71	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Homerton Early Years Centre Ofsted Rating: Outstanding Pupils: 118 Distance:0.77	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Abbey College Cambridge Ofsted Rating: Not Rated Pupils: 466 Distance:0.8	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	St. Andrew's College Cambridge Ofsted Rating: Not Rated Pupils: 146 Distance:0.83	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	The Perse School Ofsted Rating: Not Rated Pupils: 1705 Distance:0.86	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	The Spinney Primary School Ofsted Rating: Requires improvement Pupils: 205 Distance:0.87	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16	The Netherhall School Ofsted Rating: Good Pupils: 1229 Distance:0.93	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




National Rail Stations

Pin	Name	Distance
1	Cambridge Rail Station	0.61 miles
2	Cambridge North Rail Station	2.33 miles
3	Waterbeach Rail Station	5.3 miles



Trunk Roads/Motorways

Pin	Name	Distance
1	M11 J11	2.93 miles
2	M11 J13	3.42 miles
3	M11 J12	3.24 miles
4	M11 J14	4.58 miles
5	M11 J10	6.43 miles




Airports/Helipads

Pin	Name	Distance
1	Stansted Airport	21.41 miles
2	Luton Airport	31.08 miles
3	Silvertown	47.77 miles
4	Southend-on-Sea	49.1 miles








Bus Stops/Stations

Pin	Name	Distance
1	Neville Road	0.12 miles
2	Lichfield Road	0.2 miles
3	Perne Avenue	0.14 miles
4	Langham Road	0.15 miles
5	Radegund Road	0.19 miles



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

-  75.0+ dB
-  70.0-74.9 dB
-  65.0-69.9 dB
-  60.0-64.9 dB
-  55.0-59.9 dB

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only and to act as a guide to the best way to market your property for the asking price.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge

CB2 9LS

01223 508 050

Jenny@cookecurtis.co.uk

www.cookecurtis.co.uk

