



See More Online

MIR: Material Info

The Material Information Affecting this Property

Tuesday 09th September 2025



CHESTNUT CLOSE, HASLINGFIELD, CAMBRIDGE, CB23

Cooke Curtis & Co

40 High Street Trumpington Cambridge CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk

www.cookecurtis.co.uk



Powered by
aprift
Know any property instantly



Property

Type:	Semi-Detached	Tenure:	Freehold
Bedrooms:	2		
Floor Area:	753 ft ² / 70 m ²		
Plot Area:	0.06 acres		
Year Built :	1950-1966		
Council Tax :	Band C		
Annual Estimate:	£2,146		
Title Number:	CB193435		

Local Area

Local Authority:	South cambridgeshire	Estimated Broadband Speeds (Standard - Superfast - Ultrafast)		
Conservation Area:	No			
Flood Risk:				
• Rivers & Seas	Very low	9 mb/s	80 mb/s	1000 mb/s
• Surface Water	Very low			

Mobile Coverage: (based on calls indoors)	Satellite/Fibre TV Availability:		

Planning records for: **6 Chestnut Close Haslingfield CB23 1JU**

Reference - 20/01136/HFUL	
Decision:	Decided
Date:	05th February 2020
Description:	Two storey rear extension and single storey side entrance porch.

Reference - S/1974/18/FL	
Decision:	Decided
Date:	22nd May 2018
Description:	Two story side and rear extensions and front entrance canopy

Planning records for: **7 Chestnut Close Haslingfield Cambridgeshire CB23 1JU**

Reference - S/0697/09/F	
Decision:	Decided
Date:	19th May 2009
Description:	Extension

Reference - S/0295/09/F	
Decision:	Withdrawn
Date:	03rd March 2009
Description:	Extension

Planning records for: **8 Chestnut Close Haslingfield Cambridge Cambridgeshire CB23 1JU**

Reference - 22/03970/HFUL	
Decision:	Decided
Date:	26th August 2022
Description:	Two storey side and rear extension, single storey rear extension and detached annex in garden

Planning records for: **9 Chestnut Close Haslingfield Cambridge Cambridgeshire CB23 1JU**

Reference - S/0313/17/FL	
Decision:	Decided
Date:	30th January 2017
Description:	Single storey rear extension with a part side extension.

Planning records for: **10 Chestnut Close Haslingfield Cambridge Cambridgeshire CB23 1JU**

Reference - S/0880/12/FL	
Decision:	Decided
Date:	21st April 2012
Description:	A single storey & 2 storey extension to r/o house

Reference - S/1430/12/DC	
Decision:	Decided
Date:	09th July 2012
Description:	Discharge of Condition 4 (details of new retaining wall) of S/0880/12

Planning records for: **11 Chestnut Close Haslingfield Cambridgeshire CB23 1JU**

Reference - 25/00597/HFUL	
Decision:	Decided
Date:	18th February 2025
Description:	Demolition of existing porch and garage. Erection of 2 storey side extension with roof extension and roof light to the front, single storey front extension and erection of a 2 story outbuilding including garage and ancillary living accommodation.

Planning records for: **19 Chestnut Close Haslingfield Cambridgeshire CB23 1JU**

Reference - S/0324/09/F	
Decision:	Decided
Date:	10th March 2009
Description:	Fence (Retrospective)

Reference - S/0825/09/F	
Decision:	Decided
Date:	10th June 2009
Description:	Fence (retrospective)

Planning records for: **27 Chestnut Close Haslingfield Cambridge Cambridgeshire CB23 1JU**

Reference - S/0976/19/FL	
Decision:	Decided
Date:	15th March 2019
Description:	Single storey rear extension

Planning records for: **28 Chestnut Close Haslingfield Cambridge Cambridgeshire CB23 1JU**

Reference - S/0789/15/FL	
Decision:	Decided
Date:	27th March 2015
Description:	Single Storey Front and rear Extensions

Reference - S/1607/15/DC	
Decision:	Decided
Date:	25th June 2015
Description:	Discharge of Condition 3 of S/0789/15

Planning records for: **29 Chestnut Close Haslingfield Cambridge Cambridgeshire CB23 1JU**

Reference - S/0436/13/FL	
Decision:	Decided
Date:	27th February 2013
Description:	Two storey side extension and single storey rear extension

Planning records for: **32 Chestnut Close Haslingfield Cambridgeshire CB23 1JU**

Reference - 24/03633/HFUL	
Decision:	Awaiting decision
Date:	26th September 2024
Description:	Demolition of existing workshop and conservatory replaced with a single storey side and rear extension.

Planning records for: **41 Chestnut Close Haslingfield Cambridge Cambridgeshire CB23 1JU**

Reference - S/0048/11
Decision: Decided
Date: 13th January 2011
Description: Erection of Dwelling

Reference - S/1625/14/FL
Decision: Decided
Date: 09th July 2014
Description: New linked detached dwelling

Reference - S/2049/10
Decision: -
Date: 18th November 2010
Description: Erection of Dwelling and Formation of Vehicular Access to Serve no.41

Reference - S/0869/16/DC
Decision: Decided
Date: 22nd March 2016
Description: Discharge of Condition 3 (materials) for planning permission reference S/1625/14/FL-New link detached dwelling

Planning records for: **41 Chestnut Close Haslingfield Cambridge Cambridgeshire CB23 1JU**

Reference - S/0189/17/FL	
Decision:	Decided
Date:	16th January 2017
Description:	Detached Garage








CHESTNUT CLOSE, HASLINGFIELD, CAMBRIDGE, CB23



CHESTNUT CLOSE, HASLINGFIELD, CAMBRIDGE, CB23


Ground Floor

Approx. 47.0 sq. metres (505.8 sq. feet)




First Floor

Approx. 31.0 sq. metres (333.7 sq. feet)



Total area: approx. 78.0 sq. metres (839.6 sq. feet)

Drawings are for guidance only
Plan produced using PlanUp.



Additional EPC Data

Property Type:	Semi-detached house
Flat Top Storey:	No
Top Storey:	0
Previous Extension:	0
Open Fireplace:	0
Walls:	Cavity wall, filled cavity
Walls Energy:	Cavity wall, filled cavity
Roof:	Pitched, 150 mm loft insulation
Roof Energy:	Pitched, 150 mm loft insulation
Main Heating:	Boiler and radiators, mains gas
Main Heating Controls:	Programmer, room thermostat and TRVs
Hot Water System:	From main system
Hot Water Energy Efficiency:	From main system
Lighting:	Low energy lighting in all fixed outlets
Floors:	Solid, no insulation (assumed)
Total Floor Area:	70 m ²

Electricity Supply

Octopus

Gas Supply

Octopus

Central Heating

Combi boiler

Water Supply

Cambridge Water

Drainage

Cambridge Water



Cooke Curtis & Co

We are small enough that we are able to care for each client personally, but large enough to provide exceptional marketing that achieves the best possible price in the least possible time.

We are a responsible business. We aim to be a low carbon company, to operate ethically and to be valuable members of the Cambridge community.

We are experienced in all aspects of residential property, including sales and lettings, planning, development and buy-to-let.

We are interested in you. We see Estate Agency as being as much about people as property. Our job is to work for you, to help you achieve the best possible outcome in your particular situation.

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.



/cookecurtisco




/cookecurtisco

Flood Risk

Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps

Conservation Areas



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas



Haslingfield



Harlton



Barrington



Hauxton



Barton Wimpole Road



Foxton



Barton St Peter's



Grantchester




Comberton St Mary's



Little Shelford


This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Haslingfield-Chapel Hill, Haslingfield	Historic Landfill	
2	Chapel Hill-Barrington	Historic Landfill	
3	No name provided by source	Active Landfill	
4	EA/EPR/FB3105UN/V002	Active Landfill	
5	Searro-Shepreth	Historic Landfill	
6	Seearo Construction Ltd - Barrington Park Farm-Foxton Road,Barrington,Cambridgeshire	Historic Landfill	
7	Angle Lane-Shepreth, Cambridgeshire	Historic Landfill	
8	Old Chalk Pit (Parish Clunch Pit)-Foxton	Historic Landfill	
9	Old Chalk Pit-Foxton	Historic Landfill	
10	Little Eversden Landfill-Orwell Hill, Little Eversden	Historic Landfill	

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards



Harston & Comberton Ward



Barrington Ward



Trumpington Ward



Shelford Ward



Whittlesford Ward



Hardwick Ward



Queen Edith's Ward



Sawston Ward





Melbourn Ward



Petersfield Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	NONE	Soil Texture:	CLAY TO SANDY LOAM
Parent Material Grain:	ARGILLIC - ARENACEOUS	Soil Depth:	DEEP
Soil Group:	ALL		




Primary Classifications (Most Common Clay Types)



C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area


Masts & Pylons













Key:


-  Power Pylons
-  Communication Masts

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district		Grade	Distance
	1127738 - 96, School Lane	Grade II	0.0 miles
	1127736 - 1-5, Quarry Lane	Grade II	0.0 miles
	1309181 - Pear Tree Cottages	Grade II	0.1 miles
	1163367 - The White Cottage	Grade II	0.1 miles
	1127769 - Pear Tree Cottage	Grade II	0.1 miles
	1127770 - Stables At River Farm	Grade II	0.2 miles
	1309218 - River Farmhouse	Grade II	0.2 miles
	1163319 - Stable Block At River Farm	Grade II	0.2 miles
	1331123 - 24 And 26, Cantelupe Road	Grade II	0.2 miles
	1163430 - Norbrook	Grade II	0.2 miles

This map displays nearby areas that have been designated as Green Belt...












Nearby Green Belt Land


-  Cambridge Green Belt - South Cambridgeshire
-  Cambridge Green Belt - Cambridge
-  Cambridge Green Belt - East Cambridgeshire
-  London Green Belt - North Hertfordshire



		Nursery	Primary	Secondary	College	Private
1	Haslingfield Endowed Primary School Ofsted Rating: Good Pupils: 137 Distance:0.24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Harston and Newton Community Primary School Ofsted Rating: Good Pupils: 110 Distance:1.17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Barrington CofE VC Primary School Ofsted Rating: Good Pupils: 157 Distance:1.42	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Hauxton Primary School Ofsted Rating: Good Pupils: 90 Distance:1.94	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Selwyn Hall School Ofsted Rating: Good Pupils: 10 Distance:2.02	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Foxton Primary School Ofsted Rating: Good Pupils: 86 Distance:2.31	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Barton CofE VA Primary School Ofsted Rating: Good Pupils: 112 Distance:2.35	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Trumpington Meadows Primary School Ofsted Rating: Good Pupils: 260 Distance:2.45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




		Nursery	Primary	Secondary	College	Private
	Great and Little Shelford CofE (Aided) Primary School Ofsted Rating: Good Pupils: 208 Distance:3.08	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Trumpington Park Primary School Ofsted Rating: Good Pupils: 403 Distance:3.15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Meridian Primary School Ofsted Rating: Good Pupils: 200 Distance:3.17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Fawcett Primary School Ofsted Rating: Good Pupils: 423 Distance:3.23	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Comberton Village College Ofsted Rating: Outstanding Pupils: 1930 Distance:3.25	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Trumpington Community College Ofsted Rating: Good Pupils: 491 Distance:3.37	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Petersfield CofE Aided Primary School Ofsted Rating: Good Pupils: 121 Distance:3.45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Thriplow CofE Primary School Ofsted Rating: Good Pupils: 102 Distance:3.69	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




National Rail Stations

Pin	Name	Distance
1	Foxton Rail Station	2.01 miles
2	Shepreth Rail Station	2.62 miles
3	Shelford (Cambs) Rail Station	3.46 miles




Trunk Roads/Motorways

Pin	Name	Distance
1	M11 J12	2.96 miles
2	M11 J11	2.08 miles
3	M11 J13	4.51 miles
4	M11 J14	5.92 miles
5	M11 J10	4.81 miles




Airports/Helipads

Pin	Name	Distance
1	Cambridge	6.35 miles
2	Stansted Airport	19.78 miles
3	Luton Airport	26.25 miles
4	Silvertown	44.6 miles



Bus Stops/Stations

Pin	Name	Distance
1	Badcock Road	0.11 miles
2	Fountain Lane	0.19 miles
3	Penn Farm	0.35 miles
4	Penn Farm	0.36 miles
5	School	0.31 miles



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge

CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk

www.cookecurtis.co.uk

