



See More Online

MIR: Material Info

The Material Information Affecting this Property

Monday 04th August 2025



LANTREE CRESCENT, TRUMPINGTON, CAMBRIDGE, CB2

Cooke Curtis & Co

40 High Street Trumpington Cambridge CB2 9LS


01223 508 050

Jenny@cookecurtis.co.uk

www.cookecurtis.co.uk



Powered by
aprift
Know any property instantly




Property

Type:	Terraced	Tenure:	Freehold
Bedrooms:	3		
Plot Area:	0.06 acres		
Council Tax :	Band D		
Annual Estimate:	£2,355		
Title Number:	CB41011		

Local Area

Local Authority:	Cambridgeshire	Estimated Broadband Speeds		
Conservation Area:	No	(Standard - Superfast - Ultrafast)		
Flood Risk:		12	60	1800
• Rivers & Seas	Very low	mb/s	mb/s	mb/s
• Surface Water	Very low			
Mobile Coverage:		Satellite/Fibre TV Availability:		
(based on calls indoors)				



Planning records for: **11 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 12/1567/CL2PD	
Decision:	Decided
Date:	28th December 2012
Description:	Application for a certificate of lawfulness under Section 192 for the building of a single storey rear extension of detached family house.

Reference - 19/0797/FUL	
Decision:	Decided
Date:	07th June 2019
Description:	First floor rear extension.

Planning records for: **19 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 14/0837/FUL	
Decision:	Decided
Date:	23rd May 2014
Description:	Part two storey, part single storey and part first floor rear extension, conversion of garage to residential and new bay window to ground floor front elevation.

Planning records for: **21 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 25/01107/HFUL	
Decision:	Decided
Date:	21st March 2025
Description:	Demolition of existing single storey extension and detached garage and erection of two storey rear extension and single storey rear and side extension

Planning records for: **27 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 16/1797/NMA
Decision: Decided
Date: 10th October 2016
Description: Non-Material Amendment on application 16/1235/FUL to relocate a set of French doors in the ground floor bedroom from the rear wall of the extension to the side wall of the extension.

Reference - 16/1235/FUL
Decision: Decided
Date: 15th July 2016
Description: Single storey extension at the rear of the property.

Reference - 13/0455/FUL
Decision: Decided
Date: 02nd April 2013
Description: Demolition of garage and single storey rear extension

Reference - 12/0365/FUL
Decision: Withdrawn
Date: 20th March 2012
Description: Two storey rear extension

Planning records for: **3 Lantree Crescent Cambridge CB2 9NJ**

Reference - 20/01169/HFUL	
Decision:	Decided
Date:	28th February 2020
Description:	Part single storey, part two storey rear extension to detached dwelling.

Planning records for: **42 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 23/02135/HFUL	
Decision:	Withdrawn
Date:	05th June 2023
Description:	Installation of an air source heat pump to side.

Planning records for: **44 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 23/00444/HFUL	
Decision:	Withdrawn
Date:	07th February 2023
Description:	Two storey extension to rear of existing detached dwelling.

Reference - 24/02034/HFUL	
Decision:	Awaiting decision
Date:	28th May 2024
Description:	Single storey rear extension following part demolition of existing conservatory. Single storey rear extension to existing garage.

Planning records for: **58 Lantree Crescent Cambridge CB2 9NJ**

Reference - 21/02019/HFUL	
Decision:	Decided
Date:	30th April 2021
Description:	Two storey rear extension

Planning records for: **64 Lantree Crescent Cambridge CB2 9NJ**

Reference - 21/03617/HFUL	
Decision:	Decided
Date:	06th August 2021
Description:	Two storey rear extension

Planning records for: **66 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 19/1419/FUL	
Decision:	Decided
Date:	14th October 2019
Description:	Three storey rear extension

Planning records for: **7 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 12/0358/FUL	
Decision:	Decided
Date:	19th March 2012
Description:	Single storey side extension to detached house.

Planning records for: **33 Lantree Crescent Cambridge CB2 9NJ**

Reference - 18/2039/FUL	
Decision:	Decided
Date:	07th January 2019
Description:	Annexe to rear, ancillary to main dwelling.

Reference - 24/03960/HFUL	
Decision:	Decided
Date:	22nd October 2024
Description:	Conversion of garage to annex, ancillary to main dwelling, with single storey side/rear extension to garage, replacement car port, and associated alterations

Planning records for: **35 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 22/02658/PRIOR	
Decision:	Decided
Date:	06th June 2022
Description:	Construction of two additional floors to create 4no. studios and 2no. 2-bed flats

Reference - 22/0635/TTPO	
Decision:	Decided
Date:	06th June 2022
Description:	Silver Birch (Betula pendula) Reduction of crown by approx 4 metres. No1 on the Sketch Plan. No2 on the site Plan and No.3 on the photo enclosed. Reason for the works - to prolong the life of the silver birch tree and to remove any dead wood in the process. To reduce the overall size of the tree due to its close proximity to our house and the public highway.

Planning records for: **35 Lantree Crescent Cambridge Cambridgeshire CB2 9NJ**

Reference - 08/1062/TREE1	
Decision:	Decided
Date:	21st July 2008
Description:	T1 - Silver Birch: crown lift over drives of No. 33 and No. 35 by removing weeping branches by a maximum of 1m (reduction should not exceed 1m in length)

Reference - 18/0882/FUL	
Decision:	Decided
Date:	31st May 2018
Description:	Replacement of existing wooden fence to side of property.

Reference - 23/0650/TTPO	
Decision:	Decided
Date:	28th June 2023
Description:	Removal of diseased/dead Silver Birch, to front left hand side of the drive at No.35 Lantree Crescent.Replacement with same species. Request that the replacement is permitted to be planted again in front garden, but on right hand side of drive where there is more space and further away from drains for No.35 and No.33. It will also be further away from pavement and lorries etc turning.Whilst taking into consideration the position of the street lighting post.

Electricity Supply

Eon

Gas Supply

British Gas

Central Heating

Gas central heating

Water Supply

Cambridge Water

Drainage

Anglian Water



Cooke Curtis & Co

We are small enough that we are able to care for each client personally, but large enough to provide exceptional marketing that achieves the best possible price in the least possible time.

We are a responsible business. We aim to be a low carbon company, to operate ethically and to be valuable members of the Cambridge community.

We are experienced in all aspects of residential property, including sales and lettings, planning, development and buy-to-let.

We are interested in you. We see Estate Agency as being as much about people as property. Our job is to work for you, to help you achieve the best possible outcome in your particular situation.

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.



/cookecurtisco




/cookecurtisco

Flood Risk

Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps

Conservation Areas




This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




Nearby Conservation Areas	
1	Trumpington
2	Grantchester
3	Barrow Road
4	Hauxton
5	Southacre
6	Brooklands Avenue
7	Great Shelford
8	Newnham Croft
9	Little Shelford
10	New Town and Glisson Road

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites		
1	Hill Trees-Stapleford	Historic Landfill
2	Shelford Tip-Shelford	Historic Landfill
3	Coldhams Lane-Coldhams Lane, Cherry Hinton	Historic Landfill
4	Norman Works-Coldhams Lane, Cambridge	Historic Landfill
5	Cement Works Tip-Off Coldham's Lane, Cambridgeshire	Historic Landfill
6	Coldham's Lane Tip-Cambridge, Cambridgeshire	Historic Landfill
7	Haslingfield-Chapel Hill, Haslingfield	Historic Landfill
8	Sindalls-Sawston	Historic Landfill
9	Chapel Hill-Barrington	Historic Landfill
10	No name provided by source	Active Landfill

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards

1

Trumpington Ward

2

Queen Edith's Ward

3

Shelford Ward

4

Petersfield Ward

5

Coleridge Ward

6

Harston & Comberton Ward

7

Market Ward

8

Newnham Ward

9



Romsey Ward

10

Cherry Hinton Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)


Carbon Content:	NONE	Soil Texture:	CLAY TO SANDY LOAM
Parent Material Grain:	ARGILLIC - ARENACEOUS	Soil Depth:	DEEP
Soil Group:	ALL		



Primary Classifications (Most Common Clay Types)

C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area Masts & Pylons



Key:


-  Power Pylons
-  Communication Masts

Maps

Listed Buildings




This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




Listed Buildings in the local district		Grade	Distance
	1331850 - 60 And 62, High Street	Grade II	0.2 miles
	1099185 - 52, High Street	Grade II	0.3 miles
	1331876 - Anstey Hall	Grade II	0.3 miles
	1101728 - Maris House	Grade II	0.3 miles
	1478099 - Lodge And Gate Piers At Anstey Hall	Grade II	0.3 miles
	1081493 - Anstey Hall Farmhouse	Grade II	0.4 miles
	1126220 - 10 And 12, Grantchester Road	Grade II	0.4 miles
	1126218 - Churchyard Wall Of The Church Of St Mary And St Nicholas	Grade II	0.4 miles
	1126190 - Milestone About Half A Mile South Of The Junction With Shelford Road	Grade II	0.4 miles
	1111864 - The Old House	Grade II	0.4 miles
	1081504 - 16 And 18, Grantchester Road	Grade II	0.4 miles


This map displays nearby areas that have been designated as Green Belt...




- Nearby Green Belt Land
- 1 Cambridge Green Belt - South Cambridgeshire
 - 2 Cambridge Green Belt - Cambridge
 - 3 Cambridge Green Belt - East Cambridgeshire



		Nursery	Primary	Secondary	College	Private
1	Trumpington Meadows Primary School Ofsted Rating: Good Pupils: 260 Distance:0.34	☐	☒	☐	☐	☐
2	Trumpington Park Primary School Ofsted Rating: Good Pupils: 403 Distance:0.43	☐	☒	☐	☐	☐
3	Fawcett Primary School Ofsted Rating: Good Pupils: 423 Distance:0.62	☐	☒	☐	☐	☐
4	Trumpington Community College Ofsted Rating: Good Pupils: 491 Distance:0.68	☐	☐	☒	☐	☐
5	Cambridge Academy for Science and Technology Ofsted Rating: Good Pupils: 431 Distance:1.18	☐	☐	☒	☐	☐
6	The Perse School Ofsted Rating: Not Rated Pupils: 1705 Distance:1.38	☐	☐	☒	☐	☐
7	St Faith's School Ofsted Rating: Not Rated Pupils: 577 Distance:1.43	☐	☐	☒	☐	☐
8	Abbey College Cambridge Ofsted Rating: Not Rated Pupils: 466 Distance:1.5	☐	☐	☒	☐	☐




		Nursery	Primary	Secondary	College	Private
	Hauxton Primary School Ofsted Rating: Good Pupils: 90 Distance:1.59	☐	☒	☐	☐	☐
	Homerton Early Years Centre Ofsted Rating: Outstanding Pupils: 118 Distance:1.61	☒	☐	☐	☐	☐
	Hills Road Sixth Form College Ofsted Rating: Outstanding Pupils:0 Distance:1.64	☐	☐	☒	☐	☐
	Great and Little Shelford CofE (Aided) Primary School Ofsted Rating: Good Pupils: 208 Distance:1.75	☐	☒	☐	☐	☐
	Morley Memorial Primary School Ofsted Rating: Good Pupils: 390 Distance:1.82	☐	☒	☐	☐	☐
	Newnham Croft Primary School Ofsted Rating: Good Pupils: 229 Distance:1.84	☐	☒	☐	☐	☐
	St Mary's School Ofsted Rating: Not Rated Pupils: 613 Distance:1.89	☐	☐	☒	☐	☐
	Mander Portman Woodward Ofsted Rating: Not Rated Pupils: 211 Distance:1.9	☐	☐	☒	☐	☐




National Rail Stations

Pin	Name	Distance
1	Shelford (Cambs) Rail Station	1.76 miles
2	Cambridge Rail Station	2.04 miles
3	Foxton Rail Station	4.19 miles




Trunk Roads/Motorways

Pin	Name	Distance
1	M11 J11	0.72 miles
2	M11 J12	2.2 miles
3	M11 J13	3.37 miles
4	M11 J10	4.96 miles
5	M11 J14	4.89 miles




Airports/Helipads

Pin	Name	Distance
1	Cambridge	3.66 miles
2	Stansted Airport	20.23 miles
3	Luton Airport	28.91 miles
4	Silvertown	46.1 miles



Bus Stops/Stations

Pin	Name	Distance
1	Glebe Farm Drive	0.22 miles
2	Bishop's Road	0.14 miles
3	Bishop's Road	0.14 miles
4	Bowling Green	0.21 miles
5	Hobson Avenue	0.23 miles



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge

CB2 9LS

01223 508 050

Jenny@cookecurtis.co.uk

www.cookecurtis.co.uk

