




See More Online

MIR: Material Info

The Material Information Affecting this Property

Thursday 18th September 2025



FAIRHAVEN CLOSE, LODE, CAMBRIDGE, CB25

Cooke Curtis & Co

40 High Street Trumpington Cambridge CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk

www.cookecurtis.co.uk





Property

Type:	Terraced	Tenure:	Freehold
Bedrooms:	2		
Floor Area:	635 ft ² / 59 m ²		
Plot Area:	0.03 acres		
Council Tax :	Band C		
Annual Estimate:	£2,110		
Title Number:	CB335292		

Local Area

Local Authority:

Conservation Area:

Flood Risk:

Rivers & Seas

Surface Water

Cambridgeshire

No

Very low


Very low

Estimated Broadband Speeds

(Standard - Superfast - Ultrafast)


7

mb/s




80

mb/s




1000


mb/s





Mobile Coverage:


(based on calls indoors)

























Satellite/Fibre TV Availability:















Planning records for: **22 Fairhaven Close Lode Cambridge CB25 9HG**

Reference - 17/01486/FUL	
Decision:	Permitted
Date:	15th August 2017
Description:	Single storey rear extension

Reference - 17/01486/FUL	
Decision:	Permitted
Date:	15th August 2017
Description:	Single storey rear extension






FAIRHAVEN CLOSE, LODE, CAMBRIDGE, CB25


Ground Floor

Approx. 29.8 sq. metres (320.2 sq. feet)




First Floor

Approx. 29.6 sq. metres (318.9 sq. feet)



Total area: approx. 59.4 sq. metres (639.1 sq. feet)

Drawings are for guidance only
Plan produced using PlanUp.



Additional EPC Data

Property Type:	Mid-terrace house
Walls:	Cavity wall, as built, insulated (assumed)
Walls Energy:	Good
Roof:	Pitched, 100 mm loft insulation
Roof Energy:	Average
Window:	Fully double glazed
Window Energy:	Good
Main Heating:	Boiler and radiators, mains gas
Main Heating Energy:	Good
Main Heating Controls:	Programmer, room thermostat and TRVs
Main Heating Controls Energy:	Good
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Low energy lighting in all fixed outlets
Lighting Energy:	Very good
Floors:	Solid, no insulation (assumed)
Secondary Heating:	None
Total Floor Area:	59 m ²

Electricity Supply

Eon Next

Gas Supply

Eon Next

Central Heating

No

Water Supply

Anglian Water

Drainage

Anglian Water



Cooke Curtis & Co

We are small enough that we are able to care for each client personally, but large enough to provide exceptional marketing that achieves the best possible price in the least possible time.

We are a responsible business. We aim to be a low carbon company, to operate ethically and to be valuable members of the Cambridge community.

We are experienced in all aspects of residential property, including sales and lettings, planning, development and buy-to-let.

We are interested in you. We see Estate Agency as being as much about people as property. Our job is to work for you, to help you achieve the best possible outcome in your particular situation.

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.



/cookecurtisco




/cookecurtisco

Flood Risk

Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps

Conservation Areas



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas	
1	Lode
2	Swaffham Bulbeck
3	Bottisham
4	Swaffham Prior
5	Horningsea
6	Waterbeach
7	Little Wilbraham
8	Reach
9	Baits Bite Lock
10	Milton

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	South of Swaffham Heath Road-Swaffham Bulbeck, Cambridgeshire	Historic Landfill	
2	C Hunter - Northfields Farm-Northfields Farm, Clayhithe, Cambridge, Cambridgeshire	Historic Landfill	
3	Clayhithe Cottages-Horningsea	Historic Landfill	
4	Parsonage Farm-Bottisham	Historic Landfill	
5	Quy Mill Hotel-Quy	Historic Landfill	
6	EA/EPR/NP3790NX/A001	Active Landfill	
7	Quy Bridge-Quy	Historic Landfill	
8	The Chalk Pit-Reach	Historic Landfill	
9	Little Wilbraham Parish Tip-Monks, Wilbraham	Historic Landfill	
10	Hill Farm-Reach	Historic Landfill	

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards



Bottisham Ward



Fen Ditton & Fulbourn Ward



Milton & Waterbeach Ward



Milton & Waterbeach Ward



East Chesterton Ward



Abbey Ward



Burwell Ward



King's Hedges Ward





Romsey Ward



West Chesterton Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	HIGH	Soil Texture:	CHALKY CLAY TO CHALKY
Parent Material Grain:	ARGILLIC		LOAM
Soil Group:	MEDIUM TO LIGHT(SILTY) TO HEAVY	Soil Depth:	DEEP-INTERMEDIATE




Primary Classifications (Most Common Clay Types)



C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area


Masts & Pylons













Key:


-  Power Pylons
-  Communication Masts

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




Listed Buildings in the local district		Grade	Distance
	1164443 - Baptist Chapel And School Room	Grade II	0.1 miles
	1164532 - 2, Mill Road	Grade II	0.1 miles
	1317808 - 23 And 25, High Street	Grade II	0.1 miles
	1127016 - K6 Telephone Kiosk	Grade II	0.1 miles
	1127085 - Rose Cottage	Grade II	0.2 miles
	1127015 - 31, Mill Road	Grade II	0.2 miles
	1317830 - Rosemont	Grade II	0.2 miles
	1127091 - Herm Figure, At Mill Lawn, At Anglesey Abbey	Grade II	0.2 miles
	1127087 - 21, Lode Road	Grade II	0.2 miles
	1164493 - 25 And 27, Lode Road	Grade II	0.2 miles


This map displays nearby areas that have been designated as Green Belt...




Nearby Green Belt Land	
1	Cambridge Green Belt - East Cambridgeshire
2	Cambridge Green Belt - Cambridge
3	Cambridge Green Belt - South Cambridgeshire



		Nursery	Primary	Secondary	College	Private
1	Bottisham Village College Ofsted Rating: Outstanding Pupils: 1452 Distance:1.29	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Swaffham Bulbeck Church of England Primary School Ofsted Rating: Good Pupils: 93 Distance:1.45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Bottisham Community Primary School Ofsted Rating: Good Pupils: 301 Distance:1.79	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Swaffham Prior Church of England Primary School Ofsted Rating: Good Pupils: 111 Distance:2.08	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	Waterbeach Community Primary School Ofsted Rating: Good Pupils: 516 Distance:2.89	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Fen Ditton Primary School Ofsted Rating: Good Pupils: 146 Distance:3.2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Great Wilbraham CoFE Primary Academy Ofsted Rating: Not Rated Pupils: 90 Distance:3.29	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Marleigh Primary Academy Ofsted Rating: Not Rated Pupils: 108 Distance:3.34	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




		Nursery	Primary	Secondary	College	Private
9	Milton Church of England Primary School Ofsted Rating: Good Pupils: 313 Distance:3.5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Teversham CofE VA Primary School Ofsted Rating: Good Pupils: 173 Distance:3.57	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Shirley Community Primary School Ofsted Rating: Good Pupils: 348 Distance:4.01	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Landmark International School Ofsted Rating: Good Pupils: 104 Distance:4.19	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Burwell Village College (Primary) Ofsted Rating: Good Pupils: 379 Distance:4.24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	The Fields Nursery School Ofsted Rating: Good Pupils: 57 Distance:4.26	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	The Galfrid School Ofsted Rating: Good Pupils: 267 Distance:4.26	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16	Cambridge Steiner School Ofsted Rating: Good Pupils: 103 Distance:4.31	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




National Rail Stations

Pin	Name	Distance
1	Waterbeach Rail Station	2.38 miles
2	Cambridge North Rail Station	3.83 miles
3	Cambridge Rail Station	5.63 miles




Trunk Roads/Motorways

Pin	Name	Distance
1	M11 J11	8.26 miles
2	M11 J13	7.34 miles
3	M11 J14	7.48 miles
4	M11 J12	8.06 miles
5	M11 J10	10.95 miles




Airports/Helipads

Pin	Name	Distance
1	Cambridge	3.89 miles
2	Stansted Airport	24.4 miles
3	Luton Airport	36.46 miles
4	Southend-on-Sea	50.59 miles



Bus Stops/Stations

Pin	Name	Distance
1	Fassage Close	0.17 miles
2	Anglesey Abbey	0.48 miles
3	Quy Road	0.5 miles
4	Lode Road	1 miles
5	Longmeadow	0.83 miles



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge

CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk

www.cookecurtis.co.uk

