




See More Online

MIR: Material Info

The Material Information Affecting this Property

Wednesday 01st October 2025



MAILES CLOSE, BARTON, CAMBRIDGE, CB23

Cooke Curtis & Co

40 High Street Trumpington Cambridge CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk















www.cookecurtis.co.uk



Property

Type:	Semi-Detached	Tenure:	Freehold
Bedrooms:	3		
Plot Area:	0.09 acres		
Council Tax :	Band D		
Annual Estimate:	£2,415		
Title Number:	CB122622		

Local Area

Local Authority:	Cambridgeshire	Estimated Broadband Speeds (Standard - Superfast - Ultrafast)		
Conservation Area:	No			
Flood Risk:				
• Rivers & Seas	Very low	11 mb/s	56 mb/s	1000 mb/s
• Surface Water	Very low			
Mobile Coverage: (based on calls indoors)		Satellite/Fibre TV Availability:		
				
				
				

Planning records for: **2 Mailes Close Barton Cambridge Cambridgeshire CB23 7BQ**

Reference - S/2505/13/FL	
Decision:	Decided
Date:	25th November 2013
Description:	Single Storey Front and Rear Extensions and Increase in Roof Ridge Height

Planning records for: **4 Mailes Close Barton Cambridge Cambridgeshire CB23 7BQ**

Reference - S/0152/09/F	
Decision:	Decided
Date:	04th February 2009
Description:	Extension & Installation of Solar Panels

Planning records for: **5 Mailes Close Barton Cambridgeshire CB23 7BQ**

Reference - 23/00902/HFUL	
Decision:	Decided
Date:	06th March 2023
Description:	Retrospective retention of conversion of double garage to habitable floor space and store.

Reference - 23/00876/HFUL	
Decision:	Decided
Date:	06th March 2023
Description:	Single storey front and side extensions, new rooftiles, cladding and render.

Planning records for: **6 Mailes Close Barton Cambridge Cambridgeshire CB23 7BQ**

Reference - S/1528/08/F	
Decision:	Decided
Date:	08th September 2008
Description:	2 Storey Extension to side and single storey extension to rear

Planning records for: **9 Mailes Close Barton Cambridge Cambridgeshire CB23 7BQ**

Reference - S/0185/15/FL	
Decision:	Decided
Date:	26th January 2015
Description:	Single storey front extension. and new ground floor window on gable

Planning records for: **10 Mailes Close Barton Cambridge Cambridgeshire CB23 7BQ**

Reference - S/1785/11	
Decision:	Decided
Date:	07th September 2011
Description:	Revised drawings to include an air source heat pump as a variation to Condition 2 of S/2089/10.

Reference - S/2089/10	
Decision:	Decided
Date:	24th November 2010
Description:	Extensions.

Planning records for: **12 Mailes Close Barton Cambridgeshire CB23 7BQ**

Reference - 24/04863/HFUL	
Decision:	Decided
Date:	30th December 2024
Description:	Demolition of existing side utility room and the erection of a two storey side/front extension, erection of a front porch and WC and the removal of existing flat roof of garage/family room and replace with a pitched roof.

Planning records for: **13 Mailes Close Barton CB23 7BQ**

Reference - 20/01240/NMA1	
Decision:	Awaiting decision
Date:	25th September 2020
Description:	Non material amendment of planning permission 20/01240/HFUL for minor alterations to window sizes on existing downstairs portion of property. The addition of two timber posts and removal of brick supporting wall to porch resulting in slight increase in rendered area.

Reference - 20/01240/HFUL	
Decision:	Decided
Date:	11th February 2020
Description:	Raise ridge to provide loft conversion with three front dormers, external alterations and replacement of flat roof with pitched roof to detached garage

Reference - S/3151/18/OL	
Decision:	Decided
Date:	15th August 2018
Description:	Application for outline planning permission for demolition of one dwelling and garage and replacement with up to two dwellings with garages and associated works with all matters reserved.

Planning records for: **16 Mailes Close Barton Cambridgeshire CB23 7BQ**

Reference - 22/05537/PRIOR	
Decision:	Decided
Date:	22nd December 2022
Description:	Single storey rear garden room

Reference - 23/00049/HFUL	
Decision:	Decided
Date:	06th January 2023
Description:	Single storey pitched roof porch to replace existing porch.

Reference - 21/03035/COND5	
Decision:	Decided
Date:	06th January 2023
Description:	Submission of details required by condition 5 (Phasing Plan) of Transport and Works Order 21/03035/TWA

Planning records for: **20 Mailes Close Barton Cambridgeshire CB23 7BQ**

Reference - 25/01687/HFUL	
Decision:	Decided
Date:	30th April 2025
Description:	Single storey front, side and rear extensions, rooflights to rear elevation and installation of external timber cladding.

Planning records for: **22 Mailes Close Barton CB23 7BQ**

Reference - 20/01597/HFUL	
Decision:	Decided
Date:	09th March 2020
Description:	Single storey rear extension and part conversion of existing garage

Planning records for: **23 Mailes Close Barton Cambridge Cambridgeshire CB23 7BQ**

Reference - S/1640/19/FL	
Decision:	Decided
Date:	06th May 2019
Description:	Front single storey extension two storey side extension & two storey rear extension

Planning records for: **27 Mailes Close Barton Cambridgeshire CB23 7BQ**

Reference - 23/03382/HFUL	
Decision:	Decided
Date:	04th September 2023
Description:	Two storey side extension and part single storey rear extension, single storey rear extension, single storey front extension to enlarge garage with new pitched roof and front porch canopy

Reference - S/0657/11	
Decision:	Decided
Date:	30th March 2011
Description:	Extension and alterations

Accessibility / Adaptations

2024 - Replacement of garage window and back door to garden, 2023-Installation of new up and over garage door, 2020 - Replacement of conservatory roof, 4 windows and installation of 8 downlights, 2017 - Top part of chimney removed, 2017 - Replacement of front roofline, side cable and 3 windows, 2010 - Kitchen replacement/refurbishment including chimney removal and part electrical upgrade, 2006 - Replacement of roofline at rear
See additional under Other Notes

Other

2022 - installation of wood burner in lounge, 2021 - Replacement of boiler and hot water cylinder, 2020 - Replacement of back door and front side door, 2012 - Replacement of patio door, 2004 - Replacement of windows at rear, 1999 - Replacement of front door

Other

Water meter is located on neighbour's driveway

Electricity Supply

EDF

Gas Supply

No

Central Heating

oil condensing boiler

Water Supply

Cambridge Water

Drainage

Cambridge Water



Cooke Curtis & Co

We are small enough that we are able to care for each client personally, but large enough to provide exceptional marketing that achieves the best possible price in the least possible time.

We are a responsible business. We aim to be a low carbon company, to operate ethically and to be valuable members of the Cambridge community.

We are experienced in all aspects of residential property, including sales and lettings, planning, development and buy-to-let.

We are interested in you. We see Estate Agency as being as much about people as property. Our job is to work for you, to help you achieve the best possible outcome in your particular situation.

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.



/cookecurtisco




/cookecurtisco

Flood Risk

Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Maps

Conservation Areas




This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas	
1	Barton St Peter's
2	Barton Wimpole Road
3	Grantchester
4	Comberton St Mary's
5	Comberton Village
6	Coton
7	Trumpington
8	Haslingfield
9	Newnham Croft
10	Harlton

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Haslingfield-Chapel Hill, Haslingfield	Historic Landfill
2	No name provided by source	Active Landfill
3	Chapel Hill-Barrington	Historic Landfill
4	Cambridge University Farm-Huntingdon Road, Cambridgeshire	Historic Landfill
5	Little Eversden Landfill-Orwell Hill, Little Eversden	Historic Landfill
6	Coldhams Lane-Coldhams Lane, Cherry Hinton	Historic Landfill
7	Norman Works-Coldhams Lane, Cambridge	Historic Landfill
8	Hill Trees-Stapleford	Historic Landfill
9	Coldham's Lane Tip-Cambridge, Cambridgeshire	Historic Landfill
10	Cement Works Tip-Off Coldham's Lane, Cambridgeshire	Historic Landfill

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards

1 Harston & Comberton Ward

2 Newnham Ward

3 Trumpington Ward

4 Hardwick Ward

5 Castle Ward

6 Market Ward

7 Petersfield Ward



8 Girton Ward

9 Queen Edith's Ward

10 West Chesterton Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	VARIABLE(LOW)	Soil Texture:	LOAM TO CLAY
Parent Material Grain:	ARGILLACEOUS	Soil Depth:	DEEP
Soil Group:	MEDIUM TO HEAVY		




Primary Classifications (Most Common Clay Types)



C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area


Masts & Pylons



Key:

-  Power Pylons
-  Communication Masts

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




Listed Buildings in the local district		Grade	Distance
	1331076 - Nickersons	Grade II	0.1 miles
	1161183 - Manor Farmhouse	Grade II	0.1 miles
	1331077 - Granary, At Manor Farmhouse	Grade II	0.1 miles
	1127829 - Church Of St Peter	Grade II	0.1 miles
	1127832 - Old Farmhouse	Grade II	0.1 miles
	1310228 - The Hoops Public House	Grade II	0.2 miles
	1127831 - 18, High Street	Grade II	0.2 miles
	1127826 - The Vatches	Grade II	0.2 miles
	1408391 - 39 New Road	Grade II	0.2 miles
	1127833 - The Thatched Cottage	Grade II	0.2 miles

This map displays nearby areas that have been designated as Green Belt...












Nearby Green Belt Land

- 1 Cambridge Green Belt - South Cambridgeshire
- 2 Cambridge Green Belt - Cambridge
- 3 Cambridge Green Belt - East Cambridgeshire



		Nursery	Primary	Secondary	College	Private
1	Barton CofE VA Primary School Ofsted Rating: Good Pupils: 112 Distance:0.18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Meridian Primary School Ofsted Rating: Good Pupils: 200 Distance:1.56	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Coton Church of England (Voluntary Controlled) Primary School Ofsted Rating: Requires improvement Pupils: 106 Distance:1.95	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	Trumpington Meadows Primary School Ofsted Rating: Good Pupils: 260 Distance:2.06	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	University of Cambridge Primary School Ofsted Rating: Outstanding Pupils: 668 Distance:2.1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Comberton Village College Ofsted Rating: Outstanding Pupils: 1930 Distance:2.15	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Haslingfield Endowed Primary School Ofsted Rating: Good Pupils: 137 Distance:2.15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Newnham Croft Primary School Ofsted Rating: Good Pupils: 229 Distance:2.36	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




		Nursery	Primary	Secondary	College	Private
	Fawcett Primary School Ofsted Rating: Good Pupils: 423 Distance:2.46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	King's College School Ofsted Rating: Not Rated Pupils: 414 Distance:2.52	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	St Faith's School Ofsted Rating: Not Rated Pupils: 577 Distance:2.68	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Trumpington Community College Ofsted Rating: Good Pupils: 491 Distance:2.68	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Trumpington Park Primary School Ofsted Rating: Good Pupils: 403 Distance:2.73	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	St John's College School Ofsted Rating: Not Rated Pupils: 435 Distance:2.77	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	The Leys School Ofsted Rating: Not Rated Pupils: 570 Distance:2.83	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Mander Portman Woodward Ofsted Rating: Not Rated Pupils: 211 Distance:2.84	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




National Rail Stations

Pin	Name	Distance
1	Foxton Rail Station	4.26 miles
2	Cambridge Rail Station	3.38 miles
3	Shelford (Cambs) Rail Station	4.01 miles




Trunk Roads/Motorways

Pin	Name	Distance
1	M11 J12	0.86 miles
2	M11 J13	2.3 miles
3	M11 J11	2.29 miles
4	M11 J14	3.67 miles
5	M11 J10	6.56 miles




Airports/Helipads

Pin	Name	Distance
1	Cambridge	5.14 miles
2	Stansted Airport	21.79 miles
3	Luton Airport	27.95 miles
4	Silvertown	46.86 miles



Bus Stops/Stations

Pin	Name	Distance
1	Kings Grove	0.17 miles
2	Holben Close	0.2 miles
3	Holben Close	0.19 miles
4	High Street	0.23 miles
5	High Street	0.23 miles



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge

CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk

www.cookecurtis.co.uk

