




See More Online

MIR: Material Info

The Material Information Affecting this Property

Tuesday 09th September 2025



ST. EDMUNDS WAY, HAUXTON, CAMBRIDGE, CB22

Cooke Curtis & Co

40 High Street Trumpington Cambridge CB2 9LS

01223 508 050


jessica@cookecurtis.co.uk

www.cookecurtis.co.uk



Powered by
aprift
Know any property instantly

Freehold Title Plan





CB428275

Leasehold Title Plan



CB445421

Start Date: 29/07/2019
End Date: 01/04/2144
Lease Term: 125 years from and including 1 April 2019
Term Remaining: 118 years



Property

Type:	Communal Residence	Tenure:	Leasehold
Bedrooms:	2	Start Date:	29/07/2019
Floor Area:	731 ft ² / 68 m ²	End Date:	01/04/2144
Plot Area:	0.54 acres	Lease Term:	125 years from and including 1 April 2019
Council Tax :	Band C	Term	118 years
Annual Estimate:	£2,146	Remaining:	
Title Number:	CB445421		

Local Area

Local Authority:	Cambridgeshire
Conservation Area:	No
Flood Risk:	
• Rivers & Seas	Very low
• Surface Water	Very low

Estimated Broadband Speeds (Standard - Superfast - Ultrafast)

14 mb/s	61 mb/s	1800 mb/s


Mobile Coverage: (based on calls indoors)



Satellite/Fibre TV Availability:











ST. EDMUNDS WAY, HAUXTON, CAMBRIDGE, CB22



ST. EDMUNDS WAY, HAUXTON, CAMBRIDGE, CB22


Floor Plan

Approx. 65.8 sq. metres (708.7 sq. feet)



Total area: approx. 65.8 sq. metres (708.7 sq. feet)

Drawings are for guidance only
Plan produced using PlanUp.



Additional EPC Data

Property Type:	Flat
Build Form:	Detached
Transaction Type:	New dwelling
Energy Tariff:	Standard tariff
Floor Level:	Ground floor
Flat Top Storey:	No
Top Storey:	0
Previous Extension:	0
Open Fireplace:	0
Walls:	Average thermal transmittance 0.23 W/m ² K
Walls Energy:	Very Good
Roof:	(other premises above)
Main Heating:	Community scheme
Main Heating Controls:	Charging system linked to use of community heating, programmer and TRVs
Hot Water System:	Community scheme
Hot Water Energy Efficiency:	Good
Lighting:	Low energy lighting in all fixed outlets
Floors:	Average thermal transmittance 0.16 W/m ² K
Total Floor Area:	68 m ²



Cooke Curtis & Co

We are small enough that we are able to care for each client personally, but large enough to provide exceptional marketing that achieves the best possible price in the least possible time.

We are a responsible business. We aim to be a low carbon company, to operate ethically and to be valuable members of the Cambridge community.

We are experienced in all aspects of residential property, including sales and lettings, planning, development and buy-to-let.

We are interested in you. We see Estate Agency as being as much about people as property. Our job is to work for you, to help you achieve the best possible outcome in your particular situation.

Testimonial 1



Great service from Cooke Curtis & co. We used them for the sale of our home as they were the agents for a property we wanted to buy. They quickly valued, took photos and put it on the market with viewings soon after. Them handling both sides of the deal was a huge help with one complexity of the epic process of house purchasing removed. The agents were particularly calm, reasonable and responsive by email and telephone. Thanks you!

Testimonial 2



Since purchasing our house from Cooke Curtis and Co in 2017, we knew that if ever we were to sell, it would be with them. Of the various estate agents we asked to value the property, Cooke Curtis and Co were the *only* company that didn't need chasing and returned our calls promptly, and kept us up-to-date on progress of the sale. I have no hesitation in recommending Cooke Curtis and Co, as indeed I have done to friends thinking of selling in the area.

Testimonial 3



Being from Cambridge we have rented, bought and sold through many different estate agents over the years, and I can safely say that Cooke Curtis & Co have been by far the best we have come across. After failing to sell our house with another agent, we made the switch and didn't regret our decision. Cooke Curtis & Co clearly care about their reputation and make sure to look after their clients. We found the team to be trustworthy, professional and reliable.

Testimonial 4



We bought a property sold by Cooke Curtis and Co. They were helpful and responded swiftly to our enquiries. It seems buying a house always takes a long time but I got the impression the estate agents did all they could to speed things along. Very happy.



/cookecurtisco




/cookecurtisco

Flood Risk

Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk



This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



Nearby Conservation Areas



Hauxton



Little Shelford



Haslingfield



Trumpington



Great Shelford



Grantchester



Barton Wimpole Road



Stapleford




Barton St Peter's



Barrow Road

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites		
1	Haslingfield-Chapel Hill, Haslingfield	Historic Landfill
2	Chapel Hill-Barrington	Historic Landfill
3	No name provided by source	Active Landfill
4	EA/EPR/FB3105UN/V002	Active Landfill
5	Shelford Tip-Shelford	Historic Landfill
6	Newton Road-Whittlesford	Historic Landfill
7	Searro-Shepreth	Historic Landfill
8	Seearo Construction Ltd - Barrington Park Farm-Foxton Road,Barrington,Cambridgeshire	Historic Landfill
9	Angle Lane-Shepreth, Cambridgeshire	Historic Landfill
10	Hill Trees-Stapleford	Historic Landfill

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



Nearby Council Wards



Harston & Comberton Ward



Trumpington Ward



Shelford Ward



Queen Edith's Ward



Whittlesford Ward



Sawston Ward



Petersfield Ward



Newnham Ward





Coleridge Ward



Market Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	NONE	Soil Texture:	CLAY TO SANDY LOAM
Parent Material Grain:	ARGILLIC - ARENACEOUS	Soil Depth:	DEEP
Soil Group:	ALL		




Primary Classifications (Most Common Clay Types)

C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area


Masts & Pylons



Key:


-  Power Pylons
-  Communication Masts

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district		Grade	Distance
	1127839 - Hauxton Watermill	Grade II	0.1 miles
	1331083 - Old Mill House	Grade II	0.1 miles
	1225955 - Hauxton Watermill	Grade II	0.1 miles
	1127840 - Milestone, Hauxton Mill Bridge	Grade II	0.2 miles
	1164672 - Church Of St Edmund	Grade I	0.3 miles
	1425399 - Hauxton War Memorial	Grade II	0.3 miles
	1331082 - Little Manor House	Grade II	0.4 miles
	1317657 - Tudor House	Grade II	0.5 miles
	1127841 - 11, High Street	Grade II	0.6 miles
	1164811 - The Old House	Grade II	0.6 miles

This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land




Cambridge Green Belt - South Cambridgeshire




Cambridge Green Belt - Cambridge




Cambridge Green Belt - East Cambridgeshire



		Nursery	Primary	Secondary	College	Private
1	Hauxton Primary School Ofsted Rating: Good Pupils: 90 Distance:0.64	☐	☒	☐	☐	☐
2	Harston and Newton Community Primary School Ofsted Rating: Good Pupils: 110 Distance:1.05	☐	☒	☐	☐	☐
3	Trumpington Meadows Primary School Ofsted Rating: Good Pupils: 260 Distance:1.31	☐	☒	☐	☐	☐
4	Haslingfield Endowed Primary School Ofsted Rating: Good Pupils: 137 Distance:1.64	☐	☒	☐	☐	☐
5	Great and Little Shelford CofE (Aided) Primary School Ofsted Rating: Good Pupils: 208 Distance:1.71	☐	☒	☐	☐	☐
6	Trumpington Park Primary School Ofsted Rating: Good Pupils: 403 Distance:1.85	☐	☒	☐	☐	☐
7	Fawcett Primary School Ofsted Rating: Good Pupils: 423 Distance:2.07	☐	☒	☐	☐	☐
8	Trumpington Community College Ofsted Rating: Good Pupils: 491 Distance:2.14	☐	☐	☒	☐	☐



		Nursery	Primary	Secondary	College	Private
9	Barton CofE VA Primary School Ofsted Rating: Good Pupils: 112 Distance:2.56	☐	☒	☐	☐	☐
10	Stapleford Community Primary School Ofsted Rating: Good Pupils: 215 Distance:2.6	☐	☒	☐	☐	☐
11	Cambridge Academy for Science and Technology Ofsted Rating: Good Pupils: 431 Distance:2.62	☐	☐	☒	☐	☐
12	Barrington CofE VC Primary School Ofsted Rating: Good Pupils: 157 Distance:2.65	☐	☒	☐	☐	☐
13	Selwyn Hall School Ofsted Rating: Good Pupils: 10 Distance:2.74	☐	☐	☒	☐	☐
14	The Perse School Ofsted Rating: Not Rated Pupils: 1705 Distance:2.83	☐	☐	☒	☐	☐
15	St Faith's School Ofsted Rating: Not Rated Pupils: 577 Distance:2.84	☐	☐	☒	☐	☐
16	Foxton Primary School Ofsted Rating: Good Pupils: 86 Distance:2.92	☐	☒	☐	☐	☐



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Cooke Curtis & Co

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooke Curtis & Co

40 High Street Trumpington Cambridge

CB2 9LS

01223 508 050

jessica@cookecurtis.co.uk

www.cookecurtis.co.uk



Valuation Office
Agency

