

# www.safeandsecureproperties.co.uk





26 Underwood

Leam Lane Estate Gateshead NE10 8QE Two Bedrooms

Semi Detached House

Gas Central Heating & Double Glazing

Currently Tenanted at £625pcm

Close to Local Amenities & Transport

£85,000

Freehold | Viewing Recommended

Links

#### **ENTRANCE HALL**

Double glazed door to front, double glazed window to front, stairs to first floor, spindle banister, understairs cupboard and radiator.

#### LIVING ROOM

13' 06" x 12' 07" (4.11 m x 3.84m) Double glazed window to front, telephone point, television point, coving to ceiling and radiator.

### **KITCHEN**

12' 08" x 6' 03" (3.86m x 1.91m) Fitted wall and base units, work surfaces, single drainer sink, built-in electric oven, built in electric hob, extractor hood, space for washing machine, space for dishwasher, part tiled walls, combination boiler, double glazed window to rear and radiator.

#### LANDING

Double glazed window to side and access to loft.

## **BEDROOM ONE**

15' 04" x 9' 00" (4.67m x 2.74m) Double glazed window to front, storage cupboard and radiator.

#### **BEDROOM TWO**

12' 07" x 8' 05" (3.84m x 2.57m) Double glazed window to rear, storage cupboard and radiator.

#### **BATHROOM**

White 2 piece suite comprising of panelled bath, with over shower, pedestal wash hand basin, part tiled walls, double glazed window to rear and

radiator. WC Double glazed window to rear and low level WC. **FRONT GARDEN** 

Laid mainly to law, hedged boundaries.

# **REAR GARDEN**

Laid mainly to lawn, decked area, fenced boundaries and gated access.

Local Authority
Council Tax Band A
EPC Rating TBC

# **Houghton le Spring**

24-25 Westbourne Terrace Houghton Le Spring Tyne And Wear DH4 4QT

#### Contact

0191 3854477
info@safeandsecureproperties.c
o.uk
safeandsecureproperties.co.uk

Agents Note: Whilst every care has been taken to prepare these particulars, they are for guidance purposes only. All measurements are approximate and are for general guidance purposes only and whilst every care has been taken to ensure their accuracy, they should not be relied upon and potential buyers/tenants are advised to recheck the measurements.