

# Energy performance certificate (EPC)

Unit 7 City West Business Park St. Johns Road Meadowfield Industrial Estate Durham DH7 8ER	Energy rating <b>B</b>	Valid until: <b>4 February 2034</b>
		Certificate number: <b>1331-3115-5360-5329-7388</b>


Property type	Offices and Workshop Businesses
Total floor area	167 square metres

## Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

## Energy rating and score

This property's energy rating is B.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

## How this property compares to others

Properties similar to this one could have ratings:

If newly built	<b>7 A</b>
If typical of the existing stock	<b>26 B</b>

## Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	12.62
Primary energy use (kWh/m2 per year)	135

## Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/3067-6403-6638-0860-5043\)](/energy-certificate/3067-6403-6638-0860-5043).

## Who to contact about this certificate

### Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Harry Beresford
Telephone	02074 935 503
Email	<a href="mailto:michael.clements@joneshargreaves.co.uk">michael.clements@joneshargreaves.co.uk</a>

### Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/023385
Telephone	01455 883 250
Email	<a href="mailto:enquiries@elmhurstenergy.co.uk">enquiries@elmhurstenergy.co.uk</a>

### About this assessment

Employer	Jones Hargreaves
Employer address	Matthew Murray House 97 Water Lane Leeds LS11 5QN
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	24 January 2024
Date of certificate	5 February 2024