Energy performance certificate (EPC)

1 Firethorn Way Hoyland Barnsley S74 9FB Energy rating

Valid until: 9 October 2033

Certificate number: 5863-5498-3966-6837-1911

Property type B8 Storage or Distribution


Total floor area 32,001 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's current energy rating is A.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built	20 A
If typical of the existing stock	57 C

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Air Conditioning
Assessment level	5
Building emission rate (kgCO2/m2 per year)	8.07
Primary energy use (kWh/m2 per year)	66

Recommendation report

Guidance on improving the energy performance of this property can be found in the $\frac{\text{recommendation}}{\text{report (/energy-certificate/8062-0515-1135-9272-7887)}}$.

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Nicolas Walker
Telephone	0114 308 2038
Email	nick@walkeranalysis.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	CIBSE Certification Limited
Assessor's ID	LCEA185238
Telephone	020 8772 3649
Email	epc@cibsecertification.org
About this assessment	
Employer	Walker Energy Analysis Ltd
Employer address	Unit 15, Neepsend Triangle Business Centre, 1
	Burton Road, Sheffield, S3 8BW
Assessor's declaration	The assessor is not related to the owner of the
	property.
Date of assessment	9 October 2023
Date of certificate	10 October 2023