

Energy performance certificate (EPC)

Unit 1 Zeus House
16-30, Provost Street
LONDON
N1 7NG

Energy rating

E

Valid until:

8 February 2028

Certificate number: **0020-6928-0368-9890-3040**

Property type

B1 Offices and Workshop businesses

Total floor area

158 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's current energy rating is E.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built

32 B

If typical of the existing stock

93 D

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	64.68
Primary energy use (kWh/m ² per year)	383

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/9694-4092-0286-0300-8801\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Alan Bouquet
Telephone	0208 819 2166
Email	alan.bouquet@thegreenage.co.uk

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Stroma Certification Ltd
Assessor's ID	STRO010616
Telephone	0330 124 9660
Email	certification@stroma.com

About this assessment

Employer	The GreenAge Ltd
Employer address	Eco House, 1 Lion Way, Brentford, TW8 8AR
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	8 February 2018
Date of certificate	9 February 2018