

Energy performance certificate (EPC)

Unit H Riding Court Farm Riding Court Road Datchet SLOUGH SL3 9JT	Energy rating C	Valid until: 19 September 2034
		Certificate number: 2031-3831-6040-9201-8195


Property type	Storage or Distribution
Total floor area	101 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built	8 A
If typical of the existing stock	30 B

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	37.64
Primary energy use (kWh/m ² per year)	387

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/8801-6244-3002-1391-1906\)](/energy-certificate/8801-6244-3002-1391-1906).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Pooja Odedra
Telephone	07944650582
Email	info@eco-prop.co.uk

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Quidos Limited
Assessor's ID	QUID209699
Telephone	01225 667 570
Email	info@quidos.co.uk

About this assessment

Employer	Eco Pro Properties Ltd
Employer address	London, Middlesex
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	18 September 2024
Date of certificate	20 September 2024