

Yard House The Cross, Drybrook, GL17 9ED £1,300 PCM P





Yard House The Cross Drybrook, GL17 9ED

- ENTRANCE PORCH
- LOUNGE & DINING ROOM
- UTILITY ROOM
- GROUND FLOOR 4th BEDROOM
- CLOAKROOM

- ENTRANCE HALL
- KITCHEN
- GROUND FLOOR BATHROOM
- THREE FIRST FLOOR BEDROOMS
- PARKING

DEAN ESTATE AGENTS LETTINGS offer this 4 bedroom detached family home with parking for several vehicles. The accommodation comprises of an entrance porch, spacious entrance hall, lounge / dining room, kitchen, utility room, ground floor 4th bedroom/second reception room, and ground floor bathroom. On the first floor; there are three further double bedrooms and a cloakroom. Externally there is a double garage, off road parking and gardens.



£1,300 PCM



Entrance Porch:

Entrance Hall: 9'0'' x 7'5''plus stairs (2.74 x 2.26plus stairs (2.744 x 2.255))

Lounge/Dining Room:

 Dining area:
 9'8'' x 11'2'' (2.95 x 3.40 (2.934 x 3.403))

 Kitchen
 14'5'' x 9'5'' (4.39 x 2.87 (4.405 x 2.864))

 Utility room:
 Inner hall

 From entrance hall (From entrance hall)

Family room/ Bedroom 4 12'3" x 13'4" (3.73 x 4.06 (3.733 x 4.065))

Family Bathroom

First Floor Landing



Bedroom 1 15'4" x 13'0" plus wwardrobes (4.67 x 3.96 plus wwardrobes(4.662 x 3.971))

 Bedroom 3
 12'2" x 9'4" (3.71 x 2.84 (3.709 x 2.853))

 Bedroom 2
 11'8" x 9'4" (3.56 x 2.84 (3.546 x 2.849))

 Cloakroom
 Outside

 Garage
 17'5" x 18'5" (5.31 x 5.61 (5.317 x 5.608))

 Consumer Advice Notes
 Outside

Directions



Not energy efficient - higher running co England & Wales

EU Directive 2002/91/EC



Viewing

Please contact our Coleford Office on 01594 835751 if you wish to arrange a viewing appointment for this property or require further information.

The particulars are set out as a general outline only for the guidance of intended purchasers or lessees, and do not constitute, any part of a contract. Nothing in these particulars shall be deemed to be a statement that the property is in good structural condition or otherwise nor that any of the services, appliances, equipment or facilities are in good working order. Purchasers should satisfy themselves of this prior to purchasing.

