772 square metres

Total floor area


# Detached Warehouse/Workshop Unit 11 Mile Oak Industrial Estate Maesbury Road Oswestry SY10 8GA Detached Warehouse/Workshop Unit 12 C Energy rating C C Certificate number: 1086-4608-0685-2486-6144 Offices and Workshop Businesses

## Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

# **Energy rating and score**

This property's current energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

# How this property compares to others

Properties similar to this one could have ratings:

If newly built	1 A
If typical of the existing stock	3 A

# Breakdown of this property's energy performance

Main heating fuel	LPG
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	15.67
Primary energy use (kWh/m2 per year)	106

# **Recommendation report**

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> <u>report (/energy-certificate/0067-0313-7206-5168-8653)</u>.

# Who to contact about this certificate

### **Contacting the assessor**

Date of assessment

Date of certificate

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Sebastian Ingham
Telephone	07817728156
Email	sebastian@idea-ingham.co.uk

### Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/022597
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk
About this assessment Employer	IDEA Ingham Energy Ltd.
Employer address	Bank House, Longden, Shrewsbury, SY5 8ES
Assessor's declaration	The assessor is not related to the owner of the property.

1 December 2023

4 December 2023