



See More Online

MIR: Material Info

The Material Information Affecting this Property

Tuesday 03rd June 2025



SOUTH HORRINGTON VILLAGE, WELLS, BA5

Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS

01749 372200

sheptonmallet@cooperandtanner.co.uk

cooperandtanner.co.uk




Property Overview

COOPER
AND
TANNER



NO STREETVIEW
IMAGE
AVAILABLE
FOR THIS
ADDRESS



Property

Type:	Terraced	Tenure:	Leasehold
Bedrooms:	2	Start Date:	29/09/1997
Floor Area:	678 ft ² / 63 m ²		
Plot Area:	0.07 acres		
Year Built :	1997		
Council Tax :	Band C		
Annual Estimate:	£2,168		
Title Number:	ST148661		

Local Area

Local Authority:	Somerset
Conservation Area:	Mendip Hospital
Flood Risk:	
• Rivers & Seas	Very low
• Surface Water	Very low

Estimated Broadband Speeds (Standard - Superfast - Ultrafast)

7 mb/s	80 mb/s	- mb/s

Mobile Coverage: (based on calls indoors)




Satellite/Fibre TV Availability:



Property
EPC - Certificate

COOPER
AND
TANNER



Property EPC - Additional Data

COOPER
AND
TANNER

Additional EPC Data

Property Type:	House
Build Form:	Mid-Terrace
Transaction Type:	Rental
Energy Tariff:	Single
Main Fuel:	Mains gas (not community)
Main Gas:	Yes
Flat Top Storey:	No
Top Storey:	0
Glazing Type:	Not defined
Previous Extension:	0
Open Fireplace:	0
Ventilation:	Natural
Walls:	Sandstone or limestone, as built, no insulation (assumed)
Walls Energy:	Very Poor
Roof:	Pitched, 100 mm loft insulation
Roof Energy:	Average
Main Heating:	Boiler and radiators, mains gas
Main Heating Controls:	Programmer, room thermostat and TRVs
Hot Water System:	From main system
Hot Water Energy Efficiency:	Good
Lighting:	Low energy lighting in 22% of fixed outlets
Floors:	Suspended, no insulation (assumed)
Total Floor Area:	63 m ²

COOPER
AND
TANNER

Cooper and Tanner

We are estate and letting agents, auctioneers and surveyors. Providing specialist advice on residential, agricultural and commercial property as well as livestock, agricultural machinery and antiques. We are proudly a multi-discipline practice that covers a diverse range of services. The firm has been established for over 100 years, and we continue to evolve and adapt our business to meet the needs of our clients while honouring our rich history. We operate from twelve locations throughout Somerset and Wiltshire. Within the towns and nearby villages of Bridgwater, Castle Cary, Cheddar, Frome, Glastonbury, Midsomer Norton, Shepton Mallet, Standerwick, Street, Warminster, Wedmore and Wells. Covering some beautiful areas such as the Mendip Hills, Somerset Levels, Wiltshire Downs, Chew Valley, Cam Valley and the Blackmore Vale. Our professional and valuation services stretch beyond and cover some of the larger conurbations of Bristol, Bath, Salisbury, Yeovil, Taunton, and Trowbridge. We are regulated by the Royal Institution of Chartered Surveyors (RICS) and Property Mark (NAEA). If you have any queries, please contact any of our offices – you will receive a warm and professional welcome.

Building Safety

The vendor has made us aware that, to the best of their knowledge:-
there is no asbestos present at the property
there is no unsafe cladding present at the property;
there is no invasive plants present at the property;
the property is not at risk of collapse.

Accessibility / Adaptions

The vendor has made us aware that, to the best of their knowledge, there has been no adaptations made to the property for accessibility requirements during their ownership.

Restrictive Covenants

We have been made aware this property possibly contains restrictive covenants - please refer to the land registry title number provided in the property overview and seek further advice from a property conveyancer if required.

Rights of Way (Public & Private)

The vendor has advised there are no rights of way across the property. However there is a footpath outside of the boundary that leads to the pavement.

Construction Type

As far as the vendor is aware the property was constructed traditionally.

Property Lease Information (if applicable)

The property is Freehold.

Listed Building Information (if applicable)

Not applicable

Electricity Supply

We have been advised by the seller there is a mains electricity supply connected to the property

Water Supply

We have been advised by the seller there is a mains water supply connected to the property

Gas Supply

We have been advised by the seller there is a mains gas supply connected to the property

Drainage

We have been advised by the seller the property is connected to mains drainage


Heating System

We have been advised by the seller there is a gas radiator heating system installed at the property.

Flood Risk

Surface Water - Flood Risk

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.25%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Surface Water - Climate Change

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




Flood Risk

Rivers & Seas - Flood Risk

COOPER
AND
TANNER

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.25%) in any one year.


Chance of flooding to the following depths at this property:



Flood Risk

Rivers & Seas - Climate Change

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:





Maps

Conservation Areas

COOPER
AND
TANNER

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




Nearby Conservation Areas	
	Mendip Hospital
	Dinder
	Wells
	Croscombe
	Shepton Mallet
	Oakhill
	Westbury sub Mendip
	Doulting

Maps

Landfill Sites

COOPER
AND
TANNER

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



Nearby Landfill Sites

1	Mendip Hospital-Off Bath Road, Wells, Somerset	Historic Landfill	
2	Mendip Hospital Tip-West Horrington, Somerset	Historic Landfill	
3	Dulcote Quarry-Dulcote, Near Wells, Somerset	Historic Landfill	
4	Dulcote Tip-Dulcote, Near Wells, Somerset	Historic Landfill	
5	Dark Lane-Dinder	Historic Landfill	
6	Maesbury Landfill-The Old Quarry, Maesbury, Wells, Somerset	Historic Landfill	
7	EA/EPR/EP3593FE/A001	Active Landfill	
8	Milton Hill-Lime Kiln Lane, Milton Hill, Wells	Historic Landfill	
9	Ham Lane-Crocombe, Wells, Somerset	Historic Landfill	
10	Coombe Farm-Titwell Wood, Shepton Mallet	Historic Landfill	

This map displays nearby coal mine entrances and their classifications.




Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500





Nearby Council Wards

- 1 St. Cuthbert Out North Ward
- 2 Wells St. Thomas' Ward
- 3 Wells Central Ward
- 4 Wells St. Cuthbert's Ward
- 5 Croscombe and Pilton Ward
- 6 Shepton West Ward
- 7 Shepton East Ward
- 8 Chewton Mendip and Ston Easton Ward
- 9 Wookey and St. Cuthbert Out West Ward
- 10 Ashwick, Chilcompton and Stratton Ward


What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m³).



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:	HIGH	Soil Texture:	CLAYEY LOAM TO SILTY LOAM
Parent Material Grain:	ARGILLIC - ARENACEOUS	Soil Depth:	INTERMEDIATE
Soil Group:	MEDIUM TO LIGHT(SILTY) TO HEAVY		




Primary Classifications (Most Common Clay Types)



C/M	Claystone / Mudstone
FPC,S	Floodplain Clay, Sand / Gravel
FC,S	Fluvial Clays & Silts
FC,S,G	Fluvial Clays, Silts, Sands & Gravel
PM/EC	Prequaternary Marine / Estuarine Clay / Silt
QM/EC	Quaternary Marine / Estuarine Clay / Silt
RC	Residual Clay
RC/LL	Residual Clay & Loamy Loess
RC,S	River Clay & Silt
RC,FS	Riverine Clay & Floodplain Sands and Gravel
RC,FL	Riverine Clay & Fluvial Sands and Gravel
TC	Terrace Clay
TC/LL	Terrace Clay & Loamy Loess

Local Area Masts & Pylons

COOPER
AND
TANNER



Key:


-  Power Pylons
-  Communication Masts











Maps

Listed Buildings


COOPER
AND
TANNER

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



Listed Buildings in the local district	Grade	Distance
 1058586 - Chapel With Covered Approach To Mendip Hospital	Grade II	0.1 miles
 1345148 - Mendip Hospital, Main Building	Grade II	0.1 miles
 1058587 - South Lodge To Mendip Hospital	Grade II	0.3 miles
 1382872 - Milepost Approximately 160 Metres East Of Churchill Road Corner	Grade II	0.6 miles
 1178007 - Former Church Of St John Evangelist	Grade II	0.6 miles
 1345157 - Manor Farmhouse	Grade II	0.6 miles
 1177931 - Barn Attached To Chilcote Manor Farmhouse	Grade II	0.8 miles
 1383150 - Post Office Store	Grade II	1.0 miles
 1383154 - Churchyard Boundary Wall To Church Of St Thomas	Grade II	1.0 miles
 1383146 - Number 71 And Front Boundary Wall	Grade II	1.0 miles


This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land	
1	Bath and Bristol Green Belt - Bath and North East Somerset
2	Bath and Bristol Green Belt - Bristol, City of
3	Bath and Bristol Green Belt - North Somerset
4	Bath and Bristol Green Belt - Mendip



		Nursery	Primary	Secondary	College	Private
1	Horrington Primary School Ofsted Rating: Requires improvement Pupils: 102 Distance:0.62	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	Stoberry Park School Ofsted Rating: Good Pupils: 318 Distance:1.21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	Wells Cathedral School Ofsted Rating: Not Rated Pupils: 780 Distance:1.29	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	St Joseph and St Teresa Catholic Primary School Ofsted Rating: Good Pupils: 149 Distance:1.55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	The Blue School Ofsted Rating: Good Pupils: 1434 Distance:1.74	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	St Cuthbert's Church of England Academy Infants and Pre-School Ofsted Rating: Good Pupils: 172 Distance:2.06	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	St Cuthbert's CofE Junior School Ofsted Rating: Good Pupils: 174 Distance:2.13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Bowlsh Infant School Ofsted Rating: Good Pupils: 107 Distance:2.86	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>






		Nursery	Primary	Secondary	College	Private
9	Shepton Mallet Community Infants' School & Nursery Ofsted Rating: Good Pupils: 220 Distance:3.35	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Coxley Primary School Ofsted Rating: Requires improvement Pupils: 64 Distance:3.41	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	St Paul's Church of England VC Junior School Ofsted Rating: Good Pupils: 322 Distance:3.46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Wookey Primary School Ofsted Rating: Good Pupils: 97 Distance:3.55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Whitstone Ofsted Rating: Good Pupils: 584 Distance:3.66	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14	Oakhill Church School Ofsted Rating: Requires improvement Pupils: 106 Distance:3.95	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15	Priddy Primary School Ofsted Rating: Good Pupils: 40 Distance:4.1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16	Chewton Mendip Church of England VA Primary School Ofsted Rating: Good Pupils: 106 Distance:4.4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


Area Transport (National)

COOPER
AND
TANNER









National Rail Stations

Pin	Name	Distance
	Castle Cary Rail Station	8.93 miles
	Bruton Rail Station	10.2 miles
	Keynsham Rail Station	14.92 miles



Trunk Roads/Motorways

Pin	Name	Distance
	M5 J13	39.63 miles
	M5 J12	42.71 miles
	M5 J11A	48.42 miles
	M5 J11	50.72 miles
	M4 J16	39.98 miles




Airports/Helipads

Pin	Name	Distance
	Bristol Airport	12.56 miles
	Felton	12.56 miles
	Cardiff Airport	33.8 miles
	Bournemouth International Airport	45.54 miles


Area

Transport (Local)




Bus Stops/Stations

Pin	Name	Distance
1	South Horrington	0.17 miles
2	South Horrington	0.16 miles
3	Knapp Hill	0.42 miles
4	Foster Close	0.55 miles
5	Churchill Close	0.55 miles



Ferry Terminals

Pin	Name	Distance
1	The Cottage Ferry Landing	16 miles
2	Nova Scotia Ferry Landing	16.04 miles
3	Wapping Wharf	16.04 miles



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

Cooper and Tanner

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only and to act as a guide to the best way to market your property for the asking price.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS
01749 372200
sheptonmallet@cooperandtanner.co.uk
cooperandtanner.co.uk

