



See More Online

MIR: Material Info

The Material Information Affecting this Property

Thursday 19th June 2025



KING STREET, GLASTONBURY, BA6

Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS 01749 372200

sheptonmallet@cooperandtanner.co.uk cooperandtanner.co.uk










Property

Overview



street-view-image



Property

Type: Terraced House

Bedrooms:

Floor Area: $893 \text{ ft}^2 / 83 \text{ m}^2$

Plot Area: 0.04 acres 1900-1929 Year Built: **Council Tax:** Band B **Annual Estimate:** £1,897 **Title Number:** ST159599

Freehold Tenure:

Local Area

Local Authority: Conservation Area:

Flood Risk:

• Rivers & Seas

Surface Water

Somerset

No

Very low

Very low

Estimated Broadband Speeds

(Standard - Superfast - Ultrafast)

18 mb/s 80 mb/s

330 mb/s



Satellite/Fibre TV Availability:



Mobile Coverage:

(based on calls indoors)































Property **EPC - Certificate**



| | BA6 | En | ergy rating |
|-------|------------------------|---------|-------------|
| | Valid until 24.03.2034 | | |
| Score | Energy rating | Current | Potential |
| 92+ | A | | |
| 81-91 | В | | 82 B |
| 69-80 | C | | |
| 55-68 | D | E41 E | |
| 39-54 | E | 54 E | |
| 21-38 | F | | |
| 1-20 | G | | |

Property

EPC - Additional Data



Additional EPC Data

Property Type: House

Build Form: End-Terrace

Transaction Type: Marketed sale

Energy Tariff: Single

Main Fuel: Mains gas (not community)

Main Gas: Yes

Flat Top Storey: No

0 **Top Storey:**

Double glazing, unknown install date **Glazing Type:**

Previous Extension: 1

Open Fireplace: 1

Ventilation: Natural

Walls: Solid brick, as built, no insulation (assumed)

Walls Energy: Very Poor

Pitched, 100 mm loft insulation Roof:

Roof Energy: Average

Main Heating: Boiler and radiators, mains gas

Main Heating

Programmer, TRVs and bypass **Controls:**

Hot Water System: From main system

Hot Water Energy

Good **Efficiency:**


Lighting: Low energy lighting in all fixed outlets

Floors: Suspended, no insulation (assumed)

Total Floor Area: 83 m^2

Cooper and Tanner

About Us




COOPER AND TANNER

Cooper and Tanner

We are estate and letting agents, auctioneers and surveyors. Providing specialist advice on residential, agricultural and commercial property as well as livestock, agricultural machinery and antiques. We are proudly a multidiscipline practice that covers a diverse range of services. The firm has been established for over 100 years, and we continue to evolve and adapt our business to meet the needs of our clients while honouring our rich history. We operate from twelve locations throughout Somerset and Wiltshire. Within the towns and nearby villages of Bridgwater, Castle Cary, Cheddar, Frome, Glastonbury, Midsomer Norton, Shepton Mallet, Standerwick, Street, Warminster, Wedmore and Wells. Covering some beautiful areas such as the Mendip Hills, Somerset Levels, Wiltshire Downs, Chew Valley, Cam Valley and the Blackmore Vale. Our professional and valuation services stretch beyond and cover some of the larger conurbations of Bristol, Bath, Salisbury, Yeovil, Taunton, and Trowbridge. We are regulated by the Royal Institution of Chartered Surveyors (RICS) and Property Mark (NAEA). If you have any queries, please contact any of our offices – you will receive a warm and professional welcome.



Material Information



Building Safety

The vendor has made us aware that, to the best of their knowledge:there is no asbestos present at the property there is no unsafe cladding present at the property; there is no invasive plants at the property. the property is not at risk of collapse.

Accessibility / Adaptions

The vendor has made us aware that, to the best of their knowledge, there has been no adaptations made to the property for accessibility requirements during their ownership.

Restrictive Covenants

This property may contain restrictive covenants- please refer to the land registry title number provided in the property overview and seek further advice from a property conveyancer if required.

Rights of Way (Public & Private)


The vendor has advised there are no rights of way across the property.

Construction Type

As far as the vendor is aware the property was constructed traditionally.



Material Information



Property Lease Information (if applicable)

The property is Freehold.


Listed Building Information (if applicable)

Not applicable



Material Information

Utilities



Electricity Supply

We have been advised by the seller there is a mains electricity supply to the property

Water Supply

We have been advised by the seller there is a mains water supply connected to the property

Gas Supply

We have been advised by the seller that there is a gas supply to the property

Drainage

We have been advised by the seller the property is connected to mains drainage

Heating System


We have been advised by the seller that there is a gas radiator system installed at property



Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.1%) in any one year.






Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- **High Risk** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Rivers & Seas - Flood Risk




This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.






Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Maps

Conservation Areas



This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




| Nearby Conservation Areas | | | |
|---------------------------|--------------|--|--|
| 1 | Glastonbury | | |
| 2 | Street | | |
| 3 | Shapwick | | |
| 4 | Pilton | | |
| 5 | East Pennard | | |



Maps

Landfill Sites




This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



| Nearby Landfill Sites | | | | |
|-----------------------|--|-------------------|--|--|
| 1 | Dyehouse Lane-Glastonbury | Historic Landfill | | |
| 2 | Dyehouse Lane-Glastonbury | Historic Landfill | | |
| 3 | Land at Paradise-Glastonbury, Somerset | Historic Landfill | | |
| 4 | Porchestal Drove-Glastonbury, Somerset | Historic Landfill | | |
| 5 | Land at Bailys-The Beckery, Glastonbury, Somerset | Historic Landfill | | |
| 6 | Field Adjoining Baily's Factory-Glastonbury, Somerset | Historic Landfill | | |
| 7 | EA/EPR/NP3690FD/A001 - Land to Rear of Glastonbury Sewage Treatment Works | Active Landfill | | |
| 8 | Porchestall Drove-Glastonbury, Somerset | Historic Landfill | | |
| 9 | Land at Cradlebridge-Glastonbury, Somerset | Historic Landfill | | |
| 10 | Corporation Yard-Street | Historic Landfill | | |



Maps Coal Mining



This map displays nearby coal mine entrances and their classifications.



Mine Entry

× Adit

X Gutter Pit

× Shaft


The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.




Maps

Council Wards




The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



| Nearby Cour | ncil Wards |
|-------------|---------------------------------------|
| 1 | Glastonbury St. Benedict's Ward |
| 2 | Glastonbury St. John's Ward |
| 3 | Glastonbury St. Mary's Ward |
| 4 | Glastonbury St. Edmund's Ward |
| 5 | Street North Ward |
| 6 | Street West Ward |
| 7 | Moor Ward |
| 3 | Street South Ward |
| 9 | Wookey and St. Cuthbert Out West Ward |
| 10 | Butleigh and Baltonsborough Ward |


Environment


Radon Gas



What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m3).








Environment


Soils & Clay



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content:NONESoil Texture:PEATParent Material Grain:PEATSoil Depth:DEEP

Soil Group: ALL



Primary Classifications (Most Common Clay Types)

C/M Claystone / Mudstone

FPC,S Floodplain Clay, Sand / Gravel

FC,S Fluvial Clays & Silts

FC,S,G Fluvial Clays, Silts, Sands & Gravel

PM/EC Prequaternary Marine / Estuarine Clay / Silt

QM/EC Quaternary Marine / Estuarine Clay / Silt

RC Residual Clay

RC/LL Residual Clay & Loamy Loess

RC,S River Clay & Silt

RC,FS Riverine Clay & Floodplain Sands and Gravel
RC,FL Riverine Clay & Fluvial Sands and Gravel


TC Terrace Clay


TC/LL Terrace Clay & Loamy Loess



Local Area

Masts & Pylons





Key:


Power Pylons

Communication Masts




Maps

Listed Buildings



This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




| Listed B | uildings in the local district | Grade | Distance |
|--------------------|--|----------|-----------|
| (m) | 1057878 - Northload Hall | Grade II | 0.1 miles |
| (m) ⁽²⁾ | 1173001 - 42, Northload Street | Grade II | 0.1 miles |
| m 3 | 1057915 - 23, Northload Bridge | Grade II | 0.1 miles |
| (m) | 1057932 - 18, High Street | Grade II | 0.2 miles |
| (m) (5) | 1057916 - No 18 With Adjoining Cottage To Left | Grade II | 0.2 miles |
| 6 | 1345454 - Crown Hotel | Grade II | 0.2 miles |
| (m)(7) | 1345452 - 2, Market Place | Grade II | 0.2 miles |
| (m) (8) | 1345474 - 1, Market Place (see Details For Further Address Information) | Grade II | 0.2 miles |
| (m)(9) | 1057958 - Hawkins House | Grade II | 0.2 miles |
| (n) | 1057926 - Church View House | Grade II | 0.2 miles |




Maps

Green Belt



This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land




Bath and Bristol Green Belt - North Somerset



Bath and Bristol Green Belt - Bath and North East Somerset


Schools





| | | Nursery | Primary | Secondary | College | Private |
|---|---|---------|--------------|--------------|---------|---------|
| 1 | St Benedict's Church of England Voluntary Aided Junior Schoo Ofsted Rating: Good Pupils: 208 Distance:0.24 | | ✓ | | | |
| 2 | St John's Church of England Voluntary Controlled Infants School Ofsted Rating: Good Pupils: 201 Distance:0.24 | | \checkmark | | | |
| 3 | St Dunstan's School Ofsted Rating: Good Pupils: 459 Distance:0.27 | | | ✓ | | |
| 4 | Tor School Ofsted Rating: Good Pupils: 32 Distance:0.69 | | | \checkmark | | |
| 5 | Crispin School Academy Ofsted Rating: Good Pupils: 1052 Distance:1.49 | | | V | | |
| 6 | Strode College Ofsted Rating: Good Pupils:0 Distance:1.51 | | | \checkmark | | |
| 7 | Millfield Preparatory School Ofsted Rating: Not Rated Pupils: 474 Distance:1.54 | | | \checkmark | | |
| 8 | Elmhurst Junior School Ofsted Rating: Good Pupils: 266 Distance:1.82 | | ✓ | | | |


Schools





| | | Nursery | Primary | Secondary | College | Private |
|------|---|---------|--------------|--------------|---------|---------|
| 9 | Millfield School Ofsted Rating: Not Rated Pupils: 1383 Distance:1.92 | | | | | |
| 10 | Hindhayes Infant School Ofsted Rating: Good Pupils: 155 Distance: 1.99 | | \checkmark | | | |
| 11) | Brookside Community Primary School Ofsted Rating: Good Pupils: 550 Distance: 2.64 | | \checkmark | | | |
| (12) | Avalon School Ofsted Rating: Good Pupils: 65 Distance: 2.67 | | | \checkmark | | |
| 13 | Walton Church of England Voluntary Controlled Primary Schoo Ofsted Rating: Good Pupils: 143 Distance: 2.78 | | \checkmark | | | |
| 14 | Coxley Primary School Ofsted Rating: Requires improvement Pupils: 64 Distance: 3.05 | | lacksquare | | | |
| 15 | Meare Village Primary School Ofsted Rating: Outstanding Pupils: 96 Distance: 3.08 | | igstar | | | |
| 16 | Abbot's Way School Ofsted Rating: Not Rated Pupils: 39 Distance: 3.23 | | | | | |

Transport (National)





National Rail Stations

| Pin | Name | Distance |
|-----|--|-------------|
| • | Castle Cary Rail Station | 9.24 miles |
| 2 | Highbridge & Burnham- on-Sea Rail Station | 11.91 miles |
| 3 | Bridgwater Rail Station | 11.85 miles |



Trunk Roads/Motorways

| Pin | Name | Distance |
|-----|--------|-------------|
| 1 | M5 J13 | 45.44 miles |
| 2 | M5 J12 | 48.55 miles |
| 3 | M5 J29 | 43.54 miles |
| 4 | M5 J30 | 44.38 miles |
| 5 | M5 J31 | 47.55 miles |




Airports/Helipads

| Pin | Name | Distance |
|-----|-----------------|-------------|
| 1 | Bristol Airport | 16.35 miles |
| 2 | Felton | 16.35 miles |
| 3 | Cardiff Airport | 31.82 miles |
| 4 | Exeter Airport | 41.99 miles |



Transport (Local)





Bus Stops/Stations

| Pin | Name | Distance |
|-----|------------------|------------|
| 1 | Town Hall | 0.25 miles |
| 2 | Town Hall | 0.28 miles |
| 3 | Manor House Road | 0.26 miles |
| 4 | Wells Road | 0.31 miles |
| 5 | High Street | 0.33 miles |




Ferry Terminals


| Pin | Name | Distance |
|-----|------------------------------|-------------|
| 1 | Bridgwater Ferry Terminal | 11.83 miles |
| 2 | Nova Scotia Ferry Landing | 21.01 miles |
| 3 | The Cottage Ferry Landing | 20.99 miles |



Local Area

Road Noise





This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB



Cooper and Tanner

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only and to act as a guide to the best way to market your property for the asking price.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS 01749 372200

shepton mallet@cooperand tanner.co.uk cooperand tanner.co.uk





















