



See More Online

MIR: Material Info

The Material Information Affecting this Property

Tuesday 04th November 2025



KILN DRIVE, EVERCREECH, SHEPTON MALLET, BA4

Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS 01749 372200 sheptonmallet@cooperandtanner.co.uk cooperandtanner.co.uk










Property

Overview









Property

Type: Semi-Detached

Bedrooms:

Floor Area: $635 \text{ ft}^2 / 59 \text{ m}^2$

Plot Area: 0.06 acres 1996-2002 Year Built: **Council Tax:** Band B **Annual Estimate:** £1,897 **Title Number:** ST123687

Freehold Tenure:

Local Area

Local Authority: Somerset **Conservation Area:** No

Flood Risk:

• Rivers & Seas Very low

 Surface Water Very low **Estimated Broadband Speeds**

(Standard - Superfast - Ultrafast)

18 1000 80 mb/s mb/s mb/s





Mobile Coverage:

(based on calls indoors)











Satellite/Fibre TV Availability:




















Planning In Street



Planning records for: 14 Kiln Drive Evercreech Shepton Mallet BA4 6DT

Reference - 2018/0774/HSE

Decision: Decided

Date: 03rd April 2018

Description:

Single storey side extension.

Planning records for: 7 Kiln Drive, Evercreech, Shepton Mallet, Somerset BA4 6DT

Reference - 2013/1099

Decision: Refusal

Date: 03rd June 2013

Description:

Proposed new driveway

Reference - 2016/1964/HSE

Decision: Approval with Conditions

Date: 29th July 2016

Description:

Conservatory extension from the rear elevation

Planning records for: 9 Kiln Drive Evercreech Shepton Mallet Somerset BA4 6DT

Reference - 117328/000


Decision: Approval with Conditions

Date: 08th April 2004

Description:

Erection of conservatory (CAT A)

Gallery **Photos**



















Gallery **Photos**

COOPER AND TANNER

















Gallery **Photos**














Gallery Floorplan



KILN DRIVE, EVERCREECH, SHEPTON MALLET, BA4





GROUND FLOOR APPROX. FLOOR AREA 310 SQ.FT. (28.8 SQ.M.) 1ST FLOOR APPROX. FLOOR AREA 311 SQ.FT. (28.9 SQ.M.)


KILN DRIVE, EVERCREECH TOTAL APPROX. FLOOR AREA 621 SQ.FT. (57.7 SQ.M.)

Whilst every attempt has been made to ensure the accuracy of the floor plan contained here, measurements of doors, windows, rooms and any other items are approximate and no responsibility is taken for any error, omission, or mis-statement. This plan is for illustrative purposes only and should be used as such by any prospective purchaser. The services, systems and appliances shown have not been tested and no guarantee as to their operability or efficiency can be given

Made with Metropix ©2019




Property **EPC - Certificate**



| Kiln Drive, Evercreech, BA4 Energy rating | | | | |
|--|------------------------|---------|-----------|--|
| | Valid until 13.09.2028 | | | |
| Score | Energy rating | Current | Potential | |
| 92+ | A | | | |
| 81-91 | В | | 88 B | |
| 69-80 | C | 70 C | | |
| 55-68 | D | | | |
| 39-54 | E | | | |
| 21-38 | F | | | |
| 1-20 | G | | | |

Property

EPC - Additional Data



Additional EPC Data

Property Type: House

Build Form: Semi-Detached

Transaction Type: Marketed sale

Energy Tariff: Single

Main Fuel: Mains gas (not community)

Main Gas: Yes

Flat Top Storey: No

0 **Top Storey:**

Double glazing installed during or after 2002 **Glazing Type:**

Previous Extension: 0

0 **Open Fireplace:**

Ventilation: Natural

Walls: Cavity wall, as built, insulated (assumed)

Walls Energy: Good

Pitched, 75 mm loft insulation Roof:

Roof Energy: Average

Main Heating: Boiler and radiators, mains gas

Main Heating

Programmer, room thermostat and TRVs **Controls:**

Hot Water System: From main system

Hot Water Energy

Good **Efficiency:**


Lighting: Low energy lighting in 63% of fixed outlets

Floors: Solid, limited insulation (assumed)

Total Floor Area: 59 m^2

Cooper and Tanner

About Us



COOPER AND TANNER


Cooper and Tanner

We are estate and letting agents, auctioneers and surveyors. Providing specialist advice on residential, agricultural and commercial property as well as livestock, agricultural machinery and antiques. We are proudly a multidiscipline practice that covers a diverse range of services. The firm has been established for over 100 years, and we continue to evolve and adapt our business to meet the needs of our clients while honouring our rich history. We operate from twelve locations throughout Somerset and Wiltshire. Within the towns and nearby villages of Bridgwater, Castle Cary, Cheddar, Frome, Glastonbury, Midsomer Norton, Shepton Mallet, Standerwick, Street, Warminster, Wedmore and Wells. Covering some beautiful areas such as the Mendip Hills, Somerset Levels, Wiltshire Downs, Chew Valley, Cam Valley and the Blackmore Vale. Our professional and valuation services stretch beyond and cover some of the larger conurbations of Bristol, Bath, Salisbury, Yeovil, Taunton, and Trowbridge. We are regulated by the Royal Institution of Chartered Surveyors (RICS) and Property Mark (NAEA). If you have any queries, please contact any of our offices – you will receive a warm and professional welcome.



Cooper and Tanner

Testimonials



Testimonial 1



Fantastic Service from Cooper & Tanner in Shepton Mallet! As a mortgage broker, i deal with a lot of estate agents and things can be cut throat and very non personable. I was helping a vulnerable client purchase his forever home and he was completely unsavvy with this world so i was concerned for him getting through the process, however, Andrea was absolutely amazing. She kept us completely up to date and was ALWAYS available for support!

Testimonial 2



I have just completed today on the sale of my parents property in Shepton Mallet and I wanted to give a glowing review to Copper and Tanner who have been fantastic throughout. They are professional, friendly and helpful. They kept us up to date and often went above and beyond what was required of an estate agent. We needed to sell the house to pay for care home fees for my our Mum which has been hard work especially as we don't live in Shepton.

Testimonial 3



Our experience with the lettings team at Cooper and Tanner was fantastic. We dealt with Lauren mainly, who was always happy to take our questions to the landlords and came back promptly with the answers for us. She was always polite and professional when we met her for viewings and has been a pleasure to deal. She made the whole process from finding somewhere that would accept a dog, to offer acceptance, referencing and finally the move in day. Thank you.

Testimonial 4



Chris, Andrea, Sally and Lucy were a pleasure to deal with during my conveyancing process. They were knowledgeable and communicated well, keeping informed of developments and doing everything possible for completion to happen. Many thanks to the whole team.




/cooperandtanner



/cooper_and_tanner/



Material Information



Building Safety

The vendor has made us aware that, to the best of their knowledge:there is no asbestos present at the property there is no unsafe cladding present at the property; there is no invasive plants at the property. the property is not at risk of collapse.

Accessibility / Adaptions

The vendor has made us aware that, to the best of their knowledge, there has been no adaptations made to the property for accessibility requirements during their ownership.

Restrictive Covenants

We have been advised there are restrictive covenants affecting this property - however please refer to the land registry title number provided in the property overview and seek further advice from a property conveyancer if required.

Rights of Way (Public & Private)


There is are no rights of way across this property.

Construction Type

The vendor has advised the property is of traditional construction



Material Information



| Property Leas | e Information | (if ap | plicable) |
|----------------------|---------------|--------|-----------|
|----------------------|---------------|--------|-----------|

The property is Freehold

Listed Building Information (if applicable)

Not applicable


Conservation Area

NO



Material Information

Utilities



Electricity Supply

We have been advised by the seller there is a mains electricity supply to the property.

Water Supply

We have been advised by the seller there is a mains water supply connected to the property

Gas Supply

We have been advised by the seller there is a mains gas supply connected to the property.

Drainage

We have been advised by the seller the property is connected to mains drainage

Heating System

We have been advised by the seller the property has a gas radiator heating system.



Surface Water - Flood Risk



This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.





Surface Water - Climate Change



This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.


- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Rivers & Seas - Flood Risk




This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- **Medium Risk -** an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.






Rivers & Seas - Climate Change



This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- **High Risk -** an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- **Low Risk -** an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Maps

Conservation Areas




This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




| Nearby Cons | servation Areas |
|-------------|-----------------|
| 1 | Evercreech |
| 2 | Doulting |
| 3 | Batcombe |
| 4 | East Pennard |
| 5 | Shepton Mallet |
| 6 | Bruton |
| 7 | Pilton |

Maps

Landfill Sites




This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



| Nearby 1 | Landfill Sites | | |
|----------|---|-------------------|--|
| 1 | The Old Quarry Landfill Site-Pecking Mill Road, Shepton Mallet, Evercreech, Somerset | Historic Landfill | |
| 2 | No name provided by source | Active Landfill | |
| 3 | Near Farncombe Farm-Doulting | Historic Landfill | |
| 4 | Whitstone Farm-Cannards Grave, Shepton Mallet | Historic Landfill | |
| 5 | Lambrook House-Lamyatt | Historic Landfill | |
| 6 | Whitstone Hill Farm, Cannards Grave Farm-Doulting, Shepton Mallet, Somerset | Historic Landfill | |
| 7 | Creech Mill-Milton Clevedon | Historic Landfill | |
| 8 | Brickyard Farm-Cann Grave | Historic Landfill | |
| 9 | Station Yard-Charlton Road Station, Shepton Mallet, Somerset | Historic Landfill | |
| 10 | Three Arch Bridge-Ridge Road, West Compton, Shepton Mallet, Somerset | Historic Landfill | |



Maps Coal Mining



This map displays nearby coal mine entrances and their classifications.



Mine Entry

× Adit

X Gutter Pit

× Shaft


The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.




Maps

Council Wards




The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500



| Nearby Council Wards | | |
|----------------------|------------------------------------|--|
| 1 | Creech Ward | |
| 2 | Shepton East Ward | |
| 3 | Shepton West Ward | |
| 4 | Bruton Ward | |
| 5 | The Pennards and Ditcheat Ward | |
| 6 | Cranmore, Doulting and Nunney Ward | |
| 7 | Croscombe and Pilton Ward | |
| 8 | Postlebury Ward | |
| 9 | Cary Ward | |
| 10 | Tower Ward | |


Environment


Radon Gas



What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m3).








Environment

Soils & Clay



Ground Composition for this Address (Surrounding square kilometer zone around property)

Carbon Content: VARIABLE(HIGH) Soil Texture: CLAYEY LOAM TO SILTY

Parent Material Grain:ARGILLACEOUSLOAMSoil Group:HEAVY TO MEDIUMSoil Depth:DEEP



Primary Classifications (Most Common Clay Types)

C/M Claystone / Mudstone

FPC,S Floodplain Clay, Sand / Gravel

FC,S Fluvial Clays & Silts

FC,S,G Fluvial Clays, Silts, Sands & Gravel

PM/EC Prequaternary Marine / Estuarine Clay / Silt

QM/EC Quaternary Marine / Estuarine Clay / Silt

RC Residual Clay

RC/LL Residual Clay & Loamy Loess

RC,S River Clay & Silt

RC,FS Riverine Clay & Floodplain Sands and Gravel
RC,FL Riverine Clay & Fluvial Sands and Gravel


TC Terrace Clay


TC/LL Terrace Clay & Loamy Loess



Local Area

Masts & Pylons





Key:


Power Pylons

Communication Masts




Maps

Listed Buildings




This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



| Listed B | uildings in the local district | Grade | Distance |
|---------------------------|---|----------|-----------|
| (m) | 1274197 - Heatherville | Grade II | 0.1 miles |
| m ² | 1059182 - Charterhouse And Attached Barn To East Windy Farm | Grade II | 0.1 miles |
| (m) 3 | 1237644 - The Long House | Grade II | 0.2 miles |
| (m) ⁽⁴⁾ | 1237641 - Clontarf Crossways The Cottage | Grade II | 0.2 miles |
| m ⁵ | 1344867 - Rose Cottage | Grade II | 0.2 miles |
| 6 | 1344873 - Ferndale | Grade II | 0.2 miles |
| (m) ⁷⁾ | 1059169 - The Chimes | Grade II | 0.2 miles |
| (m) ⁽⁸⁾ | 1274190 - The Retreat | Grade II | 0.2 miles |
| (m) 9 | 1059184 - Greengates | Grade II | 0.2 miles |
| 10 | 1059171 - Roseworthy, And Two Attached Houses To East | Grade II | 0.2 miles |



Maps **Green Belt**



This map displays nearby areas that have been designated as Green Belt...



Nearby Green Belt Land




Bath and Bristol Green Belt - Mendip



Bath and Bristol Green Belt - Bath and North East Somerset

Area


Schools





| | | Nursery | Primary | Secondary | College | Private |
|---|--|---------|--------------|-------------------------|---------|---------|
| 1 | Evercreech Church of England Primary School Ofsted Rating: Good Pupils: 181 Distance:0.36 | | \checkmark | | | |
| 2 | The Mendip School Ofsted Rating: Good Pupils: 164 Distance: 1.23 | | | \checkmark | | |
| 3 | Ditcheat Primary School Ofsted Rating: Good Pupils: 91 Distance:1.98 | | \checkmark | | | |
| 4 | St Aldhelms Church School Ofsted Rating: Requires improvement Pupils: 173 Distance: 2.88 | | \checkmark | | | |
| 5 | Whitstone Ofsted Rating: Good Pupils: 584 Distance: 3.22 | | | \checkmark | | |
| 6 | Bruton Primary School Ofsted Rating: Good Pupils: 252 Distance: 3.31 | | ▽ | | | |
| 7 | St Paul's Church of England VC Junior School Ofsted Rating: Good Pupils: 322 Distance:3.36 | | | | | |
| 8 | King's Bruton Ofsted Rating: Not Rated Pupils: 355 Distance: 3.45 | | | $\overline{\checkmark}$ | | |

Area **Schools**






| | | Nursery | Primary | Secondary | College | Private |
|-------------|---|---------|-------------------------|-----------|---------|---------|
| 9 | Sexey's School | | | | | |
| Y | Ofsted Rating: Good Pupils: 685 Distance: 3.49 | | | | | |
| 10 | Ansford Academy | | | | | |
| V | Ofsted Rating: Requires improvement Pupils: 543 Distance:3.5 | | | | | |
| a | Shepton Mallet Community Infants' School & Nursery | | | | | |
| (1) | Ofsted Rating: Good Pupils: 220 Distance: 3.53 | | | | | |
| 1 20 | All Hallows School | | | | | |
| | Ofsted Rating: Not Rated Pupils: 238 Distance: 3.85 | | | | | |
| <u> </u> | Bowlish Infant School | | | | | |
| | Ofsted Rating: Good Pupils: 107 Distance: 3.87 | | | | | |
| a | Castle Cary Community Primary School | | | | | |
| | Ofsted Rating: Requires improvement Pupils: 205 Distance:4.19 | | ✓ | | | |
| 15 | Upton Noble CofE VC Primary School | | | | | |
| 9 | Ofsted Rating: Good Pupils: 165 Distance:4.26 | | ✓ <u></u> | | | |
| ~ | Oakhill Church School | | | | | |
| | Ofsted Rating: Requires improvement Pupils: 106 Distance:5.39 | | $\overline{\checkmark}$ | | | |

Area

Transport (National)





National Rail Stations

| Pin | Name | Distance |
|-----|--------------------------|-------------|
| 1 | Castle Cary Rail Station | 3.32 miles |
| 2 | Bruton Rail Station | 3.62 miles |
| 3 | Frome Rail Station | 10.25 miles |



Trunk Roads/Motorways

| Pin | Name | Distance |
|-----|--------|-------------|
| 1 | M5 J13 | 43.09 miles |
| 2 | M5 J12 | 46.07 miles |
| 3 | M4 J16 | 39.5 miles |
| 4 | M4 J15 | 42.85 miles |
| 5 | M27 J1 | 42.95 miles |




Airports/Helipads

| Pin | Name | Distance |
|-----|--------------------------------------|-------------|
| 1 | Bristol Airport | 18.75 miles |
| 2 | Felton | 18.75 miles |
| 3 | Bournemouth International Airport | 38.98 miles |
| 4 | Cardiff Airport | 39.91 miles |



Area

Transport (Local)





Bus Stops/Stations

| Pin | Name | Distance |
|-----|------------------|------------|
| 1 | Westontown House | 0.19 miles |
| 2 | Factory | 0.19 miles |
| 3 | Ashcroft Surgery | 0.23 miles |
| 4 | Post Office | 0.18 miles |
| 5 | Church | 0.19 miles |




Ferry Terminals


| Pin | Name | Distance |
|-----|---------------------------------|-------------|
| 1 | Bathurst Basin Ferry Landing | 21.17 miles |
| 2 | The Ostrich | 21.17 miles |
| 3 | Wapping Wharf | 21.16 miles |



Local Area

Road Noise





This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB



Cooper and Tanner

Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



Cooper and Tanner

32 High Street Shepton Mallet BA4 5AS 01749 372200

shepton mallet@cooperand tanner.co.uk cooperand tanner.co.uk





















