Energy performance certificate (EPC)

58 The Street Wrecclesham FARNHAM GU10 4QR Energy rating

Valid until: 29 October 2034

Certificate number:

2755-7088-6552-2552-6044

Property type

Retail/Financial and Professional Services

Total floor area


133 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If typical of the existing stock

If newly built

7 A

26 B

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	27.74
Primary energy use (kWh/m2 per year)	288

Recommendation report

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> report (/energy-certificate/8094-3643-3956-6744-3826).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	John Hale
Telephone	07918 108 060
Email	john@freshepc.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/019622
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk
About this assessment	
Employer	John Hale

Employer	John Hale
Employer address	17 Hormare Crescent, Storrington, Pulborough, West Sussex, RH20 4QT
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	29 October 2024
Date of certificate	30 October 2024