



See More Online

KPF: Key Property Facts

An Analysis of This Property & The Local Area

Friday 09th May 2025



45, CONSTITUTION ROAD, CHATHAM, ME5 7DN

Landwood Group

77 Deansgate Manchester M3 2BW 0161 710 2010 Leah.gibson@landwoodgroup.com https://landwoodgroup.com/





Property Overview

LANDWOOD GROUP



Property

| Туре: | Terraced | Last Sold Date: | 17/12/2003 |
|------------------|---|-------------------------------|------------|
| Bedrooms: | 2 | Last Sold Price: | £96,500 |
| Floor Area: | 645 ft ² / 60 m ² | Last Sold £/ft ² : | £149 |
| Plot Area: | 0.05 acres | Tenure: | Freehold |
| Council Tax : | Band B | | |
| Annual Estimate: | £1,717 | | |
| Title Number: | K445028 | | |
| UPRN: | 44054575 | | |
| | | | |

Local Area

| Medway |
|----------|
| No |
| |
| Very low |
| Very low |
| |

Estimated Broadband Speeds (Standard - Superfast - Ultrafast)









Mobile Coverage:

(based on calls indoors)



Satellite/Fibre TV Availability:





Property EPC - Certificate

| | 45 Constitution Road CHATHA | M ME5 7DN | En | ergy rating |
|--------------|-----------------------------|-----------|---------------------------------|-------------|
| | Valid until 26.08.2034 | | ertificate num 2623-3480-212 | |
| Score | Energy rating | | Current | Potential |
| 92+ 81-91 | AB | | | |
| 69-80 | С | | | 85 В |
| 55-68 | D | | 56 D | |
| 39-54 | E | | | |
| 21-38 | | F | | |
| 1-20 | | G | | |



Property EPC - Additional Data

Additional EPC Data

| Property Type: | Mid-terrace house |
|---------------------------------|--|
| Flat Top Storey: | No |
| Top Storey: | 0 |
| Previous Extension: | 0 |
| Open Fireplace: | 0 |
| Walls: | Solid brick as built no insulation (assumed) |
| Walls Energy: | Very poor |
| Roof: | Pitched 100 mm loft insulation |
| Roof Energy: | Average |
| Main Heating: | Boiler and radiators mains gas |
| Main Heating Controls: | Programmer no room thermostat |
| Hot Water System: | From main system |
| Hot Water Energy Efficiency: | Good |
| Lighting: | Low energy lighting in all fixed outlets |
| Floors: | Suspended no insulation (assumed) |
| Total Floor Area: | 60 m ² |



Maps Coal Mining



This map displays nearby coal mine entrances and their classifications.

Mine Entry

- × Adit
- × Gutter Pit
- × Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.



LANDWOOD GROUP

Maps Conservation Areas

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.




| Nearby Conservation Areas | | |
|---------------------------|---------------------------|--|
| 1 | Gillingham Park | |
| 2 | New Road Chatham | |
| 3 | Maidstone Road Chatham | |
| 4 | Brompton Lines | |
| 5 | Railway Street | |
| Ó | New Road Rochester | |
| 7 | Star Hill to Sun Pier | |
| 8 | Gillingham Green | |
| Ø | Chatham Historic Dockyard | |
| 10 | Star Hill, Rochester | |



Maps Council Wards

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500




| Nearby Council Wards | | |
|----------------------|----------------------------------|--|
| 1 | Gillingham South Ward | |
| 2 | Luton and Wayfield Ward | |
| 3 | Chatham Central Ward | |
| 4 | Watling Ward | |
| 5 | Princes Park Ward | |
| 6 | River Ward | |
| | Rochester East Ward | |
| 8 | Gillingham North Ward | |
| Ø | Rochester South and Horsted Ward | |
| 10 | Twydall Ward | |



Maps Rail Noise

This map displays the noise levels from nearby network rail and HS1 railway routes that affect this property...



Rail Noise Data

This data indicates the level of noise according to the strategic noise mapping of rail sources within areas with a population of at least 100,000 people (agglomerations) and along Network Rail and HS1 traffic routes.

The data indicates the annual average noise levels for the 16-hour period between 0700 - 2300.


Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

| 5 | I | 75.0+ dB | |
|---|---|--------------|--|
| 4 | | 70.0-74.9 dB | |
| 3 | 1 | 65.0-69.9 dB | |
| 2 | | 60.0-64.9 dB | |
| 1 | I | 55.0-59.9 dB | |



Flood Risk Rivers & Seas - Flood Risk


This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.25%) in any one year.






Flood Risk Rivers & Seas - Climate Change

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.

LANDWOOD



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Flood Risk Surface Water - Flood Risk


This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.



Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.25%) in any one year.






Flood Risk Surface Water - Climate Change

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.

ANDWOOD



Risk Rating: Very low


The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- **Very Low Risk -** an area in which the risk is below 1 in 1000 (0.1%) in any one year.



Maps Green Belt

This map displays nearby areas that have been designated as Green Belt...




Nearby Green Belt Land

| , . . | |
|--------------|---|
| 1 | London Green Belt - Medway |
| 2 | London Green Belt - Gravesham |
| 3 | London Green Belt - Thurrock |
| 4 | London Green Belt - Basildon |
| 5 | London Green Belt - Maidstone |
| 6 | London Green Belt - Southend-on-Sea |
| 7 | London Green Belt - Tonbridge and Malling |
| 8 | London Green Belt - Castle Point |
| Ø | London Green Belt - Dartford |
| 10 | London Green Belt - Sevenoaks |



Maps Landfill Sites

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



LANDWOOD GROUP

Maps Listed Buildings

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



| Listed B | uildings in the local district | Grade | Distance |
|--------------------------|--|----------|-----------|
| | 1268240 - Thorney Lodge | Grade II | 0.3 miles |
| (1) ² | 1259601 - Medway Hospital, Laundry Water Tower | Grade II | 0.4 miles |
| | 1268219 - Pheasant House And Attached Front Garden Walls | Grade II | 0.5 miles |
| | 1267787 - Chatham Naval War Memorial | Grade I | 0.7 miles |
| (m) ⁵ | 1268236 - 248, High Street | Grade II | 0.7 miles |
| (m) ⁶ | 1268208 - Chatham House (number 14) And Attached Front Area And Step Railings | Grade II | 0.8 miles |
| (1) | 1468892 - Chatham Ragged School | Grade II | 0.8 miles |
| (m) ⁸ | 1453856 - Mccudden War Memorial And Grave | Grade II | 0.8 miles |
| (1) | 1268211 - 60, New Road | Grade II | 0.8 miles |
| (10) | 1268210 - Number 58 And Attached Front Area And Step Railings | Grade II | 0.8 miles |





LANDWOOD GROUP


| Delte Road | Chatham Chatham | Academy | Peoul and we shall be | Proutiends Road |
|-----------------------------|--------------------|----------------------|-----------------------|---|
| 2097 1 | | Hankey Log | parries Foad | A283 |
| Ctry Way St-Williams Way | Maidstone Road | (1) ² Aug | | - And |
| ay and a second | | a France Unner L | Line Contraction | Gillinghan |

| | | Nursery | Primary | Secondary | College | Private |
|---|--|---------|---------|--------------|---------|---------|
| • | Luton Primary School Ofsted Rating: Good Pupils: 675 Distance:0.26 | | | | | |
| 2 | Chatham Grammar Ofsted Rating: Good Pupils: 980 Distance:0.32 | | | \checkmark | | |
| 3 | All Saints Church of England Primary School Ofsted Rating: Good Pupils: 344 Distance:0.35 | | | | | |
| 4 | Hospital and Medical Tuition Service Ofsted Rating: Not Rated Pupils:0 Distance:0.36 | | | \checkmark | | |
| 5 | Byron Primary School Ofsted Rating: Requires improvement Pupils: 519 Distance:0.37 | | | | | |
| Ø | New Road Primary School Ofsted Rating: Good Pupils: 360 Distance:0.49 | | | | | |
| Ø | The Victory Academy Ofsted Rating: Good Pupils: 1192 Distance:0.53 | | | \checkmark | | |
| 8 | Phoenix Primary School Ofsted Rating: Good Pupils: 369 Distance:0.54 | | | | | |





LANDWOOD GROUP




| | | Nursery | Primary | Secondary | College | Private |
|----|---|---------|---------|-----------|---------|---------|
| Ŷ | Brompton Academy Ofsted Rating: Requires improvement Pupils: 1422 Distance:0.55 | | | | | |
| 10 | Greenvale Primary School Ofsted Rating: Good Pupils: 142 Distance:0.59 | | | | | |
| | Napier Community Primary and Nursery Academy Ofsted Rating: Good Pupils: 593 Distance:0.73 | | | | | |
| 12 | Brompton-Westbrook Primary School Ofsted Rating: Good Pupils: 475 Distance:0.86 | | | | | |
| 13 | Blue Skies School Ofsted Rating: Good Pupils: 17 Distance:0.86 | | | | | |
| • | St Michael's RC Primary School Ofsted Rating: Good Pupils: 453 Distance:0.87 | | | | | |
| 15 | Barnsole Primary School Ofsted Rating: Good Pupils: 668 Distance:0.87 | | | | | |
| 16 | The Robert Napier School Ofsted Rating: Good Pupils: 1050 Distance:0.89 | | | | | |



Local Area Masts & Pylons

LANDWOOD GROUP



Key:




Communication Masts



Environment Radon Gas

What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m3).









Local Area Road Noise

LANDWOOD GROUP



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:







Environment Soils & Clay

Ground Composition for this Address (Surrounding square kilometer zone around property)

| Carbon Content: Parent Material Grain: | HIGH ARGILLIC - ARENACEOUS | Soil Texture: Soil Depth: | CHALKY, SILTY LOAM INTERMEDIATE-SHALLOW |
|---|---|------------------------------|--|
| Soil Group: | MEDIUM(SILTY) TO LIGHT(SILTY) TO HEAVY | | |
| | RCRochester | mpton Gillingham | |
| | Borstal | Twydall Luton Rainham Ma | 420 |
| | Snodhurst Rocheste | Hempstead | Rainha |

Primary Classifications (Most Common Clay Types)

| C/MClaystone / MudstoneFPC,SFloodplain Clay, Sand / GravelFC,SFluvial Clays & SiltsFC,S,GFluvial Clays, Silts, Sands & Gravel |
|---|
| FC,S Fluvial Clays & Silts |
| |
| FC,S,G Fluvial Clays, Silts, Sands & Gravel |
| |
| PM/EC Prequaternary Marine / Estuarine Clay / Silt |
| QM/EC Quaternary Marine / Estuarine Clay / Silt |
| RC Residual Clay |
| RC/LL Residual Clay & Loamy Loess |
| RC,S River Clay & Silt |
| RC,FS Riverine Clay & Floodplain Sands and Gravel |
| RC,FL Riverine Clay & Fluvial Sands and Gravel |
| TC Terrace Clay |
| TC/LL Terrace Clay & Loamy Loess |



Area Transport (National)



National Rail Stations

| Pin | Name | Distance |
|-----|-----------------------------------|------------|
| 1 | Gillingham (Kent) Rail Station | 0.9 miles |
| 2 | Chatham Rail Station | 0.94 miles |
| 3 | Rainham (Kent) Rail Station | 3.1 miles |



Trunk Roads/Motorways

| Pin | Name | Distance | |
|-----|--------|------------|--|
| 1 | M2 J3 | 3.02 miles | |
| 2 | M2 J4 | 3.25 miles | |
| 3 | M2 J2 | 3.25 miles | |
| 4 | M20 J6 | 5.36 miles | |
| 5 | M20 J7 | 6.02 miles | |



Airports/Helipads

| Pin | Name | Distance |
|-----|-----------------|-------------|
| | Southend-on-Sea | 15.16 miles |
| 2 | Silvertown | 22.96 miles |
| 3 | Leaves Green | 22.12 miles |
| 4 | Gatwick Airport | 34.41 miles |



Area Transport (Local)



Bus Stops/Stations

| Pin | Name | Distance |
|-----|---------------|------------|
| | Castle Road | 0.06 miles |
| 2 | Albany Road | 0.11 miles |
| 3 | Windmill Road | 0.12 miles |
| 4 | Windmill Road | 0.15 miles |
| 5 | Castle Road | 0.13 miles |



Ferry Terminals

| Pin | Name | Distance | |
|-----|------------------|------------|--|
| 1 | Town Pier | 8.85 miles | |
| 2 | West Street Pier | 8.89 miles | |



Landwood Group Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of propertyspecific data.



Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only and to act as a guide to the best way to market your property for the asking price.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.

