

Energy performance certificate (EPC)

Unit 7 Clare Terrace CARTERTON OX18 3ES	Energy rating	Valid until: 12 September 2029
	D	Certificate number: 9749-3061-0218-0200-2891


Property type	B2 to B7 General Industrial and Special Industrial Groups
Total floor area	320 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is D.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built	29 B
If typical of the existing stock	86 D

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	45.26
Primary energy use (kWh/m2 per year)	268

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/0270-0241-4289-9691-8002\)](/energy-certificate/0270-0241-4289-9691-8002).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Stephen Cocks
Telephone	01295 268516
Email	synergy_steve@btinternet.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/009696
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	Synergy
Employer address	Danvers Cottage Broughton Banbury OX15 5DY
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	12 September 2019
Date of certificate	13 September 2019
