

Energy performance certificate (EPC)

Gas Bottles (Wimbledon) Ltd 194-196 Beverley Trading Estate, Garth Road MORDEN SM4 4LU	Energy rating D	Valid until: 18 October 2026
		Certificate number: 9757-3050-0962-0990-1895

Property type

B8 Storage or Distribution

Total floor area

74 square metres


Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

You can read [guidance for landlords on the regulations and exemptions \(https://www.gov.uk/government/publications/non-domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance\)](https://www.gov.uk/government/publications/non-domestic-private-rented-property-minimum-energy-efficiency-standard-landlord-guidance).

Energy efficiency rating for this property

This property's current energy rating is D.



Properties are given a rating from A+ (most efficient) to G (least efficient).

Properties are also given a score. The larger the number, the more carbon dioxide (CO2) your property is likely to emit.

How this property compares to others

Properties similar to this one could have ratings:

If newly built



If typical of the existing stock



Breakdown of this property's energy performance

Main heating fuel

Natural Gas

Building environment

Heating and Natural Ventilation

Assessment level

3

Building emission rate (kgCO₂/m² per year)

85.91

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/0170-0946-5929-7590-8096\)](/energy-certificate/0170-0946-5929-7590-8096).

Contacting the assessor and accreditation scheme

This EPC was created by a qualified energy assessor.

If you are unhappy about your property's energy assessment or certificate, you can complain to the assessor directly.

If you are still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation schemes are appointed by the government to ensure that assessors are qualified to carry out EPC assessments.

Assessor contact details

Assessor's name

Kevin Keogh

Telephone

07734 841 524

Email

kevin.keogh@homestandards.co.uk

Accreditation scheme contact details

Accreditation scheme

Quidos Limited

Assessor ID

QUID200889

Telephone

01225 667 570

Email

info@quidos.co.uk

Assessment details

Employer

Home Standards Ltd

Employer address

Sutton Business Centre, Restmor Way, Wallington, SM6 7AH

Assessor's declaration

The assessor is not related to the owner of the property.

Date of assessment

19 October 2016

Date of certificate

19 October 2016

Other certificates for this property

If you are aware of previous certificates for this property and they are not listed here, please contact us at dluhc.digital-services@levellingup.gov.uk or call our helpdesk on 020 3829 0748 (Monday to Friday, 9am to 5pm).

There are no related certificates for this property.