

Energy performance certificate (EPC)

1-5 Bolton Street
RAMSBOTTOM
BL0 9HU

Energy rating

C

Valid until: 23 November 2032

Certificate number: 7812-9057-5973-1251-5182

Property type

Retail/Financial and Professional Services

Total floor area

117 square metres


Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy efficiency rating for this property

This property's current energy rating is C.

Properties are also given a score. The larger the number, the more carbon dioxide (CO₂) your property is likely to emit.



How this property compares to others

Properties similar to this one could have ratings:

If newly built

6 | A

If typical of the existing stock

25 | A

Properties are given a rating from A+ (most efficient) to G (least efficient).

Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	27.95
Primary energy use (kWh/m ² per year)	209

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/6445-4096-5630-3890-1332\)](#).

Contacting the assessor and accreditation scheme

This EPC was created by a qualified energy assessor.

If you are unhappy about your property's energy assessment or certificate, you can complain to the assessor directly.

If you are still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation schemes are appointed by the government to ensure that assessors are qualified to carry out EPC assessments.

Assessor contact details

Assessor's name	Shaun Roberts
Telephone	01942 891 395
Email	urbanenergysolutions@mail.com

Accreditation scheme contact details

Accreditation scheme	Stroma Certification Ltd
Assessor ID	STRO003140
Telephone	0330 124 9660
Email	certification@stroma.com

Assessment details

Employer	Urban Energy Solutions
Employer address	Davenport Farm Squires Lane Tyldesley Manchester M29 8JF
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	16 November 2022
Date of certificate	24 November 2022
