

Energy performance certificate (EPC)

BASEMENT AND GROUND FLOOR
Nelson House
92-93 Quay Place
Edward Street
BIRMINGHAM
B1 2RA

Energy rating

D

Valid until:

13 February 2028

Certificate number:

0899-2795-7230-1700-9813

Property type	B1 Offices and Workshop businesses
Total floor area	423 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is D.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built	26 B
If typical of the existing stock	77 D

Breakdown of this property’s energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	25.6
Primary energy use (kWh/m2 per year)	149

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/0290-9978-0478-5121-7094\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Paul Hannay
Telephone	07776254955
Email	phannay@hotmail.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/018974
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	Carbon Profile Ltd
Employer address	Unit 2, Long Leys Farm, Long Leys Road, Oxford, OX2 9QG
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	29 January 2018
Date of certificate	14 February 2018