# **Energy performance certificate (EPC)**

3rd Floor Arena Place 307 Cricklewood Broadway London NW2 6PG Energy rating

Valid until: 11 November 2034

Certificate number: 0170-8433-6695-1964-5191

Property type Offices and Workshop Businesses


Total floor area 732 square metres

### Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

### **Energy rating and score**

This property's energy rating is B.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

# How this property compares to others

Properties similar to this one could have ratings:

If newly built

29 B

If typical of the existing stock

115 E

# Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	82.05
Primary energy use (kWh/m2 per year)	493

### **Recommendation report**

Guidance on improving the energy performance of this property can be found in the <u>recommendation report</u> (/energy-certificate/4293-8834-6584-8299-9928).

### Who to contact about this certificate

#### **Contacting the assessor**

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Zamir Borg-Mirza
Telephone	0845 3883 814
Email	zbm@epcassure.com

### Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/006651
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

#### About this assessment

Employer	EPC Assure Ltd
Employer address	20-22 Wenlock Road London N1 7GU
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	12 November 2024
Date of certificate	12 November 2024