

Energy performance certificate (EPC)

Unit 2 Greendale Business Park Woodbury Salterton EXETER EX5 1EW	Energy rating C	Valid until: 11 February 2023
		Certificate number: 0020-6964-0378-7630-5040


Property type	B8 Storage or Distribution
Total floor area	5,043 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built	29 B
If typical of the existing stock	85 D

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	41.29
Primary energy use (kWh/m ² per year)	244

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/9674-4032-0687-0500-6401\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Graham Dowling
Telephone	01404 841809
Email	graham@jngsurveys.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/007702
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	JNG Surveys Ltd
Employer address	Hayes Broadhembury Devon EX14 3ND
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	6 February 2018
Date of certificate	12 February 2018