

Energy performance certificate (EPC)

Ashworth Moulds
11 Nicholas Street
BURNLEY
BB11 2AL

Energy rating

D

Valid until: **27 March 2029**

Certificate number: **0370-0331-9789-5027-8002**

Property type	A1/A2 Retail and Financial/Professional services
Total floor area	449 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is D.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built

25 A

If typical of the existing stock

72 C

Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	63.83
Primary energy use (kWh/m ² per year)	372

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/0895-2379-8040-3700-7103\)](/energy-certificate/0895-2379-8040-3700-7103).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Guy Shorrock
-----------------	--------------

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Stroma Certification Ltd
Assessor's ID	STRO002747
Telephone	0330 124 9660
Email	certification@stroma.com

About this assessment

Employer	Aldrock Surveyors Ltd
Employer address	Unit 5 Cunningham Court, Blackburn BB1 2QX
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	27 March 2019
Date of certificate	28 March 2019
