

7, Leighton Street
NOTTINGHAM
NG3 2FT

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

75 C

65 E

Energy rating

C

Valid until

11 December 2026

Certificate number

8536-7922-4849-0810-6992

54a Marsh Street South
STOKE-ON-TRENT
ST1 1JD

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

65 C

44 E

Energy rating

E

Valid until

6 March 2030

Certificate number

0738-8093-7267-6590-5284

3 Sherwood Street
Warsop
MANSFIELD
NG20 0JP

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A+

A

B

C

D

E

F

G

65 D

44 D

Energy rating

D

Valid until

24 August 2027

Certificate number

0940-0533-1139-4328-0006

55, St. Anns Valley
NOTTINGHAM
NG3 3PW

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

75 C

65 E

Energy rating

C

Valid until

11 December 2026

Certificate number

8690-1904-8829-1997-3263

7A VICTORIA ROAD
NETHERFIELD
NG4 2LA

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

63 D

75 C

Energy rating

D

Valid until

12 April 2031

Certificate number

0120-2412-3040-2299-6345

7, Victoria Road
Netherfield
NOTTINGHAM
NG4 2LA

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A+

A

B

C

D

E

F

G

65 D

44 D

Energy rating

D

Valid until

16 March 2033

Certificate number

4458-9073-6935-9550-6000

12, Hexham Gardens
NOTTINGHAM
NG5 9PD

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

75 C

65 E

Energy rating

C

Valid until

22 November 2025

Certificate number

9363-2837-6195-9625-6271

3a Sherwood Street
Warsop
MANSFIELD
NG20 0JP

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

72 C

52 E

Energy rating

E

Valid until

4 March 2030

Certificate number

0858-0007-7277-6190-4284

4, Patchwork Row
Shirebrook
MANSFIELD
NG20 8AL

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A+

A

B

C

D

E

F

G

65 E

44 E

Energy rating

E

Valid until

29 July 2030

Certificate number

2370-3003-0706-0100-0875

19, Thomas Close
NOTTINGHAM
NG3 1PA

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

75 C

44 E

Energy rating

D

Valid until

11 December 2026

Certificate number

9408-6996-7232-4186-9904

4A Patchwork Row
Shirebrook
NG20 8AL

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

75 C

54 E

Energy rating

E

Valid until

21 January 2031

Certificate number

4959-3529-5000-0271-0292

26, Main Road
Gedling
NOTTINGHAM
NG4 3HN

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A+

A

B

C

D

E

F

G

65 E

44 E

Energy rating

E

Valid until

11 January 2027

Certificate number

0950-0833-0359-0099-2002

62a, Gateford Road
WORKSOP
S80 1EB

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

55 D

47 D

Energy rating

D

Valid until

15 October 2029

Certificate number

9969-2875-7303-9291-8155

58, Lower Road
Beeston
NOTTINGHAM
NG9 2GT

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

75 C

51 E

Energy rating

E

Valid until

27 November 2028

Certificate number

9657-2822-6196-9728-5841

10, Tennis Drive
NOTTINGHAM
NG7 1AE

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

75 C

65 E

Energy rating

C

Valid until

21 January 2029

Certificate number

8801-9025-7629-8426-7913

69, Ransom Road
NOTTINGHAM
NG3 3LH

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

65 E

53 E

Energy rating

E

Valid until

11 December 2026

Certificate number

8746-7822-3639-5250-9996

112, Birrell Road
Forest Fields
NOTTINGHAM
NG7 6LT

Score

Energy rating

Current

Potential

92+

81-91

69-80

55-68

39-54

21-38

1-20

A

B

C

D

E

F

G

67 E

64 D

Energy rating

D

Valid until

11 December 2026

Certificate number

9208-3976-7202-4486-9974

