

Energy performance certificate (EPC)

Talaton Inn
Road From Talaton Cross To Beacon Cross
TALATON
EX5 2RQ

Energy rating

C

Valid until: **30 March 2032**

Certificate number: **3910-5501-6040-6214-9058**

Property type

A3/A4/A5 Restaurant and Cafes/Drinking Establishments and Hot Food takeaways

Total floor area

388 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's current energy rating is C.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built

34 B

If typical of the existing stock

99 D

Breakdown of this property's energy performance

Main heating fuel

LPG

Building environment

Heating and Natural Ventilation

Assessment level

3

Building emission rate (kgCO₂/m² per year)

107.26

Primary energy use (kWh/m² per year)

590

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/0839-8763-4716-5793-0120\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Paul Baker
Telephone	<u>01404823994</u> 📞
Email	paulbaker9@outlook.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	ECMK
Assessor's ID	ECMK300878
Telephone	<u>0333 123 1418</u> 📞
Email	info@ecmk.co.uk

About this assessment

Employer	Paul Baker
Employer address	Slewton Cottage Lilypond Lane Whimple
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	22 March 2022
Date of certificate	31 March 2022
