# **Energy performance certificate (EPC)**

Cheadle Place 242 Stockport Road CHEADLE SK8 2JX Energy rating

Valid until: 21 June 2032

Certificate number:

7494-5140-9381-4514-5061

Property type Offices and Workshop Businesses


Total floor area 2,555 square metres

### Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

### **Energy rating and score**

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

# How this property compares to others

Properties similar to this one could have ratings:

·

If newly built

14 A

If typical of the existing stock

57 C

## Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Air Conditioning
Assessment level	4
Building emission rate (kgCO2/m2 per year)	16.99
Primary energy use (kWh/m2 per year)	140

# **Recommendation report**

Guidance on improving the energy performance of this property can be found in the recommendation report (/energy-certificate/6083-0258-5556-1589-2260).

#### Who to contact about this certificate

#### Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Ross Elphick
Telephone	07917403825
Email	ross@seaconsulting.co.uk

### Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/023873
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

#### About this assessment

Employer	SEAConsulting.co.uk
Employer address	Unit 11 Teddington Business Park Station Road Teddington TW11 9BQ
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	19 January 2022
Date of certificate	22 June 2022