

Energy performance certificate (EPC)

2-4 Marsh Green Road North
Marsh Barton Trading Estate
EXETER
EX2 8NY

Energy rating

C

Valid until:

15 August 2034

Certificate number:

8801-3320-7191-8269-8613

Property type

Storage or Distribution

Total floor area


2,144 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

17 A

If typical of the existing stock

68 C

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO ₂ /m ² per year)	13.32
Primary energy use (kWh/m ² per year)	143

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/0013-3547-4041-0127-8060\)](/energy-certificate/0013-3547-4041-0127-8060).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Alistair Pilcher
Telephone	07974 567272
Email	alistair@upenergy.co.uk

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/027272
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	Up Energy
Employer address	upenergy.co.uk
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	15 August 2024
Date of certificate	16 August 2024