





16 HOMEBRAY HOUSE MARY ROSE AVENUE WOOTTON BRIDGE, PO33 4LW

£105,000 LEASEHOLD

Offered as CHAIN FREE and on the GROUND FLOOR. Well positioned to open up to the communal manicured gardens. Easy and secure living for the over 60's.

Williams
SALES & LETTINGS

16 HOMEBRAY HOUSE MARY

1 bedroom GROUND FLOOR
 APARTMENT • Easily maintained • Fabulous
 communal lounge • For the over
 60's • CHAIN FREE





The accomodation with approximate measurements

Door to:

Hallway

Walk in storage cupboard with water tank and consumer unit. Alarm system. Doors to:

lounge/diner 5.75 x 3.22 (18'10" x 10'6")

Double glazed window and door to rear aspect. Storage heater. Emergency pull cord. Arch to:

Kitchen 2.18 x 1.72 (7'1" x 5'7")

Fitted kitchen with matching wall, base and drawer units. Fitted frigde, eye level electric oven and electric hob. Sink and drainer.

Bedroom 4.17 x 2.66 (13'8" x 8'8")

Double glazed window to rear aspect. Storage heater. Built in wardrobe. Additional built in wardrobes with matching overhead storage and bedside cabinets. Emergency pull cord.

Shower room 2.04 x 1.68 (6'8" x 5'6")

Over sized shower. Hand basin with vanity storage. Low level WC. Tiled walls. Heated towel rail.

Additional information

Potential purchasers must be 60 years, or older (a second purchaser can be 55 years)

1% is payable back to the management company

Council tax band "A"

EPC: C

No dogs allowed.

Tenure: Leasehold 125 years from 17/8/1988 89

Years remaining

Grond rent: tbc

Management Fee: tbc


16 HOMEBRAY HOUSE MARY














W | Williams

SALES & LETTINGS

Williams Estate Agents 41 High Street Wootton Bridge Isle Of Wight PO33 4LU 01983 883333 sales@williamsisleofwight.co.uk lettings@williamsisleofwight.co.uk www.williamsisleofwight.co.uk

Agents Note: Whilst every care has been taken to prepare these particulars, they are for guidance purposes only. All measurements are approximate and are for general guidance purposes only and whilst every care has been taken to ensure their accuracy, they should not be relied upon and potential buyers/tenants are advised to recheck the measurements