


MISREPRESENTATION DISCLAIMER
All reasonable steps have been taken with the preparation of these particulars but complete accuracy cannot be guaranteed. If there is any point which is of particular importance to you, please obtain professional confirmation. Alternatively, where possible we will be pleased to check the information for you. These particulars do not constitute a contract or part of a contract. All measurements quoted are approximate. The fixtures, fittings and appliances have not been tested and therefore no guarantee can be given that they are in working order. Any drawings, sketches or plans are provided for illustrative purposes only and are not to scale. All photographs are reproduced for general information and it cannot be inferred that any items shown are included in the sale.

Energy Efficiency Rating		Current	Target
Energy Efficiency Rating		87	60
Energy Efficiency Rating		A	C
Energy Efficiency Rating		92 (max)	69 (min)
Energy Efficiency Rating		95 (max)	72 (min)
Energy Efficiency Rating		100 (max)	77 (min)
Energy Efficiency Rating		105 (max)	82 (min)
Energy Efficiency Rating		110 (max)	87 (min)
Energy Efficiency Rating		115 (max)	92 (min)
Energy Efficiency Rating		120 (max)	97 (min)
Energy Efficiency Rating		125 (max)	102 (min)
Energy Efficiency Rating		130 (max)	107 (min)
Energy Efficiency Rating		135 (max)	112 (min)
Energy Efficiency Rating		140 (max)	117 (min)
Energy Efficiency Rating		145 (max)	122 (min)
Energy Efficiency Rating		150 (max)	127 (min)
Energy Efficiency Rating		155 (max)	132 (min)
Energy Efficiency Rating		160 (max)	137 (min)
Energy Efficiency Rating		165 (max)	142 (min)
Energy Efficiency Rating		170 (max)	147 (min)
Energy Efficiency Rating		175 (max)	152 (min)
Energy Efficiency Rating		180 (max)	157 (min)
Energy Efficiency Rating		185 (max)	162 (min)
Energy Efficiency Rating		190 (max)	167 (min)
Energy Efficiency Rating		195 (max)	172 (min)
Energy Efficiency Rating		200 (max)	177 (min)
Energy Efficiency Rating		205 (max)	182 (min)
Energy Efficiency Rating		210 (max)	187 (min)
Energy Efficiency Rating		215 (max)	192 (min)
Energy Efficiency Rating		220 (max)	197 (min)
Energy Efficiency Rating		225 (max)	202 (min)
Energy Efficiency Rating		230 (max)	207 (min)
Energy Efficiency Rating		235 (max)	212 (min)
Energy Efficiency Rating		240 (max)	217 (min)
Energy Efficiency Rating		245 (max)	222 (min)
Energy Efficiency Rating		250 (max)	227 (min)
Energy Efficiency Rating		255 (max)	232 (min)
Energy Efficiency Rating		260 (max)	237 (min)
Energy Efficiency Rating		265 (max)	242 (min)
Energy Efficiency Rating		270 (max)	247 (min)
Energy Efficiency Rating		275 (max)	252 (min)
Energy Efficiency Rating		280 (max)	257 (min)
Energy Efficiency Rating		285 (max)	262 (min)
Energy Efficiency Rating		290 (max)	267 (min)
Energy Efficiency Rating		295 (max)	272 (min)
Energy Efficiency Rating		300 (max)	277 (min)
Energy Efficiency Rating		305 (max)	282 (min)
Energy Efficiency Rating		310 (max)	287 (min)
Energy Efficiency Rating		315 (max)	292 (min)
Energy Efficiency Rating		320 (max)	297 (min)
Energy Efficiency Rating		325 (max)	302 (min)
Energy Efficiency Rating		330 (max)	307 (min)
Energy Efficiency Rating		335 (max)	312 (min)
Energy Efficiency Rating		340 (max)	317 (min)
Energy Efficiency Rating		345 (max)	322 (min)
Energy Efficiency Rating		350 (max)	327 (min)
Energy Efficiency Rating		355 (max)	332 (min)
Energy Efficiency Rating		360 (max)	337 (min)
Energy Efficiency Rating		365 (max)	342 (min)
Energy Efficiency Rating		370 (max)	347 (min)
Energy Efficiency Rating		375 (max)	352 (min)
Energy Efficiency Rating		380 (max)	357 (min)
Energy Efficiency Rating		385 (max)	362 (min)
Energy Efficiency Rating		390 (max)	367 (min)
Energy Efficiency Rating		395 (max)	372 (min)
Energy Efficiency Rating		400 (max)	377 (min)
Energy Efficiency Rating		405 (max)	382 (min)
Energy Efficiency Rating		410 (max)	387 (min)
Energy Efficiency Rating		415 (max)	392 (min)
Energy Efficiency Rating		420 (max)	397 (min)
Energy Efficiency Rating		425 (max)	402 (min)
Energy Efficiency Rating		430 (max)	407 (min)
Energy Efficiency Rating		435 (max)	412 (min)
Energy Efficiency Rating		440 (max)	417 (min)
Energy Efficiency Rating		445 (max)	422 (min)
Energy Efficiency Rating		450 (max)	427 (min)
Energy Efficiency Rating		455 (max)	432 (min)
Energy Efficiency Rating		460 (max)	437 (min)
Energy Efficiency Rating		465 (max)	442 (min)
Energy Efficiency Rating		470 (max)	447 (min)
Energy Efficiency Rating		475 (max)	452 (min)
Energy Efficiency Rating		480 (max)	457 (min)
Energy Efficiency Rating		485 (max)	462 (min)
Energy Efficiency Rating		490 (max)	467 (min)
Energy Efficiency Rating		495 (max)	472 (min)
Energy Efficiency Rating		500 (max)	477 (min)
Energy Efficiency Rating		505 (max)	482 (min)
Energy Efficiency Rating		510 (max)	487 (min)
Energy Efficiency Rating		515 (max)	492 (min)
Energy Efficiency Rating		520 (max)	497 (min)
Energy Efficiency Rating		525 (max)	502 (min)
Energy Efficiency Rating		530 (max)	507 (min)
Energy Efficiency Rating		535 (max)	512 (min)
Energy Efficiency Rating		540 (max)	517 (min)
Energy Efficiency Rating		545 (max)	522 (min)
Energy Efficiency Rating		550 (max)	527 (min)
Energy Efficiency Rating		555 (max)	532 (min)
Energy Efficiency Rating		560 (max)	537 (min)
Energy Efficiency Rating		565 (max)	542 (min)
Energy Efficiency Rating		570 (max)	547 (min)
Energy Efficiency Rating		575 (max)	552 (min)
Energy Efficiency Rating		580 (max)	557 (min)
Energy Efficiency Rating		585 (max)	562 (min)
Energy Efficiency Rating		590 (max)	567 (min)
Energy Efficiency Rating		595 (max)	572 (min)
Energy Efficiency Rating		600 (max)	577 (min)
Energy Efficiency Rating		605 (max)	582 (min)
Energy Efficiency Rating		610 (max)	587 (min)
Energy Efficiency Rating		615 (max)	592 (min)
Energy Efficiency Rating		620 (max)	597 (min)
Energy Efficiency Rating		625 (max)	602 (min)
Energy Efficiency Rating		630 (max)	607 (min)
Energy Efficiency Rating		635 (max)	612 (min)
Energy Efficiency Rating		640 (max)	617 (min)
Energy Efficiency Rating		645 (max)	622 (min)
Energy Efficiency Rating		650 (max)	627 (min)
Energy Efficiency Rating		655 (max)	632 (min)
Energy Efficiency Rating		660 (max)	637 (min)
Energy Efficiency Rating		665 (max)	642 (min)
Energy Efficiency Rating		670 (max)	647 (min)
Energy Efficiency Rating		675 (max)	652 (min)
Energy Efficiency Rating		680 (max)	657 (min)
Energy Efficiency Rating		685 (max)	662 (min)
Energy Efficiency Rating		690 (max)	667 (min)
Energy Efficiency Rating		695 (max)	672 (min)
Energy Efficiency Rating		700 (max)	677 (min)
Energy Efficiency Rating		705 (max)	682 (min)
Energy Efficiency Rating		710 (max)	687 (min)
Energy Efficiency Rating		715 (max)	692 (min)
Energy Efficiency Rating		720 (max)	697 (min)
Energy Efficiency Rating		725 (max)	702 (min)
Energy Efficiency Rating		730 (max)	707 (min)
Energy Efficiency Rating		735 (max)	712 (min)
Energy Efficiency Rating		740 (max)	717 (min)
Energy Efficiency Rating		745 (max)	722 (min)
Energy Efficiency Rating		750 (max)	727 (min)
Energy Efficiency Rating		755 (max)	732 (min)
Energy Efficiency Rating		760 (max)	737 (min)
Energy Efficiency Rating		765 (max)	742 (min)
Energy Efficiency Rating		770 (max)	747 (min)
Energy Efficiency Rating		775 (max)	752 (min)
Energy Efficiency Rating		780 (max)	757 (min)
Energy Efficiency Rating		785 (max)	762 (min)
Energy Efficiency Rating		790 (max)	767 (min)
Energy Efficiency Rating		795 (max)	772 (min)
Energy Efficiency Rating		800 (max)	777 (min)
Energy Efficiency Rating		805 (max)	782 (min)
Energy Efficiency Rating		810 (max)	787 (min)
Energy Efficiency Rating		815 (max)	792 (min)
Energy Efficiency Rating		820 (max)	797 (min)
Energy Efficiency Rating		825 (max)	802 (min)
Energy Efficiency Rating		830 (max)	807 (min)
Energy Efficiency Rating		835 (max)	812 (min)
Energy Efficiency Rating		840 (max)	817 (min)
Energy Efficiency Rating		845 (max)	822 (min)
Energy Efficiency Rating		850 (max)	827 (min)
Energy Efficiency Rating		855 (max)	832 (min)
Energy Efficiency Rating		860 (max)	837 (min)
Energy Efficiency Rating		865 (max)	842 (min)
Energy Efficiency Rating		870 (max)	847 (min)
Energy Efficiency Rating		875 (max)	852 (min)
Energy Efficiency Rating		880 (max)	857 (min)
Energy Efficiency Rating		885 (max)	862 (min)
Energy Efficiency Rating		890 (max)	867 (min)
Energy Efficiency Rating		895 (max)	872 (min)
Energy Efficiency Rating		900 (max)	877 (min)
Energy Efficiency Rating		905 (max)	882 (min)
Energy Efficiency Rating		910 (max)	887 (min)
Energy Efficiency Rating		915 (max)	892 (min)
Energy Efficiency Rating		920 (max)	897 (min)
Energy Efficiency Rating		925 (max)	902 (min)
Energy Efficiency Rating		930 (max)	907 (min)
Energy Efficiency Rating		935 (max)	912 (min)
Energy Efficiency Rating		940 (max)	917 (min)
Energy Efficiency Rating		945 (max)	922 (min)
Energy Efficiency Rating		950 (max)	927 (min)
Energy Efficiency Rating		955 (max)	932 (min)
Energy Efficiency Rating		960 (max)	937 (min)
Energy Efficiency Rating		965 (max)	942 (min)
Energy Efficiency Rating		970 (max)	947 (min)
Energy Efficiency Rating		975 (max)	952 (min)
Energy Efficiency Rating		980 (max)	957 (min)
Energy Efficiency Rating		985 (max)	962 (min)
Energy Efficiency Rating		990 (max)	967 (min)
Energy Efficiency Rating		995 (max)	972 (min)
Energy Efficiency Rating		1000 (max)	977 (min)



2 Forest Road
Cinderford GL14 2NR

Guide Price £215,000


Steve Gooch Estate Agents are proud to present for sale this BEAUTIFULLY MAINTAINED TWO-BEDROOM END-OF-TERRACE COTTAGE DATING BACK TO CIRCA 1900. The property offers CHARMING ACCOMMODATION, INCLUDING A COZY LIVING ROOM, DINING ROOM, KITCHEN, and BATHROOM on the ground floor, with TWO SPACIOUS DOUBLE BEDROOMS on the first floor. The cottage benefits from GAS-FIRED CENTRAL HEATING, DOUBLE GLAZING, and a PRIVATE ENCLOSED GARDEN, along with CONVENIENT ACCESS TO THE TOWN CENTRE. AN IDEAL OPPORTUNITY FOR FIRST-TIME BUYERS OR INVESTORS!

Cinderford Is A Town Located In The Forest Of Dean District Of Gloucestershire. It Lies In The Eastern Part Of The Forest Of Dean, Approximately 10 Miles (16 Kilometres) East Of The City Of Gloucester.

Historically, Cinderford Was A Prominent Mining And Industrial Town, With Coal Mining Being A Significant Part Of Its Heritage. The Town Played A Vital Role In The Production And Transportation Of Coal During The Height Of The Mining Industry In The Area.

Today, Cinderford Has Transformed Into A Vibrant Town With A Diverse Range Of Amenities And Attractions. The Town Centre Offers A Variety Of Shops, Supermarkets, Cafes, And Restaurants, Providing Residents With Convenient Access To Everyday Necessities And Leisure Activities. The Town Also Has Community Facilities And Services, Including The New Community Hospital, Schools, A Library, A Leisure Centre, And A Local Market.

Cinderford Is Surrounded By Beautiful Woodland Areas, Making It An Excellent Base For Outdoor Enthusiasts. The Nearby Forest Of Dean Offers Numerous Trails And Recreational Opportunities, Such As Walking, Cycling, And Wildlife Spotting. Popular Attractions In The Area Include The Sculpture Trail, Puzzlewood, And The Dean Heritage Centre.



Accessed via a upvc door leading into:

LIVING ROOM

11'11 x 10'10 (3.63m x 3.30m)

Feature fireplace with wooden lintel and stone hearth, inset log burner, power points, tv point, phone point, radiator, double glazed window to front aspect, door leading into:

DINING ROOM

12'00 x 11'09 (3.66m x 3.58m)

Stairs to first floor landing, power points, radiator, wooden flooring, ceiling light, wall lights, double glazed upvc patio doors leading out to the rear garden, door leading into:

KITCHEN

10'01 x 6'09 (3.07m x 2.06m)

Modern fully fitted kitchen comprising of a range of wall and base mounted units with wood effect worktops, integrated one and a half bowl stainless steel sink and drainer with mixer tap above, electric oven with integrated four ring gas hob, glass splashback and cooker canopy above, plumbing for washing machine, space for tumble dryer, wall mounted worcester bosch gas combi boiler, part tiled walls, wood flooring, power points, side aspect window, opening into:

LOBBY

Hatch giving access to loft space, ceiling light, wooden flooring, door leading into:

BATHROOM

Modern fully fitted suite including a "P" shaped bath with

shower over and tiled surround, low level wc with concealed cistern, vanity hand basin with mixer tap above, radiator, extractor fan, tiled flooring, rear aspect window.

From the dining room, stairs lead up to the first floor:

LANDING

Loft hatch giving access to loft space, doors into:

BEDROOM ONE

11'11 x 9'11 (3.63m x 3.02m)

Power points with usb, radiator, front aspect window.

BEDROOM TWO

11'9 x 9'02 (3.58m x 2.79m)

Built in storage/airing cupboard with radiator and wooden shelving, power points, radiator, rear aspect window overlooking the garden.

OUTSIDE

At the front of the property, a wrought iron gate opens to a pathway leading to the front door, flanked by raised flower beds and enclosed by a charming walled surround. To the side, a second gate and footpath provide access to the well-maintained, south-facing rear garden. The garden features a block-paved seating area, a lawned section, and flower borders, all enclosed by fencing and a walled surround. Additionally, there is a summer house and block-built storage shed with lighting and two single-glazed windows, offering excellent potential for conversion into a home office.

DIRECTIONS

From the Mitcheldean office, continue to the roundabout and take the turning onto the A4136. Proceed over Plump Hill until you reach the Nailbridge traffic lights. Take the left turning into Cinderford and proceed to the town centre, turn right at Church Road and turn left at Forest Road. The property can be found on the right hand.

SERVICES

Mains water, drainage, gas and electricity.

LOCAL AUTHORITY

Council Tax Band: A
Forest of Dean District Council, Council Offices, High Street, Coleford, Glos. GL16 8HG.

TENURE

Freehold

VIEWING

Strictly through the Owners Selling Agent, Steve Gooch, who will be delighted to escort interested applicants to view if required. Office Opening Hours 8.30am - 7.00pm Monday to Friday, 9.00am - 5.30pm Saturday.

PROPERTY SURVEYS

Qualified Chartered Surveyors (with over 20 years experience) available to undertake surveys (to include Mortgage Surveys/RICS Housebuyers Reports/Full Structural Surveys)