



Address Source: HM Land Registry



4 Sea View Terrace

Thurlestone

Kingsbridge

Devon

TQ73NQ

UPRN: 10004741407

Source: GOV.UK **EPC**



Current rating: D

Potential rating: C

Current CO2: 3.8 tonnes

Potential CO2: 1.9 tonnes

Expires: 1 Apr 2035

Source: https://find-energy-certificate.service.gov.uk/energy-certificate/0380-2078-2470-

2625-7801

NTS Part A

Source: HM Land Registry **Tenure**



Freehold

The Freehold land shown edged with red on the plan of the above Title filed at the Registry and being 4 Sea View Terrace, Thurlestone, Kingsbridge (TQ7 3NQ).

Title number DN130108.

Absolute Freehold is the class of tenure held by HM Land Registry.

Tenure marketed as: Freehold



Council Tax band: C

Authority: South Hams District Council

NTS Part B

Construction



Standard construction

Property type



Mid-terrace, House

Floorplan: To be provided

Parking



On Street, Communal

Electricity



Connected to mains electricity

Water and drainage



Connected to mains water supply

Mains surface water drainage: Yes

Sewerage: Connected to mains sewerage

Heating



Central heating, Oil

Heating features: Open fire, Double glazing

Broadband Source: Ofcom

The property has Superfast broadband available.

The connection type is "FTTC (Fibre to the Cabinet)".

These are the fastest estimated speeds predicted in this area provided by Ofcom. Actual service availability at a property or speeds received may be different.

NAME	Standard
MAX DOWNLOAD	5 Mb
MAX UPLOAD	0.6 Mb
AVAILABILITY	
DETAILS	
NAME	Superfast
MAX DOWNLOAD	80 Mb
MAX UPLOAD	20 Mb
AVAILABILITY	
DETAILS	
NAME	Ultrafast
MAX DOWNLOAD	Unavailable
MAX UPLOAD	Unavailable
AVAILABILITY	×
DETAILS	

Actual services available may be different (data provided by Ofcom).

PROVIDER	EE
COVERAGE	Great
SIGNAL STRENGTH	.il
DETAILS	
PROVIDER	O2
COVERAGE	Great
SIGNAL STRENGTH	.il
DETAILS	
PROVIDER	Three
COVERAGE	OK
SIGNAL STRENGTH	1
DETAILS	
PROVIDER	Vodafone
COVERAGE	Great
SIGNAL STRENGTH	.atl
DETAILS	

NTS Part C

Building safety issues



Defects or hazards: Asbestos tiles on external rear of property

Work already done: NA

Work to be done: NA

Potential cost: NA

Impact on the ability to reside at the property: NA

Restrictions Source: HM Land Registry



Title DN130108 contains restrictions or restrictive covenants.

Here is a summary but a property lawyer can advise further: - No disposition by the proprietor of the land is to be registered except with the consent of the South Hams District Council in accordance with Section 19 of the Housing Act 1980. - No disposition of the registered estate by the proprietor is to be registered without a written consent signed by Barclays Bank UK PLC.

Rights and easements



Here is a summary but a property lawyer can advise further:- Easements and rights as specified in paragraph 2 of Schedule 2 of the Housing Act 1980.

Public right of way through and/or across your house, buildings or land: No

Flood risk



River and sea flooding risk: Very low; Surface water flooding risk: Very low; Reservoir flooding risk: Not at risk; Groundwater flooding risk: Unlikely



No history of flooding has been reported.

Coastal erosion risk

To be provided

Planning and development



Listing and conservation



In a conservation area



Accessibility



None

Coalfield or mining



No coal mining risk identified

A mining risk (other than coal mining) has been identified

A potential non-coal mining risk has been identified (landslide hazard) - a detailed search report can help to determine the impact.



Moverly has certified this data

Accurate as of 3 Apr 2025

The data is aggregated from variety of sources including HM Land Registry, GOV.UK and is accurate at the time of this certificate.

Contains HM Land Registry data © Crown copyright and database right 2022. This data is licensed under the Open Government Licence v3.0.