# **Energy performance certificate (EPC)**

16, Rosedale Avenue CONSETT DH8 0DZ Energy rating

Valid until: 17 February 2035

Certificate number: **2650-4680-7533-4142-6080** 

Property type

Retail/Financial and Professional Services

Total floor area


40 square metres

### Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

### **Energy rating and score**

This property's energy rating is D.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

## How this property compares to others

Properties similar to this one could have ratings:

If newly built

8 A

If typical of the existing stock

34 B

### Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	34.85
Primary energy use (kWh/m2 per year)	362

### **Recommendation report**

Guidance on improving the energy performance of this property can be found in the <u>recommendation report</u> (/energy-certificate/7049-6874-7898-6666-5999).

#### Who to contact about this certificate

#### **Contacting the assessor**

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Stephen Donaghy
Telephone	01207 524 823
Email	stephen@elvetconsultants.co.uk

#### Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/021018
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

#### About this assessment

Karbon Homes Limited
No 5, Gosforth Park Avenue, Gosforth Business Park,
Newcastle Upon Tyne, Tyne & Wear, NE12 8EG
The assessor is not related to the owner of the property.
6 February 2025
18 February 2025