# **Energy performance certificate (EPC)**

Unit 13 Clayhill Industrial Estate Windle Court Clayhill Industrial Estate NESTON CH64 3UH Energy rating

Valid until: 31 July 2034

Certificate number:

4459-0984-6003-3997-1470

Property type

Offices and Workshop Businesses

Total floor area


186 square metres

## Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

## **Energy rating and score**

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

## How this property compares to others

Properties similar to this one could have ratings:

If newly built

15 A

If typical of the existing stock

59 C

## Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	6.64
Primary energy use (kWh/m2 per year)	72

### **Recommendation report**

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> report (/energy-certificate/0432-0874-5731-5088-6580).

#### Who to contact about this certificate

### **Contacting the assessor**

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	James McSorley
Telephone	07812 345 153
Email	j <u>ms@energy-rating.org</u>

#### Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/016017
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

#### About this assessment

Energy Rating Services Ltd
5 Becconsall lane Hesketh bank PR4 6RR
The assessor is not related to the owner of the property.
8 July 2024
1 August 2024