

Energy performance certificate (EPC)

Unit 20c
Airport Industrial Estate
Kingston Park
NEWCASTLE UPON TYNE
NE3 2EF

Energy rating

B

Valid until:

24 May 2034

Certificate
number:

**3408-4284-9439-8090-
5052**

Property type

Storage or Distribution

Total floor area

49 square metres

Rules on letting this property


Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is B.

Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.



How this property compares to others

Properties similar to this one could have ratings:

If newly built

28 B

If typical of the existing stock

114 E

Breakdown of this property's energy performance

Main heating fuel	Other
Building environment	Unconditioned
Assessment level	3
Building emission rate (kgCO2/m2 per year)	0.8
Primary energy use (kWh/m2 per year)	9

Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/2152-1340-6417-7654-6234\)](#).

Who to contact about this certificate

Contacting the assessor

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Rachel Errington
Telephone	07739 805 405
Email	blueskypropertyandassessments@gmail.com

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/028141
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	Bluesky Property and Assessments
Employer address	94c Tynemouth Road, North Shields, NE30 1EE
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	20 May 2024
Date of certificate	25 May 2024
