




See More Online

# MIR: Material Info

The Material Information Affecting this Property

**Monday 02<sup>nd</sup> June 2025**



**79, BRIDGE STREET, STOWMARKET, IP14 1BS**

## ML Property

2 Front Street Mendlesham Suffolk IP14 5RY


01449 768854

matt@mlproperty.co.uk

mlproperty.co.uk



# Property Overview



## Property

Type:	Semi-Detached
Bedrooms:	3
Floor Area:	1,119 ft <sup>2</sup> / 104 m <sup>2</sup>
Plot Area:	0.05 acres
Council Tax :	Band B
Annual Estimate:	£1,718
Title Number:	SK160747
UPRN:	100091089175

Last Sold Date:	13/03/2019
Last Sold Price:	£160,000
Last Sold £/ft <sup>2</sup> :	£142
Tenure:	Freehold

## Local Area

Local Authority:	Mid suffolk
Conservation Area:	No
Flood Risk:	
● Rivers & Seas	Very low
● Surface Water	Low

### Estimated Broadband Speeds (Standard - Superfast - Ultrafast)

<b>16</b> mb/s	<b>59</b> mb/s	<b>-</b> mb/s

### Mobile Coverage: (based on calls indoors)



### Satellite/Fibre TV Availability:



# Planning History

## This Address



Planning records for: **79, Bridge Street, Stowmarket, IP14 1BS**

Reference - DC/18/05268	
Decision:	Granted
Date:	29th November 2018
Description:	Householder Planning Application - Erection of a two storey side/rear extension.

Planning records for: ***Land At 116 Bridge Street Stowmarket Suffolk***

Reference - DC/25/01660	
Decision:	Awaiting decision
Date:	07th April 2025
Description:	Application for a Non-Material Amendment relating to DC/19/04978 - to allow amendment to original positioning of access.

Reference - DC/19/04978	
Decision:	Granted
Date:	22nd October 2019
Description:	Full Planning Application - Erection of 1 pair of two storey semi-detached dwellings.

Planning records for: ***86 Bridge Street Stowmarket Suffolk IP14 1BS***

Reference - DC/24/05346	
Decision:	Granted
Date:	09th December 2024
Description:	Full Planning Application - Change of use from business use Class B8 (storage and distribution) to Class C3 (residential).

Reference - DC/19/03026	
Decision:	Granted
Date:	25th June 2019
Description:	Planning Application - Part change of use of C3 dwelling to B8 storage and distribution (Wine Merchant)

Planning records for: **90 Bridge Street Stowmarket Suffolk IP14 1BS**

Reference - DC/23/01261	
Decision:	Granted
Date:	15th March 2023
Description:	Householder Application - Erection of single storey rear extension.

Planning records for: **92 Bridge Street Stowmarket Suffolk IP14 1BS**

Reference - DC/18/01877	
Decision:	Granted
Date:	30th April 2018
Description:	Discharge of Conditions Application for DC/17/05292 - Condition 3 (Agreement of Materials).

Reference - DC/17/03241	
Decision:	Refused
Date:	28th June 2017
Description:	Householder Planning Application - Erection of single storey rear extension and first floor rear extension.

Reference - DC/17/05292	
Decision:	Granted
Date:	26th October 2017
Description:	Householder Planning Application - Erection of single storey and first floor rear extensions

Planning records for: **106 Bridge Street Stowmarket Suffolk IP14 1BS**

Reference - DC/18/04076	
Decision:	Granted
Date:	10th September 2018
Description:	Householder Planning Application - Erection of first floor rear extension (re-submission of refused application DC/18/00898)

Reference - DC/18/00898	
Decision:	Refused
Date:	01st March 2018
Description:	Householder Planning Application - Erection of first floor rear extension.

Planning records for: **116 Bridge Street Stowmarket Suffolk IP14 1BS**

Reference - DC/22/04728	
Decision:	Granted
Date:	23rd September 2022
Description:	Discharge of Conditions Application for DC/19/04978 - Condition 8 (Landscaping Scheme)

# Property EPC - Certificate

79 Bridge Street, IP14 1BS

Energy rating

**C**

Valid until 18.01.2033

Score	Energy rating	Current	Potential
92+	<b>A</b>		
81-91	<b>B</b>		86   <b>B</b>
69-80	<b>C</b>	75   <b>C</b>	
55-68	<b>D</b>		
39-54	<b>E</b>		
21-38	<b>F</b>		
1-20	<b>G</b>		

# Property

## EPC - Additional Data

### Additional EPC Data

---


<b>Property Type:</b>	House
<b>Build Form:</b>	Semi-Detached
<b>Transaction Type:</b>	Marketed sale
<b>Energy Tariff:</b>	Single
<b>Main Fuel:</b>	Mains gas (not community)
<b>Main Gas:</b>	Yes
<b>Flat Top Storey:</b>	No
<b>Top Storey:</b>	0
<b>Glazing Type:</b>	Double glazing installed during or after 2002
<b>Previous Extension:</b>	3
<b>Open Fireplace:</b>	0
<b>Ventilation:</b>	Natural
<b>Walls:</b>	Cob, as built
<b>Walls Energy:</b>	Average
<b>Roof:</b>	Pitched, 150 mm loft insulation
<b>Roof Energy:</b>	Good
<b>Main Heating:</b>	Boiler and radiators, mains gas
<b>Main Heating Controls:</b>	Programmer, room thermostat and TRVs
<b>Hot Water System:</b>	From main system
<b>Hot Water Energy Efficiency:</b>	Good
<b>Lighting:</b>	Low energy lighting in all fixed outlets
<b>Floors:</b>	Solid, no insulation (assumed)
<b>Total Floor Area:</b>	104 m <sup>2</sup>



# Flood Risk

## Surface Water - Flood Risk

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.25%) in any one year.


Chance of flooding to the following depths at this property:



# Flood Risk

## Surface Water - Climate Change

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




**Risk Rating: Low**

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



# Flood Risk

## Rivers & Seas - Flood Risk

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.25%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.25%) in any one year.


Chance of flooding to the following depths at this property:



# Flood Risk

## Rivers & Seas - Climate Change

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




**Risk Rating: Very low**

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.


Chance of flooding to the following depths at this property:



# Maps

## Conservation Areas

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



### Nearby Conservation Areas


- |   |                  |
|---|------------------|
| 1 | Stowmarket       |
| 2 | Badley           |
| 3 | Needham Market   |
| 4 | Haughley         |
| 5 | Rattlesden       |
| 6 | Coddanham        |
| 7 | Drinkstone Mills |
| 8 | Brettenham       |



# Maps

## Landfill Sites


This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.



### Nearby Landfill Sites

1	Milton Road-Milton Road, Stowmarket	Historic Landfill	
2	Taker's Lane-Taker's Lane, Stowmarket	Historic Landfill	
3	Needham Road-Needham Road, Stowmarket	Historic Landfill	
4	Newton Road-Newton Road, Stowupland	Historic Landfill	
5	42 Bury Road-Stowmarket	Historic Landfill	
6	Newton Road-Newton Road, Stowupland	Historic Landfill	
7	Newton Road-Stowupland	Historic Landfill	
8	Combs Tannery-Combs, Stowmarket	Historic Landfill	
9	Creting Hills-Creting Hills, Creting St Mary	Historic Landfill	
10	EA/EPR/HP3595NX/A001	Active Landfill	

This map displays nearby coal mine entrances and their classifications.



### Mine Entry

- ✕ Adit
- ✕ Gutter Pit
- ✕ Shaft


The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.

Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

# Maps

## Council Wards

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500





### Nearby Council Wards

- |    |                                       |
|----|---------------------------------------|
| 1  | Combs Ford Ward                       |
| 2  | Stow Thorney Ward                     |
| 3  | St. Peter's Ward                      |
| 4  | Chilton Ward                          |
| 5  | Onehouse Ward                         |
| 6  | Haughley, Stowupland & Wetherden Ward |
| 7  | Needham Market Ward                   |
| 8  | Battisford & Ringshall Ward           |
| 9  | Elmswell & Woolpit Ward               |
| 10 | Rattlesden Ward                       |




### What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m<sup>3</sup>).



Ground Composition for this Address (Surrounding square kilometer zone around property)


<b>Carbon Content:</b>	VARIABLE	<b>Soil Texture:</b>	LOAM TO CLAYEY LOAM, LOCALLY CHALKY
<b>Parent Material Grain:</b>	MIXED (ARGILLIC- RUDACEOUS)	<b>Soil Depth:</b>	DEEP
<b>Soil Group:</b>	MEDIUM TO LIGHT(SILTY) TO HEAVY		





### Primary Classifications (Most Common Clay Types)

<b>C/M</b>	Claystone / Mudstone
<b>FPC,S</b>	Floodplain Clay, Sand / Gravel
<b>FC,S</b>	Fluvial Clays & Silts
<b>FC,S,G</b>	Fluvial Clays, Silts, Sands & Gravel
<b>PM/EC</b>	Prequaternary Marine / Estuarine Clay / Silt
<b>QM/EC</b>	Quaternary Marine / Estuarine Clay / Silt
<b>RC</b>	Residual Clay
<b>RC/LL</b>	Residual Clay & Loamy Loess
<b>RC,S</b>	River Clay & Silt
<b>RC,FS</b>	Riverine Clay & Floodplain Sands and Gravel
<b>RC,FL</b>	Riverine Clay & Fluvial Sands and Gravel
<b>TC</b>	Terrace Clay
<b>TC/LL</b>	Terrace Clay & Loamy Loess

# Local Area Masts & Pylons



## Key:


-  Power Pylons
-  Communication Masts













# Maps

## Listed Buildings

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...




Listed Buildings in the local district		Grade	Distance
	1208896 - Ford Millhouse	Grade II	0.2 miles
	1209550 - The Willows	Grade II	0.2 miles
	1292946 - The Limes	Grade II	0.2 miles
	1297914 - Verandah Cottage	Grade II	0.2 miles
	1209019 - Old Malthouse	Grade II	0.2 miles
	1297917 - Old Timbers	Grade II	0.2 miles
	1292929 - 10 And 11, Combs Ford, Stowmarket	Grade II	0.3 miles
	1195875 - The Meadlands Public House	Grade II	0.3 miles
	1209013 - 67, Ipswich Street	Grade II	0.3 miles
	1292609 - 28, Needham Road	Grade II	0.3 miles

# Maps


## Green Belt

This map displays nearby areas that have been designated as Green Belt...




Nearby Green Belt Land

No data available.



		Nursery	Primary	Secondary	College	Private
<b>1</b>	<b>Combs Ford Primary School</b> Ofsted Rating: Good   Pupils: 361   Distance:0.28	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>2</b>	<b>Trinity Church of England Voluntary Aided Primary School</b> Ofsted Rating: Good   Pupils: 166   Distance:0.52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>3</b>	<b>Gable End</b> Ofsted Rating: Good   Pupils: 5   Distance:0.57	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>4</b>	<b>Cedars Park Community Primary School</b> Ofsted Rating: Good   Pupils: 363   Distance:0.64	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>5</b>	<b>Abbot's Hall Community Primary School</b> Ofsted Rating: Good   Pupils: 373   Distance:0.64	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6</b>	<b>Chilton Community Primary School</b> Ofsted Rating: Good   Pupils: 168   Distance:0.93	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>7</b>	<b>Stowmarket High School</b> Ofsted Rating: Requires improvement   Pupils: 901   Distance:1.22	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>8</b>	<b>Wood Ley Community Primary School</b> Ofsted Rating: Good   Pupils: 312   Distance:1.36	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



		Nursery	Primary	Secondary	College	Private
<b>9</b>	<b>Olive AP Academy - Suffolk</b> Ofsted Rating: Good   Pupils: 5   Distance:1.52	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>10</b>	<b>Freeman Community Primary School</b> Ofsted Rating: Requires improvement   Pupils: 203   Distance:1.53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>11</b>	<b>Stowupland High School</b> Ofsted Rating: Requires improvement   Pupils: 1008   Distance:1.53	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>12</b>	<b>Grace Cook Primary School</b> Ofsted Rating: Not Rated   Pupils: 104   Distance:1.63	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>13</b>	<b>Finborough School</b> Ofsted Rating: Not Rated   Pupils: 659   Distance:2.36	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>14</b>	<b>Old Newton Church of England Primary School</b> Ofsted Rating: Good   Pupils: 83   Distance:2.56	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>15</b>	<b>Great Finborough Church of England Voluntary Controlled Primary School</b> Ofsted Rating: Good   Pupils: 116   Distance:2.63	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>16</b>	<b>Creting St Mary Church of England Voluntary Aided Primary School</b> Ofsted Rating: Good   Pupils: 96   Distance:2.81	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>




# Area

## Transport (National)



### National Rail Stations

Pin	Name	Distance
1	Entrance1	0.53 miles
2	Entrance	3 miles
3	Entrance	5.43 miles



### Trunk Roads/Motorways

Pin	Name	Distance
1	M11 J9	35.69 miles
2	M11 J10	37.22 miles
3	M11 J11	38.24 miles
4	M11 J13	39.32 miles
5	M11 J12	39.42 miles




### Airports/Helipads

Pin	Name	Distance
1	Norwich International Airport	35.63 miles
2	Southend-on-Sea	44.35 miles
3	Stansted Airport	37.53 miles
4	Cambridge	35.19 miles




# Area

## Transport (Local)



### Bus Stops/Stations


Pin	Name	Distance
1	Old Timbers	0.18 miles
2	Wynton Rise	0.22 miles
3	Wynton Rise	0.23 miles
4	Lime Tree Place	0.21 miles
5	Lime Tree Place	0.21 miles



### Ferry Terminals

Pin	Name	Distance
1	Felixstowe for Bawdsey Ferry Landing	21.2 miles
2	Bawdsey Ferry Landing	21.26 miles

# Local Area Road Noise



This data indicates the level of noise according to the strategic noise mapping of road sources within areas with a population of at least 100,000 people (agglomerations) and along major traffic routes. This indicates a 24 hour annual average noise level with separate weightings for the evening and night periods.

Noise levels are modelled on a 10m grid at a receptor height of 4m above ground, polygons are then produced by merging neighbouring cells within the following noise classes:

- 75.0+ dB
- 70.0-74.9 dB
- 65.0-69.9 dB
- 60.0-64.9 dB
- 55.0-59.9 dB

# ML Property Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.




## Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only and to act as a guide to the best way to market your property for the asking price.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



### ML Property

2 Front Street Mendlesham Suffolk IP14

5RY

01449 768854

[matt@mlproperty.co.uk](mailto:matt@mlproperty.co.uk)

[mlproperty.co.uk](http://mlproperty.co.uk)

