



See More Online

# MIR: Material Info

The Material Information Affecting this Property

**Thursday 29<sup>th</sup> January 2026**



## DUKES FIELD, SHEPTON MALLET, BA4

**Cooper and Tanner**

32 High Street Shepton Mallet BA4 5AS

01749 372200

[sheptonmallet@cooperandtanner.co.uk](mailto:sheptonmallet@cooperandtanner.co.uk)

[cooperandtanner.co.uk](http://cooperandtanner.co.uk)




Powered by



# Property Overview

COOPER  
AND  
TANNER



## Property

|                  |   |
|------------------|---|
| Type:            | Semi-Detached                           |
| Bedrooms:        | 3                                       |
| Floor Area:      | 764 ft <sup>2</sup> / 71 m <sup>2</sup> |
| Plot Area:       | 0.05 acres                              |
| Year Built :     | 2002                                    |
| Council Tax :    | Band C                                  |
| Annual Estimate: | £2,168                                  |
| Title Number:    | WS17733                                 |

Tenure: Freehold

## Local Area

|                    |          |
|--------------------|----------|
| Local Authority:   | Somerset |
| Conservation Area: | No       |
| Flood Risk:        |          |
| • Rivers & Seas    | Very low |
| • Surface Water    | Very low |

**Estimated Broadband Speeds**  
(Standard - Superfast - Ultrafast)

**16**  
mb/s



**80**  
mb/s



**1000**  
mb/s



**Mobile Coverage:**  
(based on calls indoors)



**Satellite/Fibre TV Availability:**



Planning records for: **13 Dukes Field Shepton Mallet Somerset BA4 4DL**

## Reference - 2015/0007/TPO

**Decision:** Approval with Conditions

**Date:** 30th December 2014

**Description:**

Proposed pruning of three Horse chestnut trees subject to TPO M1273 - T1. T2. T3. reduce crown spread by 1.5 - 2.0 metres

## Reference - 2018/0460/TPO

**Decision:** Approval with Conditions

**Date:** 22nd February 2018

**Description:**

Proposed works to TPO Trees M1273:- T1-3 - 3 Horse Chestnuts - Lift Crown to height of 4m, only pruning ends of branches back to suitable growth points. No cuts to be bigger than 35mm.

## Reference - 2012/1066

**Decision:** Approval with Conditions

**Date:** 26th April 2012

**Description:**

Proposed pruning of 3 Horse chestnut trees (G1) subject to Tree Preservation Order M1273 - crown lift / reduce end weight on selected limbs to balance the crown; crown lift to 5m / reduce end weight on limbs to the East and West to shape / balance the crown

## Reference - 2016/3068/HSE

**Decision:** Approval with Conditions

**Date:** 15th December 2016

**Description:**

Erection of carport and amendments to wall

Planning records for: **13 Dukes Field Shepton Mallet BA4 4DL**

## Reference - 2018/2728/TPO

**Decision:** Decided

**Date:** 06th November 2018

**Description:**

Crown lift trees to height of 3.5m, Reduce Southern canopy spread by approximately 2.5m. Reduce North, East and Western canopy by 1.5m. Carry out light crown thin of lower canopy, approximately 10%

## Reference - 2015/0640/HSE

**Decision:** Approval with Conditions

**Date:** 19th March 2015

**Description:**

Proposed two storey and single storey extensions

# Property EPC - Certificate

COOPER  
AND  
TANNER

BA4

Energy rating

C

Valid until 23.05.2032

| Score | Energy rating | Current | Potential |
|-------|---------------|---------|-----------|
| 92+   | A             |         |           |
| 81-91 | B             |         | 87   B    |
| 69-80 | C             |         | 70   c    |
| 55-68 | D             |         |           |
| 39-54 | E             |         |           |
| 21-38 | F             |         |           |
| 1-20  | G             |         |           |

# Property

## EPC - Additional Data

COOPER  
AND  
TANNER

### Additional EPC Data

|                                     |   |
|-------------------------------------|---|
| <b>Property Type:</b>               | House   |
| <b>Build Form:</b>                  | Semi-Detached                                 |
| <b>Transaction Type:</b>            | Marketed sale                                 |
| <b>Energy Tariff:</b>               | Single  |
| <b>Main Fuel:</b>                   | Mains gas (not community)                     |
| <b>Main Gas:</b>                    | Yes   |
| <b>Glazing Type:</b>                | Double glazing installed during or after 2002 |
| <b>Previous Extension:</b>          | 0   |
| <b>Open Fireplace:</b>              | 0   |
| <b>Ventilation:</b>                 | Natural                                       |
| <b>Walls:</b>                       | Cavity wall, as built, insulated (assumed)    |
| <b>Walls Energy:</b>                | Good  |
| <b>Roof:</b>                        | Pitched, 100 mm loft insulation               |
| <b>Roof Energy:</b>                 | Average                                       |
| <b>Main Heating:</b>                | Boiler and radiators, mains gas               |
| <b>Main Heating Controls:</b>       | Programmer, room thermostat and TRVs          |
| <b>Hot Water System:</b>            | From main system                              |
| <b>Hot Water Energy Efficiency:</b> | Good  |
| <b>Lighting:</b>                    | Low energy lighting in all fixed outlets      |
| <b>Floors:</b>                      | Suspended, limited insulation (assumed)       |
| <b>Total Floor Area:</b>            | 71 m <sup>2</sup>                             |

## **Building Safety**

---

## **Accessibility / Adaptations**

---

## **Restrictive Covenants**

---

## **Rights of Way (Public & Private)**

---

## **Construction Type**

---

# Material Information

COOPER  
AND  
TANNER

## Property Lease Information

---

## Listed Building Information

---

## Stamp Duty

---

## Other

---

## Other

---

## Electricity Supply

---

## Gas Supply

---

## Central Heating

---

## Water Supply

---

## Drainage

---

# Cooper and Tanner

## Testimonials

COOPER  
AND  
TANNER

### Testimonial 1



Fantastic Service from Cooper & Tanner in Shepton Mallet! As a mortgage broker, I deal with a lot of estate agents and things can be cut throat and very non personable. I was helping a vulnerable client purchase his forever home and he was completely unsavvy with this world so I was concerned for him getting through the process, however, Andrea was absolutely amazing. She kept us completely up to date and was ALWAYS available for support!

### Testimonial 2



I have just completed today on the sale of my parents property in Shepton Mallet and I wanted to give a glowing review to Cooper and Tanner who have been fantastic throughout. They are professional, friendly and helpful. They kept us up to date and often went above and beyond what was required of an estate agent. We needed to sell the house to pay for care home fees for our Mum which has been hard work especially as we don't live in Shepton.

### Testimonial 3



Our experience with the lettings team at Cooper and Tanner was fantastic. We dealt with Lauren mainly, who was always happy to take our questions to the landlords and came back promptly with the answers for us. She was always polite and professional when we met her for viewings and has been a pleasure to deal. She made the whole process from finding somewhere that would accept a dog, to offer acceptance, referencing and finally the move in day. Thank you.

### Testimonial 4



Chris, Andrea, Sally and Lucy were a pleasure to deal with during my conveyancing process. They were knowledgeable and communicated well, keeping informed of developments and doing everything possible for completion to happen. Many thanks to the whole team.

 /cooperandtanner

 /cooper\_and\_tanner/

# Disclaimer

COOPER  
AND  
TANNER

## **Important - Please read**


---

# Flood Risk

## Surface Water - Flood Risk

COOPER  
AND  
TANNER

This map shows the chance of flooding where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




# Flood Risk

## Surface Water - Climate Change

COOPER  
AND  
TANNER

This map shows the future chance of flooding **between 2040 and 2060** where rainwater has nowhere to drain. This kind of flooding can occur far from rivers or seas. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.




**Risk Rating: Very low**

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.

Chance of flooding to the following depths at this property:




# Flood Risk

## Rivers & Seas - Flood Risk

COOPER  
AND  
TANNER

This map shows the chance of flooding from rivers and / or the sea, taking into account flood defences and their condition.




Risk Rating: Very low

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- High Risk** - an area which has a chance of flooding of greater than 1 in 30 (3.3%) in any one year.
- Medium Risk** - an area which has a chance of flooding of greater than 1 in 100 (1.0%) in any one year.
- Low Risk** - an area which has a chance of flooding of greater than 1 in 1000 (0.1%) in any one year.
- Very Low Risk** - an area in which the risk is below 1 in 1000 (0.1%) in any one year.

Chance of flooding to the following depths at this property:




# Flood Risk

## Rivers & Seas - Climate Change

COOPER  
AND  
TANNER

This map shows the future chance of flooding from rivers and / or the sea **between 2036 and 2069**, taking into account flood defences and their condition. The government climate change models cannot predict exactly when the chance of flooding will go up. It could happen at any time during the time period.



**Risk Rating: Very low**

The map does not contain sufficient information for it to be used to determine flood risk to individual properties, but it does give you an indication of whether your area may be affected by surface water flooding at this risk level.

- █ **High Risk** - an area which has a chance of flooding of greater than **1 in 30 (3.3%)** in any one year.
- █ **Medium Risk** - an area which has a chance of flooding of greater than **1 in 100 (1.0%)** in any one year.
- █ **Low Risk** - an area which has a chance of flooding of greater than **1 in 1000 (0.1%)** in any one year.
- █ **Very Low Risk** - an area in which the risk is below **1 in 1000 (0.1%)** in any one year.

Chance of flooding to the following depths at this property:




# Maps

## Conservation Areas

COOPER  
AND  
TANNER

This map displays nearby official conservation areas. Every local authority in England has at least one conservation area. Most are designated by the Council as the local planning authority, though Historic England and the Secretary of State also have the power to create them.



### Nearby Conservation Areas


- 1 Shepton Mallet
- 2 Doultong
- 3 Croscombe
- 4 Pilton
- 5 Oakhill
- 6 Evercreech
- 7 Dinder
- 8 Mendip Hospital
- 9 Batcombe
- 10 Wells

# Maps

## Landfill Sites

COOPER  
AND  
TANNER

This map displays the location of known landfill sites. Historic sites are where there is no environmental permit in force. Active sites are currently authorised by the Environment Agency under Environmental Permitting Regulations.




### Nearby Landfill Sites

|    |   |                   |                          |
|----|---|-------------------|--------------------------|
| 1  | Station Yard-Charlton Road Station, Shepton Mallet, Somerset                | Historic Landfill | <input type="checkbox"/> |
| 2  | Brickyard Farm-Cann Grave   | Historic Landfill | <input type="checkbox"/> |
| 3  | Whitstone Hill Farm, Cannards Grave Farm-Doultong, Shepton Mallet, Somerset | Historic Landfill | <input type="checkbox"/> |
| 4  | Whitstone Farm-Cannards Grave, Shepton Mallet                               | Historic Landfill | <input type="checkbox"/> |
| 5  | Downside Quarry-Windsor Hill, Shepton Mallet, Somerset                      | Historic Landfill | <input type="checkbox"/> |
| 6  | Three Arch Bridge-Ridge Road, West Compton, Shepton Mallet, Somerset        | Historic Landfill | <input type="checkbox"/> |
| 7  | Downside Quarry, Windsor Hill-Shepton Mallet                                | Historic Landfill | <input type="checkbox"/> |
| 8  | Three Arch Bridge-Ridge Road, West Compton, Shepton Mallet, Somerset        | Historic Landfill | <input type="checkbox"/> |
| 9  | Disused Quarry-Doultong   | Historic Landfill | <input type="checkbox"/> |
| 10 | Coombe Farm-Titwell, Shepton Mallet   | Historic Landfill | <input type="checkbox"/> |

# Maps Coal Mining

COOPER  
AND  
TANNER

This map displays nearby coal mine entrances and their classifications.



## Mine Entry

- ✖ Adit
- ✖ Gutter Pit
- ✖ Shaft

The Coal Authority has records of over 175,000 mine entries within the UK captured in the National Coal Mining database, derived from sources including abandonment plans, geological and topographical plans.


Coal mining activity is recorded as far back as the 13th century, but prior to 1872 there was no requirement to deposit abandonment plans. It is therefore believed there may be many unrecorded mine entries of which the Authority has no information or knowledge. These entries do not, therefore, appear within the Authority's national dataset as shown on this map.

# Maps

## Council Wards

COOPER  
AND  
TANNER

The UK is divided into wards that are used for local elections to elect local government councillors. Sometimes these are known as 'electoral divisions'. Population counts can vary substantially between wards, but the national average is about 5,500





### Nearby Council Wards

- 1 Shepton East Ward
- 2 Shepton West Ward
- 3 Crocombe and Pilton Ward
- 4 Creech Ward
- 5 Cranmore, Doultong and Nunney Ward
- 6 Ashwick, Chilcompton and Stratton Ward
- 7 The Pennards and Ditchet Ward
- 8 Coleford and Holcombe Ward
- 9 St. Cuthbert Out North Ward
- 10 Wells St. Thomas' Ward

### What is Radon?

Radon is a natural radioactive gas, which enters buildings from the ground. Exposure to high concentrations increases the risk of lung cancer. The UK Health Security Agency (UKHSA) recommends that radon levels should be reduced in homes where the annual average is at or above 200 becquerels per cubic metre (200 Bq/m<sup>3</sup>).




# Environment Soils & Clay

COOPER  
AND  
TANNER

Ground Composition for this Address (Surrounding square kilometer zone around property)

**Carbon Content:** VARIABLE(HIGH)      **Soil Texture:** CLAYEY LOAM TO SILTY  
**Parent Material Grain:** ARGILLACEOUS      **Soil Depth:** LOAM  
**Soil Group:** HEAVY TO MEDIUM      **Soil Depth:** DEEP




## Primary Classifications (Most Common Clay Types)

|               |  |
|---------------|--|
| <b>C/M</b>    | Claystone / Mudstone                         |
| <b>FPC,S</b>  | Floodplain Clay, Sand / Gravel               |
| <b>FC,S</b>   | Fluvial Clays & Silts                        |
| <b>FC,S,G</b> | Fluvial Clays, Silts, Sands & Gravel         |
| <b>PM/EC</b>  | Prequaternary Marine / Estuarine Clay / Silt |
| <b>QM/EC</b>  | Quaternary Marine / Estuarine Clay / Silt    |
| <b>RC</b>     | Residual Clay                                |
| <b>RC/LL</b>  | Residual Clay & Loamy Loess                  |
| <b>RC,S</b>   | River Clay & Silt                            |
| <b>RC,FS</b>  | Riverine Clay & Floodplain Sands and Gravel  |
| <b>RC,FL</b>  | Riverine Clay & Fluvial Sands and Gravel     |
| <b>TC</b>     | Terrace Clay                                 |
| <b>TC/LL</b>  | Terrace Clay & Loamy Loess                   |

# Local Area Masts & Pylons

COOPER  
AND  
TANNER



## Key:


- Power Pylons
- Communication Masts

# Maps


## Listed Buildings

COOPER  
AND  
TANNER

This map displays nearby listed buildings and protected structures, as well as their listed tier and distance from the target property...



| Listed Buildings in the local district  | Grade    | Distance  |
|---|----------|-----------|
|  1 1251745 - The Field Inn   | Grade II | 0.2 miles |
|  2 1262611 - Terrace Of Three Cottages Attached To Left Of The Field Inn | Grade II | 0.2 miles |
|  3 1173250 - 86, Kilver Street   | Grade II | 0.3 miles |
|  4 1058433 - 19, Garston Street  | Grade II | 0.4 miles |
|  5 1296602 - 5, Brewery Lane   | Grade II | 0.4 miles |
|  6 1058425 - Former Her Majesty's Prison Shepton Mallet                  | Grade II | 0.4 miles |
|  7 1391564 - Shepton Mallet War Memorial                                 | Grade II | 0.4 miles |
|  8 1417744 - The Former Tread-wheel House At Hmp Shepton Mallet          | Grade II | 0.4 miles |
|  9 1058357 - Whitstone House   | Grade II | 0.4 miles |
|  10 1173450 - 22, Paul Street  | Grade II | 0.4 miles |
|  10 1296669 - Woodlands Farmhouse  | Grade II | 0.4 miles |



Nursery Primary Secondary College Private



### Whitstone

Ofsted Rating: Good | Pupils: 584 | Distance:0.27



### St Paul's Church of England VC Junior School

Ofsted Rating: Good | Pupils: 322 | Distance:0.42



### Shepton Mallet Community Infants' School & Nursery

Ofsted Rating: Good | Pupils: 220 | Distance:0.58



### Bowlish Infant School

Ofsted Rating: Good | Pupils: 107 | Distance:1.02



### St Aldhelms Church School

Ofsted Rating: Requires improvement | Pupils: 173 | Distance:1.41



### The Mendip School

Ofsted Rating: Good | Pupils: 164 | Distance:1.78



### Oakhill Church School

Ofsted Rating: Requires improvement | Pupils: 106 | Distance:2.78




### Evercreech Church of England Primary School

Ofsted Rating: Good | Pupils: 181 | Distance:2.79



# Area Schools

COOPER  
AND  
TANNER



Nursery Primary Secondary College Private



## All Hallows School

Ofsted Rating: Not Rated | Pupils: 238 | Distance: 3.59



## Horrington Primary School

Ofsted Rating: Requires improvement | Pupils: 102 | Distance: 4.06



## Ditcheat Primary School

Ofsted Rating: Good | Pupils: 91 | Distance: 4.17



## Stoberry Park School

Ofsted Rating: Good | Pupils: 318 | Distance: 4.87



## Leigh On Mendip School

Ofsted Rating: Good | Pupils: 99 | Distance: 4.91



## Wells Cathedral School

Ofsted Rating: Not Rated | Pupils: 780 | Distance: 4.91



## St Joseph and St Teresa Catholic Primary School

Ofsted Rating: Good | Pupils: 149 | Distance: 5.1




## Downside School

Ofsted Rating: Not Rated | Pupils: 334 | Distance: 5.12



# Area Transport (National)

COOPER  
AND  
TANNER



## National Rail Stations

| Pin | Name                     | Distance    |
|-----|--------------------------|-------------|
| 1   | Castle Cary Rail Station | 5.95 miles  |
| 2   | Bruton Rail Station      | 6.46 miles  |
| 3   | Frome Rail Station       | 10.34 miles |



## Trunk Roads/Motorways

| Pin | Name    | Distance    |
|-----|---------|-------------|
| 1   | M5 J13  | 40.77 miles |
| 2   | M5 J12  | 43.78 miles |
| 3   | M5 J11A | 49.22 miles |
| 4   | M4 J16  | 38.68 miles |
| 5   | M4 J15  | 42.35 miles |




## Airports/Helipads

| Pin | Name                              | Distance    |
|-----|-----------------------------------|-------------|
| 1   | Bristol Airport                   | 15.8 miles  |
| 2   | Felton                            | 15.8 miles  |
| 3   | Bournemouth International Airport | 41.71 miles |
| 4   | Cardiff Airport                   | 37.62 miles |


# Area Transport (Local)

COOPER  
AND  
TANNER



## Bus Stops/Stations

| Pin | Name                  | Distance   |
|-----|-----------------------|------------|
| 1   | Collett Avenue        | 0.23 miles |
| 2   | Charlton Inn          | 0.21 miles |
| 3   | Somerville Close      | 0.22 miles |
| 4   | Esso Station          | 0.24 miles |
| 5   | Park Medical Practice | 0.34 miles |



## Ferry Terminals

| Pin | Name                         | Distance    |
|-----|------------------------------|-------------|
| 1   | Bathurst Basin Ferry Landing | 18.36 miles |
| 2   | The Ostrich                  | 18.35 miles |
| 3   | Wapping Wharf                | 18.33 miles |

# Cooper and Tanner Data Quality

We are committed to comprehensive property data being made available upfront to make the home buying and selling process quicker, easier and cheaper. This is why we have partnered with Sprift, the UK's leading supplier of property-specific data.

Powered by



## Contains public sector information licensed under the Open Government License v3.0

The information contained within this report is for general information purposes only.

Sprift Technologies Ltd aggregate this data from a wide variety of sources and while we endeavour to keep the information up to date and correct, we make no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, of the information or related graphics contained within this report for any purpose.

Any reliance you place on such information is therefore strictly at your own risk. In no event will we be liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this report.



**Cooper and Tanner**

32 High Street Shepton Mallet BA4 5AS  
01749 372200  
sheptonmallet@cooperandtanner.co.uk  
cooperandtanner.co.uk

