

MISREPRESENTATION DISCLAIMER
All reasonable steps have been taken with the preparation of these particulars but complete accuracy cannot be guaranteed. If there is any point which is of particular importance to you, please obtain professional confirmation. Alternatively, where possible we will be pleased to check the information for you. These particulars do not constitute a contract or part of a contract. All measurements quoted are approximate. The fixtures, fittings and appliances have not been tested and therefore no guarantee can be given that they are in working order. Any drawings, sketches or plans are provided for illustrative purposes only and are not to scale. All photographs are reproduced for general information and it cannot be inferred that any items shown are included in the sale.

Energy Efficiency Rating		Current	Future
EU Directive 2002/91/EC			
Newly built - lower energy code		A	A
Newly built - lower energy code		B	B
Newly built - lower energy code		C	C
Newly built - lower energy code		D	D
Newly built - lower energy code		E	E
Newly built - lower energy code		F	F
Newly built - lower energy code		G	G
Newly built - lower energy code		H	H
Newly built - lower energy code		I	I
Newly built - lower energy code		J	J
Newly built - lower energy code		K	K
Newly built - lower energy code		L	L
Newly built - lower energy code		M	M
Newly built - lower energy code		N	N
Newly built - lower energy code		O	O
Newly built - lower energy code		P	P
Newly built - lower energy code		Q	Q
Newly built - lower energy code		R	R
Newly built - lower energy code		S	S
Newly built - lower energy code		T	T
Newly built - lower energy code		U	U
Newly built - lower energy code		V	V
Newly built - lower energy code		W	W
Newly built - lower energy code		X	X
Newly built - lower energy code		Y	Y
Newly built - lower energy code		Z	Z
Newly built - lower energy code		AA	AA
Newly built - lower energy code		AB	AB
Newly built - lower energy code		AC	AC
Newly built - lower energy code		AD	AD
Newly built - lower energy code		AE	AE
Newly built - lower energy code		AF	AF
Newly built - lower energy code		AG	AG
Newly built - lower energy code		AH	AH
Newly built - lower energy code		AI	AI
Newly built - lower energy code		AJ	AJ
Newly built - lower energy code		AK	AK
Newly built - lower energy code		AL	AL
Newly built - lower energy code		AM	AM
Newly built - lower energy code		AN	AN
Newly built - lower energy code		AO	AO
Newly built - lower energy code		AP	AP
Newly built - lower energy code		AQ	AQ
Newly built - lower energy code		AR	AR
Newly built - lower energy code		AS	AS
Newly built - lower energy code		AT	AT
Newly built - lower energy code		AU	AU
Newly built - lower energy code		AV	AV
Newly built - lower energy code		AW	AW
Newly built - lower energy code		AX	AX
Newly built - lower energy code		AY	AY
Newly built - lower energy code		AZ	AZ
Newly built - lower energy code		BA	BA
Newly built - lower energy code		BB	BB
Newly built - lower energy code		BC	BC
Newly built - lower energy code		BD	BD
Newly built - lower energy code		BE	BE
Newly built - lower energy code		BF	BF
Newly built - lower energy code		BG	BG
Newly built - lower energy code		BH	BH
Newly built - lower energy code		BI	BI
Newly built - lower energy code		BJ	BJ
Newly built - lower energy code		BK	BK
Newly built - lower energy code		BL	BL
Newly built - lower energy code		BM	BM
Newly built - lower energy code		BN	BN
Newly built - lower energy code		BO	BO
Newly built - lower energy code		BP	BP
Newly built - lower energy code		BQ	BQ
Newly built - lower energy code		BR	BR
Newly built - lower energy code		BS	BS
Newly built - lower energy code		BT	BT
Newly built - lower energy code		BU	BU
Newly built - lower energy code		BV	BV
Newly built - lower energy code		BW	BW
Newly built - lower energy code		BX	BX
Newly built - lower energy code		BY	BY
Newly built - lower energy code		BZ	BZ
Newly built - lower energy code		CA	CA
Newly built - lower energy code		CB	CB
Newly built - lower energy code		CC	CC
Newly built - lower energy code		CD	CD
Newly built - lower energy code		CE	CE
Newly built - lower energy code		CF	CF
Newly built - lower energy code		CG	CG
Newly built - lower energy code		CH	CH
Newly built - lower energy code		CI	CI
Newly built - lower energy code		CJ	CJ
Newly built - lower energy code		CK	CK
Newly built - lower energy code		CL	CL
Newly built - lower energy code		CM	CM
Newly built - lower energy code		CN	CN
Newly built - lower energy code		CO	CO
Newly built - lower energy code		CP	CP
Newly built - lower energy code		CQ	CQ
Newly built - lower energy code		CR	CR
Newly built - lower energy code		CS	CS
Newly built - lower energy code		CT	CT
Newly built - lower energy code		CU	CU
Newly built - lower energy code		CV	CV
Newly built - lower energy code		CW	CW
Newly built - lower energy code		CX	CX
Newly built - lower energy code		CY	CY
Newly built - lower energy code		CZ	CZ
Newly built - lower energy code		DA	DA
Newly built - lower energy code		DB	DB
Newly built - lower energy code		DC	DC
Newly built - lower energy code		DD	DD
Newly built - lower energy code		DE	DE
Newly built - lower energy code		DF	DF
Newly built - lower energy code		DG	DG
Newly built - lower energy code		DH	DH
Newly built - lower energy code		DI	DI
Newly built - lower energy code		DJ	DJ
Newly built - lower energy code		DK	DK
Newly built - lower energy code		DL	DL
Newly built - lower energy code		DM	DM
Newly built - lower energy code		DN	DN
Newly built - lower energy code		DO	DO
Newly built - lower energy code		DP	DP
Newly built - lower energy code		DQ	DQ
Newly built - lower energy code		DR	DR
Newly built - lower energy code		DS	DS
Newly built - lower energy code		DT	DT
Newly built - lower energy code		DU	DU
Newly built - lower energy code		DV	DV
Newly built - lower energy code		DW	DW
Newly built - lower energy code		DX	DX
Newly built - lower energy code		DY	DY
Newly built - lower energy code		DZ	DZ
Newly built - lower energy code		EA	EA
Newly built - lower energy code		EB	EB
Newly built - lower energy code		EC	EC
Newly built - lower energy code		ED	ED
Newly built - lower energy code		EE	EE
Newly built - lower energy code		EF	EF
Newly built - lower energy code		EG	EG
Newly built - lower energy code		EH	EH
Newly built - lower energy code		EI	EI
Newly built - lower energy code		EJ	EJ
Newly built - lower energy code		EK	EK
Newly built - lower energy code		EL	EL
Newly built - lower energy code		EM	EM
Newly built - lower energy code		EN	EN
Newly built - lower energy code		EO	EO
Newly built - lower energy code		EP	EP
Newly built - lower energy code		EQ	EQ
Newly built - lower energy code		ER	ER
Newly built - lower energy code		ES	ES
Newly built - lower energy code		ET	ET
Newly built - lower energy code		EU	EU
Newly built - lower energy code		EV	EV
Newly built - lower energy code		EW	EW
Newly built - lower energy code		EX	EX
Newly built - lower energy code		EY	EY
Newly built - lower energy code		EZ	EZ
Newly built - lower energy code		FA	FA
Newly built - lower energy code		FB	FB
Newly built - lower energy code		FC	FC
Newly built - lower energy code		FD	FD
Newly built - lower energy code		FE	FE
Newly built - lower energy code		FF	FF
Newly built - lower energy code		FG	FG
Newly built - lower energy code		FH	FH
Newly built - lower energy code		FI	FI
Newly built - lower energy code		FJ	FJ
Newly built - lower energy code		FK	FK
Newly built - lower energy code		FL	FL
Newly built - lower energy code		FM	FM
Newly built - lower energy code		FN	FN
Newly built - lower energy code		FO	FO
Newly built - lower energy code		FP	FP
Newly built - lower energy code		FQ	FQ
Newly built - lower energy code		FR	FR
Newly built - lower energy code		FS	FS
Newly built - lower energy code		FT	FT
Newly built - lower energy code		FU	FU
Newly built - lower energy code		FV	FV
Newly built - lower energy code		FW	FW
Newly built - lower energy code		FX	FX
Newly built - lower energy code		FY	FY
Newly built - lower energy code		FZ	FZ
Newly built - lower energy code		GA	GA
Newly built - lower energy code		GB	GB
Newly built - lower energy code		GC	GC
Newly built - lower energy code		GD	GD
Newly built - lower energy code		GE	GE
Newly built - lower energy code		GF	GF
Newly built - lower energy code		GG	GG
Newly built - lower energy code		GH	GH
Newly built - lower energy code		GI	GI
Newly built - lower energy code		GJ	GJ
Newly built - lower energy code		GK	GK
Newly built - lower energy code		GL	GL
Newly built - lower energy code		GM	GM
Newly built - lower energy code		GN	GN
Newly built - lower energy code		GO	GO
Newly built - lower energy code		GP	GP
Newly built - lower energy code		GQ	GQ
Newly built - lower energy code		GR	GR
Newly built - lower energy code		GS	GS
Newly built - lower energy code		GT	GT
Newly built - lower energy code		GU	GU
Newly built - lower energy code		GV	GV
Newly built - lower energy code		GW	GW
Newly built - lower energy code		GX	GX
Newly built - lower energy code		GY	GY
Newly built - lower energy code		GZ	GZ
Newly built - lower energy code		HA	HA
Newly built - lower energy code		HB	HB
Newly built - lower energy code		HC	HC
Newly built - lower energy code		HD	HD
Newly built - lower energy code		HE	HE
Newly built - lower energy code		HF	HF
Newly built - lower energy code		HG	HG
Newly built - lower energy code		HH	HH
Newly built - lower energy code		HI	HI
Newly built - lower energy code		HJ	HJ
Newly built - lower energy code		HK	HK
Newly built - lower energy code		HL	HL
Newly built - lower energy code		HM	HM
Newly built - lower energy code		HN	HN
Newly built - lower energy code		HO	HO
Newly built - lower energy code		HP	HP
Newly built - lower energy code		HQ	HQ
Newly built - lower energy code		HR	HR
Newly built - lower energy code		HS	HS
Newly built - lower energy code		HT	HT
Newly built - lower energy code		HU	HU
Newly built - lower energy code		HV	HV
Newly built - lower energy code		HW	HW
Newly built - lower energy code		HX	HX
Newly built - lower energy code		HY	HY
Newly built - lower energy code		HZ	HZ
Newly built - lower energy code		IA	IA
Newly built - lower energy code		IB	IB
Newly built - lower energy code		IC	IC
Newly built - lower energy code		ID	ID
Newly built - lower energy code		IE	IE
Newly built - lower energy code		IF	IF
Newly built - lower energy code		IG	IG
Newly built - lower energy code		IH	IH
Newly built - lower energy code		II	II
Newly built - lower energy code		IJ	IJ
Newly built - lower energy code		IK	IK
Newly built - lower energy code		IL	IL
Newly built - lower energy code		IM	IM
Newly built - lower energy code		IN	IN
Newly built - lower energy code		IO	IO
Newly built - lower energy code		IP	IP
Newly built - lower energy code		IQ	IQ
Newly built - lower energy code		IR	IR
Newly built - lower energy code		IS	IS
Newly built - lower energy code		IT	IT
Newly built - lower energy code		IU	IU
Newly built - lower energy code		IV	IV
Newly built - lower energy code		IW	IW
Newly built - lower energy code		IX	IX
Newly built - lower energy code		IY	IY
Newly built - lower energy code		IZ	IZ
Newly built - lower energy code		JA	JA

Guide Price £335,000

RARELY AVAILABLE THREE BEDROOM SEMI-DETACHED HOUSE, in need of UPDATING and MODERNISATION, SITUATED in a DESIRABLE VILLAGE LOCATION, benefitting from AMPLE OFF ROAD PARKING, MATURE GARDENS OF APPROXIMATELY QUQUATER of an ACRE, that back onto OPEN FIELDS AND SURROUNDING FARMLAND, all being offered with NO ONWARD CHAIN.

The busy market town of Ross-on-Wye offers a range of shops, supermarkets, primary schools, a secondary school, churches of various denominations, health, sports and community centres and library.

For the commuter access can be gained to the M50 motorway (junction 4) for connection with the M5 motorway, linking up the Midlands, and the North, Wales, London and the South. The area is also popular due to the accessibility to Hereford, Chepstow, Gloucester and Cheltenham. There are regular bus services to the surrounding areas.



Entrance via half glazed door through into:
ENTRANCE PORCH
Window overlooking the garden, fully glazed door through to:
ENTRANCE HALL
Single radiator, large understairs storage cupboard.
BATHROOM
White suite comprising bath, tiled surround, vanity wash hand basin, single radiator, side aspect frosted window.
CLOAKROOM
Low level WC, front aspect window.
SITTING ROOM
15'5 x 13'4 (4.70m x 4.06m)
Fireplace with raised hearth, double radiator, side aspect window, rear aspect full height bay window with private outlook onto fields and farmland.
KITCHEN / DINING ROOM
16 x 11'5 (4.88m x 3.48m)
Stainless steel single drainer sink unit with mixer tap, cupboards under, range of base and wall mounted units, fitted washing machine, Rayburn(currently not in use), double radiator, front aspect window, private outlook over the gardens, fully gazed door into:
SUNROOM
9'5 x 8 (2.87m x 2.44m)
Side aspect window, half glazed door to the outside.
UTILITY (Externally Accessed)
7'1 x 6 (2.16m x 1.83m)
Belfast sink unit, cupboards below.
FROM THE ENTRANCE HALL EASY TREAD STAIRWAY LEADS TO THE FIRST FLOOR.
LANDING
Airing cupboard with slatted shelving, access to roof space.

BEDROOM ONE
16 x 11'5 (4.88m x 3.48m)
Double radiator, single radiator, front and rear aspect windows with view over surrounding fields.
BEDROOM TWO
15'6 x 8 (4.72m x 2.44m)
Single radiator, rear aspect window with views over fields and farmland.
BEDROOM THREE
10'2 x 9'8 (3.10m x 2.95m)
Cupboard over the stairs, single radiator, side aspect window.
OUTSIDE
Five bar gate gives access to a gravelled driveway which leads to a parking and turning area, suitable for the parking of several vehicles, range of outbuildings to include:
TANDEM GARAGE
28'10 x 8'7 (8.79m x 2.62m)
Single doorway, two side aspect windows.
ADJACENT SHED
12'7 x 9'3 (3.84m x 2.82m)
Power and lighting.
To the front of the property there is a large garden with a pathway to the front door, lawned area to each side, fencing and hedging surround, gated side access leads to the large private rear garden with paved patio area, two further storage buildings, raised borders, greenhouse, large expanse of lawn, central pond, various mature shrubs bushes and trees, further store shed, natural hedging boundary backing onto open fields and farmland.
AGENT'S NOTE
The Grant of Probate is yet to be received.
SERVICES
Mains electric and water, oil and shared Septic Tank (Owned by this property)

LOCAL AUTHORITY
Council Tax Band: C
Forest of Dean District Council, Council Offices, High Street, Coleford, Glos. GL16 8HG.
WATER RATES
Welsh Water.
TENURE
Freehold.
VIEWING
Strictly through the Owners Selling Agent, Steve Gooch, who will be delighted to escort interested applicants to view if required. Office Opening Hours 8.30am - 7.00pm Monday to Friday, 9.00am - 5.30pm Saturday.
DIRECTIONS
From the Steve Gooch Newent Office, proceed out of Newent along the B4221 Ross Road, continuing through Kilcot and Gorsley towards Ross-on-Wye. Join the M50 towards Ross-On-Wye, then the A40 towards Monmouth. Turn right off the A40 towards Glewstone for approximately one mile where the property can be located set back on the right hand side marked by our 'For Sale' board.
PROPERTY SURVEYS
Qualified Chartered Surveyors (with over 20 years experience) available to undertake surveys (to include Mortgage Surveys/RICS Housebuyers Reports/Full Structural Surveys)
AWAITING VENDOR APPROVAL
These details are yet to be approved by the vendor. Please contact the office for verified details.