

MISREPRESENTATION DISCLAIMER
All reasonable steps have been taken with the preparation of these particulars but complete accuracy cannot be guaranteed. If there is any point which is of particular importance to you, please obtain professional confirmation. Alternatively, where possible we will be pleased to check the information for you. These particulars do not constitute a contract or part of a contract. All measurements quoted are approximate. The fixtures, fittings and appliances have not been tested and therefore no guarantee can be given that they are in working order. Any drawings, sketches or plans are provided for illustrative purposes only and are not to scale. All photographs are reproduced for general information and it cannot be inferred that any items shown are included in the sale.

Energy Efficiency Rating	
Current	Future
Very energy efficient - low running costs	
A (93-100)	A (93-100)
Energy efficient - low running costs	
B (81-92)	B (81-92)
Decent energy efficiency - low running costs	
C (69-80)	C (69-80)
Average energy efficiency - average running costs	
D (55-68)	D (55-68)
Below average energy efficiency - higher running costs	
E (39-54)	E (39-54)
F (29-38)	F (29-38)
G (13-28)	G (13-28)
Very poor energy efficiency - very high running costs	
H (1-12)	H (1-12)
Minimum energy efficiency	
I (0-10)	I (0-10)
Minimum energy efficiency	
J (0-10)	J (0-10)
Minimum energy efficiency	
K (0-10)	K (0-10)
Minimum energy efficiency	
L (0-10)	L (0-10)
Minimum energy efficiency	
M (0-10)	M (0-10)
Minimum energy efficiency	
N (0-10)	N (0-10)
Minimum energy efficiency	
O (0-10)	O (0-10)
Minimum energy efficiency	
P (0-10)	P (0-10)
Minimum energy efficiency	
Q (0-10)	Q (0-10)
Minimum energy efficiency	
R (0-10)	R (0-10)
Minimum energy efficiency	
S (0-10)	S (0-10)
Minimum energy efficiency	
T (0-10)	T (0-10)
Minimum energy efficiency	
U (0-10)	U (0-10)
Minimum energy efficiency	
V (0-10)	V (0-10)
Minimum energy efficiency	
W (0-10)	W (0-10)
Minimum energy efficiency	
X (0-10)	X (0-10)
Minimum energy efficiency	
Y (0-10)	Y (0-10)
Minimum energy efficiency	
Z (0-10)	Z (0-10)
Minimum energy efficiency	
AA (0-10)	AA (0-10)
Minimum energy efficiency	
AB (0-10)	AB (0-10)
Minimum energy efficiency	
AC (0-10)	AC (0-10)
Minimum energy efficiency	
AD (0-10)	AD (0-10)
Minimum energy efficiency	
AE (0-10)	AE (0-10)
Minimum energy efficiency	
AF (0-10)	AF (0-10)
Minimum energy efficiency	
AG (0-10)	AG (0-10)
Minimum energy efficiency	
AH (0-10)	AH (0-10)
Minimum energy efficiency	
AI (0-10)	AI (0-10)
Minimum energy efficiency	
AJ (0-10)	AJ (0-10)
Minimum energy efficiency	
AK (0-10)	AK (0-10)
Minimum energy efficiency	
AL (0-10)	AL (0-10)
Minimum energy efficiency	
AM (0-10)	AM (0-10)
Minimum energy efficiency	
AN (0-10)	AN (0-10)
Minimum energy efficiency	
AO (0-10)	AO (0-10)
Minimum energy efficiency	
AP (0-10)	AP (0-10)
Minimum energy efficiency	
AQ (0-10)	AQ (0-10)
Minimum energy efficiency	
AR (0-10)	AR (0-10)
Minimum energy efficiency	
AS (0-10)	AS (0-10)
Minimum energy efficiency	
AT (0-10)	AT (0-10)
Minimum energy efficiency	
AU (0-10)	AU (0-10)
Minimum energy efficiency	
AV (0-10)	AV (0-10)
Minimum energy efficiency	
AW (0-10)	AW (0-10)
Minimum energy efficiency	
AX (0-10)	AX (0-10)
Minimum energy efficiency	
AY (0-10)	AY (0-10)
Minimum energy efficiency	
AZ (0-10)	AZ (0-10)
Minimum energy efficiency	
BA (0-10)	BA (0-10)
Minimum energy efficiency	
BB (0-10)	BB (0-10)
Minimum energy efficiency	
BC (0-10)	BC (0-10)
Minimum energy efficiency	
BD (0-10)	BD (0-10)
Minimum energy efficiency	
BE (0-10)	BE (0-10)
Minimum energy efficiency	
BF (0-10)	BF (0-10)
Minimum energy efficiency	
BG (0-10)	BG (0-10)
Minimum energy efficiency	
BH (0-10)	BH (0-10)
Minimum energy efficiency	
BI (0-10)	BI (0-10)
Minimum energy efficiency	
BJ (0-10)	BJ (0-10)
Minimum energy efficiency	
BK (0-10)	BK (0-10)
Minimum energy efficiency	
BL (0-10)	BL (0-10)
Minimum energy efficiency	
BM (0-10)	BM (0-10)
Minimum energy efficiency	
BN (0-10)	BN (0-10)
Minimum energy efficiency	
BO (0-10)	BO (0-10)
Minimum energy efficiency	
BP (0-10)	BP (0-10)
Minimum energy efficiency	
BQ (0-10)	BQ (0-10)
Minimum energy efficiency	
BR (0-10)	BR (0-10)
Minimum energy efficiency	
BS (0-10)	BS (0-10)
Minimum energy efficiency	
BT (0-10)	BT (0-10)
Minimum energy efficiency	
BU (0-10)	BU (0-10)
Minimum energy efficiency	
BV (0-10)	BV (0-10)
Minimum energy efficiency	
BW (0-10)	BW (0-10)
Minimum energy efficiency	
BX (0-10)	BX (0-10)
Minimum energy efficiency	
BY (0-10)	BY (0-10)
Minimum energy efficiency	
BZ (0-10)	BZ (0-10)
Minimum energy efficiency	
CA (0-10)	CA (0-10)
Minimum energy efficiency	
CB (0-10)	CB (0-10)
Minimum energy efficiency	
CC (0-10)	CC (0-10)
Minimum energy efficiency	
CD (0-10)	CD (0-10)
Minimum energy efficiency	
CE (0-10)	CE (0-10)
Minimum energy efficiency	
CF (0-10)	CF (0-10)
Minimum energy efficiency	
CG (0-10)	CG (0-10)
Minimum energy efficiency	
CH (0-10)	CH (0-10)
Minimum energy efficiency	
CI (0-10)	CI (0-10)
Minimum energy efficiency	
CJ (0-10)	CJ (0-10)
Minimum energy efficiency	
CK (0-10)	CK (0-10)
Minimum energy efficiency	
CL (0-10)	CL (0-10)
Minimum energy efficiency	
CM (0-10)	CM (0-10)
Minimum energy efficiency	
CN (0-10)	CN (0-10)
Minimum energy efficiency	
CO (0-10)	CO (0-10)
Minimum energy efficiency	
CP (0-10)	CP (0-10)
Minimum energy efficiency	
CQ (0-10)	CQ (0-10)
Minimum energy efficiency	
CR (0-10)	CR (0-10)
Minimum energy efficiency	
CS (0-10)	CS (0-10)
Minimum energy efficiency	
CT (0-10)	CT (0-10)
Minimum energy efficiency	
CU (0-10)	CU (0-10)
Minimum energy efficiency	
CV (0-10)	CV (0-10)
Minimum energy efficiency	
CW (0-10)	CW (0-10)
Minimum energy efficiency	
CX (0-10)	CX (0-10)
Minimum energy efficiency	
CY (0-10)	CY (0-10)
Minimum energy efficiency	
CZ (0-10)	CZ (0-10)
Minimum energy efficiency	
DA (0-10)	DA (0-10)
Minimum energy efficiency	
DB (0-10)	DB (0-10)
Minimum energy efficiency	
DC (0-10)	DC (0-10)
Minimum energy efficiency	
DD (0-10)	DD (0-10)
Minimum energy efficiency	
DE (0-10)	DE (0-10)
Minimum energy efficiency	
DF (0-10)	DF (0-10)
Minimum energy efficiency	
DG (0-10)	DG (0-10)
Minimum energy efficiency	
DH (0-10)	DH (0-10)
Minimum energy efficiency	
DI (0-10)	DI (0-10)
Minimum energy efficiency	
DJ (0-10)	DJ (0-10)
Minimum energy efficiency	
DK (0-10)	DK (0-10)
Minimum energy efficiency	
DL (0-10)	DL (0-10)
Minimum energy efficiency	
DM (0-10)	DM (0-10)
Minimum energy efficiency	
DN (0-10)	DN (0-10)
Minimum energy efficiency	
DO (0-10)	DO (0-10)
Minimum energy efficiency	
DP (0-10)	DP (0-10)
Minimum energy efficiency	
DQ (0-10)	DQ (0-10)
Minimum energy efficiency	
DR (0-10)	DR (0-10)
Minimum energy efficiency	
DS (0-10)	DS (0-10)
Minimum energy efficiency	
DT (0-10)	DT (0-10)
Minimum energy efficiency	
DU (0-10)	DU (0-10)
Minimum energy efficiency	
DV (0-10)	DV (0-10)
Minimum energy efficiency	
DW (0-10)	DW (0-10)
Minimum energy efficiency	
DX (0-10)	DX (0-10)
Minimum energy efficiency	
DY (0-10)	DY (0-10)
Minimum energy efficiency	
DZ (0-10)	DZ (0-10)
Minimum energy efficiency	
EA (0-10)	EA (0-10)
Minimum energy efficiency	
EB (0-10)	EB (0-10)
Minimum energy efficiency	
EC (0-10)	EC (0-10)
Minimum energy efficiency	
ED (0-10)	ED (0-10)
Minimum energy efficiency	
EE (0-10)	EE (0-10)
Minimum energy efficiency	
EF (0-10)	EF (0-10)
Minimum energy efficiency	
EG (0-10)	EG (0-10)
Minimum energy efficiency	
EH (0-10)	EH (0-10)
Minimum energy efficiency	
EI (0-10)	EI (0-10)
Minimum energy efficiency	
EJ (0-10)	EJ (0-10)
Minimum energy efficiency	
EK (0-10)	EK (0-10)
Minimum energy efficiency	
EL (0-10)	EL (0-10)
Minimum energy efficiency	
EM (0-10)	EM (0-10)
Minimum energy efficiency	
EN (0-10)	EN (0-10)
Minimum energy efficiency	
EO (0-10)	EO (0-10)
Minimum energy efficiency	
EP (0-10)	EP (0-10)
Minimum energy efficiency	
EQ (0-10)	EQ (0-10)
Minimum energy efficiency	
ER (0-10)	ER (0-10)
Minimum energy efficiency	
ES (0-10)	ES (0-10)
Minimum energy efficiency	
ET (0-10)	ET (0-10)
Minimum energy efficiency	
EU (0-10)	EU (0-10)
Minimum energy efficiency	
EV (0-10)	EV (0-10)
Minimum energy efficiency	
EW (0-10)	EW (0-10)
Minimum energy efficiency	
EX (0-10)	EX (0-10)
Minimum energy efficiency	
EY (0-10)	EY (0-10)
Minimum energy efficiency	
EZ (0-10)	EZ (0-10)
Minimum energy efficiency	
FA (0-10)	FA (0-10)
Minimum energy efficiency	
FB (0-10)	FB (0-10)
Minimum energy efficiency	
FC (0-10)	FC (0-10)
Minimum energy efficiency	
FD (0-10)	FD (0-10)
Minimum energy efficiency	
FE (0-10)	FE (0-10)
Minimum energy efficiency	
FF (0-10)	FF (0-10)
Minimum energy efficiency	
FG (0-10)	FG (0-10)
Minimum energy efficiency	
FH (0-10)	FH (0-10)
Minimum energy efficiency	
FI (0-10)	FI (0-10)
Minimum energy efficiency	
FJ (0-10)	FJ (0-10)
Minimum energy efficiency	
FK (0-10)	FK (0-10)
Minimum energy efficiency	
FL (0-10)	FL (0-10)
Minimum energy efficiency	
FM (0-10)	FM (0-10)
Minimum energy efficiency	
FN (0-10)	FN (0-10)
Minimum energy efficiency	
FO (0-10)	FO (0-10)
Minimum energy efficiency	
FP (0-10)	FP (0-10)
Minimum energy efficiency	
FQ (0-10)	FQ (0-10)
Minimum energy efficiency	
FR (0-10)	FR (0-10)
Minimum energy efficiency	
FS (0-10)	FS (0-10)
Minimum energy efficiency	
FT (0-10)	FT (0-10)
Minimum energy efficiency	
FU (0-10)	FU (0-10)
Minimum energy efficiency	
FV (0-10)	FV (0-10)
Minimum energy efficiency	
FW (0-10)	FW (0-10)
Minimum energy efficiency	
FX (0-10)	FX (0-10)
Minimum energy efficiency	
FY (0-10)	FY (0-10)
Minimum energy efficiency	
FZ (0-10)	FZ (0-10)
Minimum energy efficiency	
GA (0-10)	GA (0-10)
Minimum energy efficiency	
GB (0-10)	GB (0-10)
Minimum energy efficiency	
GC (0-10)	GC (0-10)
Minimum energy efficiency	
GD (0-10)	GD (0-10)
Minimum energy efficiency	
GE (0-10)	GE (0-10)
Minimum energy efficiency	
GF (0-10)	GF (0-10)
Minimum energy efficiency	
GG (0-10)	GG (0-10)
Minimum energy efficiency	
GH (0-10)	GH (0-10)
Minimum energy efficiency	
GI (0-10)	GI (0-10)
Minimum energy efficiency	
GJ (0-10)	GJ (0-10)
Minimum energy efficiency	
GK (0-10)	GK (0-10)
Minimum energy efficiency	
GL (0-10)	GL (0-10)
Minimum energy efficiency	
GM (0-10)	GM (0-10)
Minimum energy efficiency	
GN (0-10)	GN (0-10)
Minimum energy efficiency	
GO (0-10)	GO (0-10)
Minimum energy efficiency	
GP (0-10)	GP (0-10)
Minimum energy efficiency	
GQ (0-10)	GQ (0-10)
Minimum energy efficiency	
GR (0-10)	GR (0-10)
Minimum energy efficiency	
GS (0-10)	GS (0-10)
Minimum energy efficiency	
GT (0-10)	GT (0-10)
Minimum energy efficiency	
GU (0-10)	GU (0-10)
Minimum energy efficiency	
GV (0-10)	GV (0-10)
Minimum energy efficiency	
GW (0-10)	GW (0-10)
Minimum energy efficiency	
GX (0-10)	GX (0-10)
Minimum energy efficiency	
GY (0-10)	GY (0-10)
Minimum energy efficiency	
GZ (0-10)	GZ (0-10)
Minimum energy efficiency	
HA (0-10)	HA (0-10)
Minimum energy efficiency	
HB (0-10)	HB (0-10)
Minimum energy efficiency	
HC (0-10)	HC (0-10)
Minimum energy efficiency	
HD (0-10)	HD (0-10)
Minimum energy efficiency	
HE (0-10)	HE (0-10)
Minimum energy efficiency	
HF (0-10)	HF (0-10)
Minimum energy efficiency	
HG (0-10)	HG (0-10)
Minimum energy efficiency	
Minimum energy efficiency	

£210,000

A TWO BEDROOM SEMI-DETACHED HOUSE, IDEAL FOR FIRST TIME BUYERS OR INVESTORS ALIKE, with OFF ROAD PARKING FOR TWO VEHICLES, situated in a SOUGHT AFTER DEVELOPMENT on the OUTSKIRTS OF THE HISTORICAL MARKET TOWN OF LEDBURY, all being offered with NO ONWARD CHAIN.

Ledbury offers a wide range of local facilities including shops, schools, churches, hotels, doctors surgery, local hospital, recreational facilities and a main line railway station and theatre.

The cities of Hereford, Worcester and Gloucester are all approximately 16 miles distance and the M50 motorway is approximately 4 miles south of the town.



Entrance via composite double glazed front door into:

ENTRANCE HALL

5'0 x 3'3 (1.52m x 0.99m)

Single radiator, stairs leading off, door into:

LOUNGE

13'0 x 11'6 (3.96m x 3.51m)

Two radiators, network point, thermostat control, front aspect window.

INNER HALLWAY

4'3 x 3'4 (1.30m x 1.02m)

Door to:

CLOAKROOM

5'9 x 2'8 (1.75m x 0.81m)

Toilet and sink with a mixer tap, extractor fan, single radiator.

KITCHEN / BREAKFAST ROOM

14'6 x 9'2 (4.42m x 2.79m)

The kitchen comprises of a range of base and wall mounted units, laminated worktops and splashbacks, integrated appliances to include SMEG oven with four ring Zanussi hob, extractor fan over, glass splash back, integrated tall fridge / freezer, integrated Zanussi washer / dryer, integrated Zanussi dishwasher, double radiator, inset spot lighting, under unit lighting, rear aspect windows, double opening french doors to the gardens.

FROM ENTRANCE HALL, STAIRS LEAD TO FIRST FLOOR

LANDING

Access to roof space, single radiator.

BEDROOM 1

11'6 x 11'0 (3.51m x 3.35m)

Single radiator, thermostat control, door to wardrobe, door to over the stairs wardrobe / airing cupboard, front aspect window.

BEDROOM 2

11'2 x 8'2 (3.40m x 2.49m)

Single radiator, rear aspect window offering pleasant outlook.

BATHROOM

6'6 x 6'2 (1.98m x 1.88m)

Panel bath with mixed tap, inset overhead shower system, WC, wash hand base with mixed tap, tiled splashbacks, shaver point, single radiator, extractor fan, rear aspect frosted window.

OUTSIDE

To the front of the property, there is parking for 2 vehicles. A patio pathway leads to the front door. To the front, there is a small gravel garden area, canopy above front door. A patio pathway extends down the side of the property with gated excess into the back garden. The rear garden measures approximately 43' x 20' with a small patio area, the rest laid to lawn, enclosed by wood panel fencing, offering very good levels of privacy, outside light, outside water tap.

SERVICES

Mains water, electricity, drainage and gas.

MOBILE PHONE COVERAGE / BROADBAND AVAILABILITY

It is down to each individual purchaser to make their own enquiries. However, we have provided a useful link via Rightmove and Zoopla to assist you with the latest information. In Rightmove, this information can be found under the brochures section, see "Property and Area Information" link. In Zoopla, this information can be found via the Additional Links section, see "Property and Area Information" link.

WATER RATES

Severn Trent - to be confirmed.

LOCAL AUTHORITY

Council Tax Band: B
Forest of Dean District Council, Council Offices, High Street, Coleford, Glos. GL16 8HG.

TENURE

Freehold.

VIEWING

Strictly through the Owners Selling Agent, Steve Gooch, who will be delighted to escort interested applicants to view if required. Office Opening Hours 8.30am - 7.00pm Monday to Friday, 9.00am - 5.30pm Saturday.

DIRECTIONS

Take the Dymock Road to Ledbury, and at the Full Pitcher roundabout, take the last exit onto the bypass and take the first right onto Kipling Road (new estate). Take the first left into Keats Meadow, then take the left turning into Tennyson Road, where the property can be located immediately on the left hand side.

what3words - ///twinkled.scores.mammoth

PROPERTY SURVEYS

Qualified Chartered Surveyors (with over 20 years experience) available to undertake surveys (to include Mortgage Surveys/RICS Housebuyers Reports/Full Structural Surveys).

AWAITING VENDOR APPROVAL

These details are yet to be approved by the vendor. Please contact the office for verified details.

